Food Establishment Inspection	n Report					S	core: <u>94.5</u>
Establishment Name: BOJANGLES WALKERTOWN						ablishment ID: 3034011868	
Location Address: 5195 WALKERTOWN COMMONS CIRCLE							
City: WALKERTOWN							
							$\alpha \alpha \bigcirc am$
Total Time: 3 hrs 0 minutes							
Permittee: BJ RESTAURANT DEVELOPMENT, LLC							
Telephone: (336) 595-2767 Category #: III							
Wastewater System: Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 1							
Water Supply: Municipal/Community On-	Site Supply					Repeat Risk Factor/Intervention Vic	
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing food Public Health Interventions: Control measures to prevent foodborne illness of	borne illness.	Go	ood R	etail	Prac	Good Retail Practices tices: Preventative measures to control the addition of pat and physical objects into foods.	hogens, chemicals,
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN	N OU	T N/A	A N/O	Compliance Status	OUT CDI R VR
Supervision .2652			e Foo	<u> </u>	1		
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □					1	Pasteurized eggs used where required	
Employee Health .2652		29 🛿				Water and ice from approved source	210 🗆 🗆
2 X X Management, employees knowledge; responsibilities & reporting 2 X X X X						Variance obtained for specialized processing methods	10.50
3 🖾 🗆 Proper use of reporting, restriction & exclusion Good Hygienic Practices .26522653	31.50			mpe	eratu	re Control .2653, .2654	
Good Hygienic Practices .2652, .2653 4 X Proper eating, tasting, drinking, or tobacco use		31 🛛]		Proper cooling methods used; adequate equipment for temperature control	
		32 🛛	≤∣□]	Plant food properly cooked for hot holding	10.50
5 🖾 🗆 No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 🛛	X C		ם ו	Approved thawing methods used	10.50
6 X Hands clean & properly washed	42000	34 🛛]		Thermometers provided & accurate	1 0.5 0
7 X O A No bare hand contact with RTE foods or pre-		Foo	od Ide	ntif	icatio	on .2653	
		35 🛛	≤∣∟]		Food properly labeled: original container	210
8 🖾 🗌 Handwashing sinks supplied & accessible			_	on d	of Fo	od Contamination .2652, .2653, .2654, .2656, .26	57
Approved Source .2653, .2655 9 X Food obtained from approved source	210	36 🛛]		Insects & rodents not present; no unauthorized animals	210
		37 🛿	≤∣□]		Contamination prevented during food preparation, storage & display	210
		38 🛛]		Personal cleanliness	1 0.5 0
11 X Food in good condition, safe & unadulterated 12 Image: Condition of the state of the stat		39 [1		Wiping cloths: properly used & stored	
	210	40 D			1	Washing fruits & vegetables	
Protection from Contamination .2653, .2654 13 🔯 🗆 🖸 Food separated & protected					_	ensils .2653, .2654	
		41 D]	Τ	In-use utensils: properly stored	10.50
14 X Food-contact surfaces: cleaned & sanitized 15 X Proper disposition of returned, previously served,	31.50	42 🗆		1	1	Utensils, equipment & linens: properly stored, dried & handled	
15 ⊠ □ Proper disposition of returned, previously served, reconditioned, & unsafe food Potentially Hazardous Food Time/Temperature .2653		43 D	_]		Single-use & single-service articles: properly stored & used	
16 □ X □ Proper cooking time & temperatures	3 X O X X 🗆	44 D	_]		Gloves used properly	
17 X Proper reheating procedures for hot holding				and	l Equ	ipment .2653, .2654, .2663	
18 X Image: Comparison of the state of t	31.50	45 D]		Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	210
19 X Proper hot holding temperatures	31.50	46 D		1		constructed, & used Warewashing facilities: installed, maintained, &	
20 X D Proper cold holding temperatures	31.50			-		used; test strips Non-food contact surfaces clean	
21 🛛 🗆 🗆 Proper date marking & disposition	31.50	_	/sical		cilitie		
22 X Time as a public health control: procedures &					_	Hot & cold water available; adequate pressure	210
Consumer Advisory .2653			ik	1		Plumbing installed; proper backflow devices	
23 Consumer advisory provided for raw or		50 D	_	1		Sewage & waste water properly disposed	
Highly Susceptible Populations .2653			_	" 	1	Toilet facilities: properly constructed, supplied	
24 Pasteurized foods used; prohibited foods not offered	31.50	51 🛛	_		1	& cleaned Garbage & refuse properly disposed; facilities	
Chemical .2653, .2657		52 🛿	_]		maintained	
25 🗴 🗆 Food additives: approved & properly used	10.50	53 🗌				Physical facilities installed, maintained & clean	180 - 8 -
26 🕅 🗌 🗌 Toxic substances properly identified stored, & used	210 🗆 🗆	54 🛛	3 C]		Meets ventilation & lighting requirements; designated areas used	1050
Conformance with Approved Procedures .2653, .2654, .2658				•		Total Deductions	. 5.5
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan 210 C							
North Carolina Department of Health & Human Servi	ces • Division of Pu DHHS is an equal of						gram



Comment Addendum to Food Establishment Inspection Report

Establishment Name: BOJANGLES WALKERTOWN	Establishment ID: 3034011868
Location Address: 5195 WALKERTOWN COMMONS CIRC City: WALKERTOWN St	
County: <u>34 Forsyth</u> Zip: <u>27051</u>	
Wastewater System: ⋈ Municipal/Community □ On-Site System Water Supply: ⋈ Municipal/Community □ On-Site System	Email 1:
Permittee: BJ RESTAURANT DEVELOPMENT, LLC	Email 2:
Telephone: (336) 595-2767	Email 3:

			Tempe	rature Observ	ations			
ltem Chicken	Location Final Cook	Temp 180	ltem Grits	Location Hot Holding	Temp 178	Item Batter Mix	Location WIC	Temp 50
Chicken Leg	Final Cook	172	Pintos	Hot Holding	180			
Chicken	Final Cook	141	Cole Slaw	Reach-In	40			
Chicken	Final Cook	178	Salad	Make Unit	45			
Bo Rounds	Final Cook	215	Sliced	Make Unit	42			
Fries	Final Cook	220	Liquid Egg	Make Unit	48			
Sausage	Hot Holding	175	Hot Water	3-comp	145			
Chicken Patty	Hot Holding	180	Raw Chicken	WIC	41			
		· · · · · ·						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

16 3-401.11 Raw Animal Foods-Cooking - P,PF. Repeat Violation-Chicken breast final cook temperature was 145-150 F. Ensure poultry is cooked to a minimum of 165 F for 15 seconds. CDI-Redropped breasts to a final cook temperature of 175-190 F.

39 3-304.14 Wiping Cloths, Use Limitation - C. Two sanitizer buckets were at proper concentration but were soiled with food debris. Wet wiping cloths must be stored in sanitizer buckets that are free of food debris and visible soil. CDI-Changed out sanitizer solution.

42 4-901.11 Equipment and Utensils, Air-Drying Required - C. Repeat Violation-All clean pans above 3-comp sink were stacked wet. After washing, rinsing, & sanitizing utensils, they must be air-dried. CDI-Separated pans to facilitate air-drying.

Person in Charge (Print & Sign):	First Curtis	<i>Last</i> Bradshaw	ANFI	
Regulatory Authority (Print & Sign)	First Jo Farmer, REHSI : •	<i>Last</i> Carolyn Griffin, REHS	$\bigcup V \setminus $	
REHS ID	2443 - Farmer, Johar	nna	Verification Required Date:/	/
REHS Contact Phone Number	r: (<u>336</u>) <u>703</u> - <u>31</u>	<u>36</u>		
North Carolina Department		Division of Public Health Environ Environ Environ Environ 	mental Health Section • Food Protection	n Program
	Page 2 of Foo	od Establishment Inspection Report, 3	8/2013	

Date: 08/20/2014

Status Code: <u>A</u> Category #: III

Establishment ID: <u>3034011868</u>

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - C. Repeat Violation-Outsides of equipment, clean utensil storage areas, shelving, & carts are soiled with dried food debris & grease. Nonfood-contact surfaces shall be cleaned at a frequency to keep them clean. Clean all areas of the kitchen that are soiled.

- 49 5-205.15 System Maintained in Good Repair P. The 3-comp sink has a leaking pipe underneath the rinse vat. It also overflows. Repair drain & plumbing underneath the 3-comp sink so that it drains properly.
- 53 6-201.12 Floors, Walls, and Ceilings, Utility Lines C. Repeat Violation-Standing water accumulates near 3-comp sink & floors need cleaning, especially underneath equipment. Repair drain so that standing water does not accumulate and clean floors.





Establishment ID: 3034011868

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034011868

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: <u>3034011868</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

