r	00)d	Ŀ	.S	tabiisnment inspection	K	9	po	rt								Score	: _9	<u>95</u>		_
Es	tal	olis	hn	ner	nt Name: STRATFORD STATION GRILL									E:	sta	ablishment ID: 3034011144					
					ress: 828 SOUTH STRATFORD RD							_				☑ Inspection ☐ Re-Inspection					
Ci	City: WINSTON SALEM State: NC								Date: 03 / 17 / 2015 Status Code: A												
	Zip: 27103 County: 34 Forsyth								Time In: 03:008 pm Time Out: 06:308 pm												
	Zip: 27103 County: 34 1 0139(III Permittee: GN AND J CORTESIS INC								Total Time: 3 hrs 30 minutes												
				٠ -												ry #: IV			_		
Telephone: (336) 659-1983								FDA Establishment Type: Full-Service Restaurant													
Wastewater System: ⊠Municipal/Community ☐ On-Site Sy								/ste	No. of Risk Factor/Intervention Violations: 3								_				
W	ate	r S	up	ply	y: ⊠Municipal/Community □On-	Site	S	upp	oly							Repeat Risk Factor/Intervention \		ns:	1		
	Foo	dha	orn/	ااا م	ness Risk Factors and Public Health Int	erve	nti	ione								Good Retail Practices					
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness.											Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,										
				_	ventions: Control measures to prevent foodborne illness o					4		1.				and physical objects into foods.			I I	_	
(out		N/O	Compliance Status .2652	OUT		CDI	R V	⊣⊢	Safe	OUT	_	_		Compliance Status ater .2653, .2655, .2658	OL	JT	CDI	R	VR
1	Supe	U 12			PIC Present: Demonstration-Certification by	2	0				Sale 28	$\overline{}$		$\overline{}$	П	Pasteurized eggs used where required	10	.5 0			П
E		loye		alth	accredited program and perform duties .2652			1-1		⊣⊢	29 🔀	_	+	-		Water and ice from approved source		1 0			Ē
-	×				Management, employees knowledge; responsibilities & reporting	3 1.5	0			٦I⊢	30 🗆)] [2			Variance obtained for specialized processing		5 0			Ë
3	×				Proper use of reporting, restriction & exclusion	3 1.5	0			⊣I∟	ㅗ	d To	_		_	methods e Control .2653, .2654		J U			브
(3000	Ну	gien	ic P	ractices .2652, .2653						31 X	$\overline{}$	т.	cid	ıul	Proper cooling methods used; adequate	10	.5 0		П	
4	×				Proper eating, tasting, drinking, or tobacco use	2 1	0			٦I⊢	32 🔀		+	7,	\dashv	equipment for temperature control Plant food properly cooked for hot holding		.5 0			
5	×				No discharge from eyes, nose or mouth	1 0.5	0			٦I⊢	33 🔀	_	+	-		Approved thawing methods used		5 0	\vdash		Ħ
-		entin	g C	onta	mination by Hands .2652, .2653, .2655, .2656		_				_	_	+	_	니	-		#			H
⊢	×				Hands clean & properly washed	4 2	0			-′1 -	Food			fice	atio	Thermometers provided & accurate n .2653	10	.5 0		Ш	브
7	×				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5	0			11 =	F000	_	$\overline{}$	IIICa	บเมน	Food properly labeled: original container	7	1 0			
8	×				Handwashing sinks supplied & accessible	2 1	0			⊐I⊢				of I	Foo	od Contamination .2652, .2653, .2654, .2656,	.2657	ت ا	ובי		
		ove	d So	urce							36 🔀	$\overline{}$	$\overline{}$	T		Insects & rodents not present; no unauthorize animals		0			ī
9					Food obtained from approved source	2 1	0			٦I⊢	37 🔀	_		\dagger		Contamination prevented during food	2	1 0			
10				×	Food received at proper temperature	2 1	0			JI⊨	88 🔀	+	+	+		preparation, storage & display Personal cleanliness		.5 0			Ē
11	×				Food in good condition, safe & unadulterated	2 1	0			JI⊩	39 🗀	-	+	+		Wiping cloths: properly used & stored		4 0			Ē
12			×		Required records available: shellstock tags, parasite destruction	2 1	0			JI⊢	10 🗷	_	+	┪		Washing fruits & vegetables		.5 0			F
-					Contamination .2653, .2654									ፗ	Ute	ensils .2653, .2654		ک ک	ושו		
\vdash	X			Ш	Food separated & protected		0	+		415				Ī		In-use utensils: properly stored	10	.5			ī
14		×			Food-contact surfaces: cleaned & sanitized Proper disposition of returned, previously served,	3 1.5	X	X			12 🗆	. _	+	\dagger		Utensils, equipment & linens: properly stored, dried & handled	10	€ 0	X	X	
_	×				reconditioned, & unsafe food	2 1	0			IJH	13 🔀	+	+	+		Single-use & single-service articles: properly	10	-		_	Ē
	Pote	ntial	ly Ha □	azar	dous Food TIme/Temperature .2653 Proper cooking time & temperatures	3 1.5	0				14 🔀	+	1	+		stored & used Gloves used properly	110	H			Ë
\vdash	_									⊣ ⊢			an	d F	ani	ipment .2653, .2654, .2663		ال اد.			브
H	X				Proper reheating procedures for hot holding	3 1.5	0			46	\top		Т	u L	qui	Equipment, food & non-food contact surfaces					
⊢	×	닏		1	Proper cooling time & temperatures	3 1.5	0		∐[-	4	15 🗆	-	_	1		approved, cleanable, properly designed, constructed, & used		0		Ш	Ľ
19	×				Proper hot holding temperatures	3 1.5	0			4	l6 🗆		1			Warewashing facilities: installed, maintained, used; test strips	× 10	5 🗶			
20	×				Proper cold holding temperatures	3 1.5	0	\vdash		ᆛᄔ	17 🗆					Non-food contact surfaces clean	10	.5			
21		X			Proper date marking & disposition	1.5	0		X	-15	Phys	$\overline{}$	Fa	cili	ities						
22			×		Time as a public health control: procedures & records	2 1	0			╝	18 🔀	_	1 [4		Hot & cold water available; adequate pressure		0			Ľ
		ume	er Ad	dvis	ory .2653 Consumer advisory provided for raw or					⊣⊢	19 🗆		1			Plumbing installed; proper backflow devices	2	X			
23		×		m 1.11	undercooked foods	1 0.5	X	X			50 X]			Sewage & waste water properly disposed	2	1 0			
24		y St	isce	ptib	le Populations .2653 Pasteurized foods used; prohibited foods not	3 1 5	0			= 5	51 🗷					Toilet facilities: properly constructed, supplied & cleaned	10	.5 0			
_		nical			offered .2653, .2657	[-][1.3]	۳				52 🔀		ı	T		Garbage & refuse properly disposed; facilities maintained	10	.5 0			
25			×		Food additives: approved & properly used	1 0.5	0				53 🗆		i	1		Physical facilities installed, maintained & clear	1 10	.5 🗶			
26	E		X		Toxic substances properly identified stored, & used	2 1	0			⊣⊦	54 🗆		+	+		Meets ventilation & lighting requirements;		.5 🗶	\vdash		Ē
	二	ᆮ	_		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				-1-	ĨĽ						designated areas used				_	=



27 🗆 🗆 🗷

Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



210 - -

Total Deductions:

Lotabilofficii	t Name: STRATFORD	STATION	GRILL		Establishment ID: 3034011144								
Location Add	dress: 828 SOUTH ST	RATFORD	RD		☑Inspection ☐Re-Inspection Date: 03/17/2015								
City: WINSTO				te: <u>NC</u>	Comment Adder	dum Attached?	Status Cod	e:_ ^A					
County: 34 F	Forsyth		Zip: 27103		Category #:IV								
	/stem: 🛮 Municipal/Comm				Email 1: stratfordstationgrill@yahoo.com								
Water Supply:			n-Site System		Email 2:								
_	(336) 659-1983				Email 3:								
. 6.6 \$1.61.61			Tempe	rature Ob	Observations								
	Location		Item	Location	Te	emp Item	Location	Tem					
	Make-top	40	Raw chicken	walk-in	41	George	06/19/17 SS	0					
	Make-top	39	Raw beef	walk-in	40								
	Reach- in	39	Tzatiziki	walk-in	43								
	Reach-in	42	Slaw	walkin	43								
	Make-top unit bottom	42	Lettuce	walk-in	42								
	Make-top unit bottom	41	Fish	Final	186								
	Hot hold	158	Hot water	3 comp sinl									
Chili	Steam-well	150	Sanitizer	bucket	50								
4-501.114 N Hardness -	olations cited in this repor Manual and Mechanic P0pts- The sanitize icket to 50-200ppm of	al Warew r concenti	ashing Equiporation of the sa	ment, Chem anitizer bucl	nical Sanitization ket was below 5	-Temperature, pH, 0 0 ppm. Santizier sha	Concentration a	and					
4-501.114 M Hardness - sanitizer bud 3-501.17 Re Two large c mark labels	Manual and Mechanic P0pts- The sanitize	cal Warew r concento chlorine chlorine dly Hazaro ziki sauce	vashing Equiporation of the sat all times. Conduction of the sat all times. Conduction of the sat all times are sauce to the sauce of t	ment, Chem anitizer bucl DI- The san F (Time/Ter , chili, veget	nical Sanitization ket was below 5 iitizer was discar mperature Contr table soup, and i	-Temperature, pH, 0 0 ppm. Santizier sha ded and remixed. ol for Safety Food), raw chicken are pre	Concentration a all be maintained Date Marking - pped with out a	and ed inside · PF-Repeat dding date					
4-501.114 M Hardness - sanitizer but 3-501.17 Re Two large c mark labels held for ove 3-603.11 Co Opts-The far reminding the	Manual and Mechanic P0pts- The sanitize icket to 50-200ppm of eady-To-Eat Potentia container of slaw, tzat container of slaw, tzat	al Warew r concents chlorine chlorine dly Hazard ziki sauce ed from the defroods the dercooking at are ab	rashing Equiporation of the sat all times. Consider the sat all times and the sat all times are sauce that are Raw, the sat a	ment, Chem anitizer buck DI- The san IF (Time/Ter , chili, veget ckages or pr Undercooke Beef tips, ar rcooked but nu that direc	mical Sanitization ket was below 5 itizer was discard mperature Contrable soup, and repared on site soup of the contrable soup of th	Temperature, pH, 0 ppm. Santizier shaded and remixed. ol for Safety Food), raw chicken are prehall be marked with vise Processed to Esclourse is provided rkings are provided	Concentration a all be maintained be maintained be maintained by the maintained by the maintained by the date it was been been been been been been been bee	end ed inside PF-Repeatedding date sprepped if					
4-501.114 M Hardness - sanitizer but 3-501.17 Re Two large c mark labels held for ove 3-603.11 Co Opts-The far reminding the to inform co copy of the	Manual and Mechanic POpts- The sanitize cleated to 50-200ppm of eady-To-Eat Potential container of slaw, tzation PHF that are remover than 24 hours. Onsumption of Anima cility allows for the unhem of all the items the program of the consumers by astersking new menu to Christo	al Warew r concents chlorine chlorine dly Hazard ziki sauce ed from the defroods the dercooking at are ab	dous Food PHe, tarter sauce ne original pace	ment, Chem anitizer buck DI- The san F (Time/Ter , chili, veget ckages or pr Undercooke Beef tips, ar rcooked but nu that direct syth.cc by 3/	mical Sanitization ket was below 5 itizer was discard mperature Contrable soup, and repared on site soup of the contrable soup of th	Temperature, pH, 0 ppm. Santizier shaded and remixed. ol for Safety Food), raw chicken are prehall be marked with vise Processed to Esclourse is provided rkings are provided	Concentration a all be maintained be maintained be maintained by the maintained by the maintained by the date it was been been been been been been been bee	end ed inside PF-Repeatedding date sprepped if					
4-501.114 M Hardness - sanitizer but 3-501.17 Re Two large c mark labels held for ove 3-603.11 Co Opts-The far reminding th to inform co copy of the	Manual and Mechanic POpts- The sanitize cleated to 50-200ppm of eady-To-Eat Potential container of slaw, tzatts. PHF that are remover than 24 hours. Onsumption of Anima cility allows for the unhem of all the items the onsumers by asterskir new menu to Christo	al Warew r concents chlorine chlorine dily Hazaro ziki sauce ed from the dercookin nat are ab ng each ite pher Lott orge	rashing Equiporation of the sat all times. Consider the sat all times and the sat are Raw, the sat are Raw, the sat are Raw, the sat are Raw, the sat are sat	ment, Chemanitizer buck anitizer buck DI- The san IF (Time/Ter, chili, veget ckages or produced buth the cooked buth the cooked buth the country and the count	mperature Contrable soup, and a discard on Site soup, and a discard on site soup. The soup is soup, and a discard on site soup. The soup is soup, and a discard on a consume soup. The soup is s	Temperature, pH, 0 ppm. Santizier shaded and remixed. ol for Safety Food), raw chicken are prehall be marked with vise Processed to Esclourse is provided rkings are provided	Concentration a all be maintained be maintained be maintained by the maintained by the maintained by the date it was been been been been been been been bee	end ed inside PF-Repeatedding date is prepped if					
4-501.114 M Hardness - sanitizer but 3-501.17 Re Two large c mark labels held for ove 3-603.11 Co Opts-The far reminding th to inform co copy of the	Manual and Mechanic POpts- The sanitize clear to 50-200ppm of eady-To-Eat Potentia container of slaw, tzats. PHF that are remover than 24 hours. Consumption of Anima cility allows for the unhem of all the items the summers by astersking new menu to Christo de (Print & Sign): Geority (Print & Sign): Characterist Potentia Sign): C	al Warew r concents chlorine chlorine dily Hazaro ziki sauce ed from the dercookin hat are ab ng each ite pher Lott orge Firs orge	rashing Equiporation of the sat all times. Consider the sat all times and the sat are Raw, the sat are Raw, the sat are Raw, the sat are Raw, the sat are sat	ment, Chem anitizer buck DI- The san DI- T	mperature Contraction and entered on site services and a discontraction of the consume of the consumer of	Temperature, pH, 0 ppm. Santizier shaded and remixed. ol for Safety Food), raw chicken are prehall be marked with vise Processed to Esclourse is provided rkings are provided	Date Marking - pped with out a the date it was liminate Pathog d to the comsu . A reminder sh rmings. Submit	PF-Repeated ding date sprepped if mers hall be place or email a					



	Comment Adder	ndum to Food Es	tablishment Inspectior	ı Report
Establishme	nt Name: STRATFORD STA	TION GRILL	Establishment ID: 303401114	1
Vic	lations cited in this report must	Observations and Co	rrective Actions s below, or as stated in sections 8-405.11 of	the food code.
3-304.14 W	/iping Cloths, Use Limitatior		were stored on prep surfaces. Wiping	
the cook lir	ie. In-use utensils shall be s	stored on a clean portion of ed	e observed stored between the make-to quipment, inside of food with its hand s CDI- The knife was placed on the knife	tored up, in water 135F
			· 2 metal containers and 1 plastic containers and 1 plastic containers stacking. CDI- Dishes were placed	
cooler and		d and oxidized. Caulking is n	pment replacement is necessary on the eeded on the backsplash of the hand v	
			ons - C-0pts- The data plate on the war be provided on the dish machine.	re washing machine has
			on top of shelf above the prep sink what. Non food contact surfaces must be m	
	ystem Maintained in Good I dle. Repair faucet leak.	Repair - P-0pts- One prep sin	k next to the hand sink in the kitchen is	leaking at the hot water





Comment Addendum to Food Establishment Inspection Report

Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C Walls- The caulking on the base boards under the dish machine drain boards is peeling. Remove old caulk/ replace

6-305.11 Designation-Dressing Areas and Lockers - C-0pts- One employee coat was observed stored on single service cups of the dry storage area. Employee items shall be stored in an area separated from food equipment, utensils, single service and single use items. CDI- The coat was place on the coat rack during inspection.



53



Comment Addendum to Food Establishment Inspection Report

Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Comment Addendum to Food Establishment Inspection Report

Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



