Food Establishment Inspection	Report						Score: <u>95</u>
Establishment Name: ARBY'S #7202 Establishment ID: 3034011363							
Location Address: 3184 PETERS CREEK PARKWAY						⊠Inspection	
City: WINSTON SALEM State: NC					te:	01/12/2017 Status Code: /	A
p: 27103 County: 34 Forsyth Time In: 01 : 15°_{\otimes} am Time Out: 03 : 45°_{\otimes}							
Total Time: 2 hrs 30 minutes							
Permittee: Category #: II							
Telephone: (336) 785-1106			_			stablishment Type: Fast Food Restaurar	nt
Wastewater System: X Municipal/Community	On-Site Sy	stem				Risk Factor/Intervention Violations	
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1							
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.				Ret	ail Prae	Good Retail Practices tices: Preventative measures to control the addition of and physical objects into foods.	pathogens, chemicals,
IN OUT N/A N/O Compliance Status	OUT CDI R VF			_	N/A N/C		OUT CDI R VR
Supervision .2652				-	and V		
accredited program and perform duties		28	_	-	×	Pasteurized eggs used where required	1 0.5 0
Employee Health .2652 2 X Image: Management, employees knowledge; responsibilities & reporting	31.50	29				Water and ice from approved source	210
		30			×	Variance obtained for specialized processing methods	10.50
3 X Proper use of reporting, restriction & exclusion Good Hygienic Practices .2652, .2653	31.50				peratu	re Control .2653, .2654 Proper cooling methods used; adequate	
4 X Proper eating, tasting, drinking, or tobacco use	210000	31	_			equipment for temperature control	
5 🛛 🗆 No discharge from eyes, nose or mouth		32				Plant food properly cooked for hot holding	10.50
Preventing Contamination by Hands		33				Approved thawing methods used	10.50
6 🛛 🗆 Hands clean & properly washed	420	34				Thermometers provided & accurate	10.50
No bare hand contact with RTE foods or pre-	31.50			len	tificati	on .2653	
1 1 1 approved alternate procedure properly followed 8 X 1 Handwashing sinks supplied & accessible	21000	35				Food properly labeled: original container	
Approved Source .2653, .2655		9 Pro		T	n of Fo	od Contamination .2652, .2653, .2654, .2656, Insects & rodents not present; no unauthorized	
9 🛛 🗆 Food obtained from approved source	21000	1 ⊢ →	_			animals Contamination prevented during food	
10 Food received at proper temperature	210	37	_			preparation, storage & display	21000
11 X D Food in good condition, safe & unadulterated	21000	38				Personal cleanliness	
12 C Required records available: shellstock tags,		39				Wiping cloths: properly used & stored	10.50
Protection from Contamination .2653, .2654		40				Washing fruits & vegetables	10.50
13 🛛 🗆 🔲 Food separated & protected	31.50		_		e of Ut	ensils .2653, .2654	
14 🗌 🔀 Food-contact surfaces: cleaned & sanitized	3 × 0 × × -	41	_			In-use utensils: properly stored	
15 D Proper disposition of returned, previously served, reconditioned & upsafe food		42				Utensils, equipment & linens: properly stored, dried & handled	10.50
Image:		43				Single-use & single-service articles: properly stored & used	10.50
16 🛛 🗆	31.50] 44				Gloves used properly	10.50
17 🗌 🔲 🖾 Proper reheating procedures for hot holding	31.50	Ute	ensil	s a	nd Equ	ipment .2653, .2654, .2663	
18 🛛 🗌 🗍 Proper cooling time & temperatures	3150] 45		R		Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	
19 🛛 🗆 🗆 Proper hot holding temperatures	31.500			╡		constructed, & used Warewashing facilities: installed, maintained, 8	
20 🛛 🗆 🗆 Proper cold holding temperatures	31.50	1	_	 X		used; test strips	
21 X D Proper date marking & disposition					acilitie	Non-food contact surfaces clean	
		48				Hot & cold water available; adequate pressure	21000
22 I I I I I I I I I I I I I I I I I I	210	<u>' </u>	-	<u> </u>		Plumbing installed; proper backflow devices	
22 Consumer advisory provided for raw or	1 0.5 0	50	_	7		Sewage & waste water properly disposed	
Highly Susceptible Populations .2653		51	_	_		Toilet facilities: properly constructed, supplied	
24 C A Pasteurized foods used; prohibited foods not offered	31.50	J		-		& cleaned Garbage & refuse properly disposed; facilities	
Chemical .2653, .2657		┥┝─┿	_	R		maintained	
25 C K Food additives: approved & properly used		53		⊠		Physical facilities installed, maintained & clean	
26 Image: Constraint of the second secon	210] 54		R		Meets ventilation & lighting requirements; designated areas used	
Conformance with Approved Procedures .2653, .2654, .2658 27		Total Deductions: 5					ns: 5
21 L Reduced oxygen packing criteria or HACCP plan		╝└──			_		
North Carolina Department of Health & Human Servic	es ● Division of F DHHS is an equal						crogram

CR Off

Comment Addendum to Food Establishment Inspection Report

Establishment	Name [.]	ARBY'S #	¥7202

Establishment ID: 3034011363

Location Address: 3184 PETERS CREEK PARKWAY							
City: WINSTON SALEM	State: NC						
County: 34 Forsyth	Zip: 27103						
Wastewater System: X Municipal/Community	On-Site System						
Water Supply: X Municipal/Community	On-Site System						
Permittee: RTM OPERATING CO INC							
Telephone: (336) 785-1106							

⊠Inspection □Re-Inspe	Date: 01/12/2017	
Comment Addendum Attached?		

atus Code:	А
ategory #:	II

Spell

С

Email	1:
Email	2:

Email 3:

Temperature Observations								
ltem ServSafe	Location Katrina Lewis 6.6.17	Temp 0	ltem fish	Location hot hold	Temp 198	Item	Location	Temp
potato cake	walk in cooler	28	chicken	hot hold	150			
lettuce	walk in cooler	42	roast beef	hot hold	148			
cooling	walk in cooler	48	roast beef	hot hold	154			
cooling	walk in cooler	50	QA sanitizer	sanitizer	300			
salad	ric	41	QA sanitizer	3 comp sink	300			
ham	ric	31	chicken	final	210			
fish	final	198	fish	final	167			

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P - Scoops, bottles, and nozzles had greasy residue. Date marking sticker on food pans has rough edges and not easily cleanable. All equipment and utensils shall be thoroughly washed, rinsed, and sanitized before storing. Recommend using another method of date marking food pans. CDI - All returned for cleaning.

45 4-501.11 Good Repair and Proper Adjustment-Equipment - C - Equipment repair/replacement necessary on: (repeat) corroding, wearing shelves in dry storage and above three compartment sink, and recaulk splash guards to handwash sink, seperating floor panels in the walk in cooler, and cracked/chipped plastic food storage containers (ex: food pan at slicer). / Repair/replace/remove broken Alto-Sham unit.f

47 •4-602.13 Nonfood Contact Surfaces - C - 0 Points - Crevices/creases at make line have build up of debris. Clean.

Person in Charge (Print & Sign):	Katrina	First	Lewis	Last	$ Q\rangle$	
Regulatory Authority (Print & Sign)	Carla	First	Day	Last	Van (F) - A	
REHS ID	: 2405	- Day, Carla			_ Verification Required Date: Ø 1 / 22 / 2017	
REHS Contact Phone Number	: (<u>33</u>	<u>6</u>) <u>703</u> - <u>31</u> 4	14			
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of <u>3</u> Food Establishment Inspection Report, 3/2013						

Comment Addendum to Food Establishment Inspection Report

Establishment Name: ARBY'S #7202

Establishment ID: 3034011363

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

49 5-203.14 Backflow Prevention Device, When Required - P - VERIFICATION REQUIRED 1/22/17 - CONTACT CARLA DAY, REHS WHEN COMPLETE - At the mop sink, atmospheric vacuum breaker necessary after the shut off valve. If this is not used, recommend connect chemical tower directly to the faucet./ Backflow prevention necessary on water lines leading into tea/coffee brewers. An ASSE 1022 may be installed or documentation stating it is built in may also be submitted. // 5-205.15 System Maintained in Good Repair - P - Leak present on hot water faucet handle at the prep sink. Repair.

52 5-501.113 Covering Receptacles - C - 0 points - One dumpster door open. Maintain closed.

- 6-201.11 Floors, Walls and Ceilings-Cleanability C -Floors: Baseboard tile throughout facility is cracked. Replace. / Caulk at canwash has become moldy. Recaulk. / Grout worn away at ice machine, drive through, and in restroom (remember to cove the grout at the baseboards). Walls: Replace missing corner trim piece on the left side of can wash.
- 54 6-303.11 Intensity-Lighting C 0 points Light along back prep line measures 30-40 foot candles. Increase lighting to a minimum of 50 foot candles at all food prep areas. Recommend replacing light bulbs that do not function. / Light shield falling out of fixture and another light shield is missing from a fixture in dry storage. Repair/replace.





Soell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: ARBY'S #7202

Establishment ID: 3034011363

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



√ Spell Establishment Name: ARBY'S #7202

Establishment ID: 3034011363

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: ARBY'S #7202

Establishment ID: 3034011363

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell