Food Establishment Inspection Report Score:										
Establishment Name: ARBY'S #5817 Establishment ID: 3034011221										
Location Address: 2541 LEWISVILLE-CLEMMONS RE	)					⊠ Inspection □ Re-Inspection				
City: CLEMMONS State: NC Date: 09/18/2017 Status Code: A										
Zip: 27012 County: 34 Forsyth			_ т	ïme	e Ir	$1: \underline{10}: \underline{55} \overset{\otimes}{\underset{\text{opm}}{\longrightarrow}} \text{ Time Out: } \underline{12}:$	55⊗ am 55⊗ pm			
Permittee:       RTM OPERATING CO         Total Time:       2 hrs 0 minutes						·				
Telephone: (336) 766-6050			— C	ate	ego	ry #: <u>II</u>				
Wastewater System: Municipal/Community [		otom	F	DA	E	stablishment Type: Fast Food Restaurant				
	-	stern	' N	lo. (	of I	Risk Factor/Intervention Violations:				
Water Supply:       Municipal/Community       On-Site Supply       No. of Repeat Risk Factor/Intervention Violations:										
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.					Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.					
IN OUT N/A N/O Compliance Status	OUT CDI R VR		IN OU	r n/a	N/O	Compliance Status	OUT CDI R VR			
Supervision .2652			fe Foc	-	-	/ater .2653, .2655, .2658				
accredited program and perform duties	20000					Pasteurized eggs used where required				
Employee Health     .2652       2     Image: Comparison of the second s	31.50	29				Water and ice from approved source	210			
responsibilities & reporting		30 [				Variance obtained for specialized processing methods				
3 X         Proper use of reporting, restriction & exclusion           Good Hygienic Practices         .2652, .2653				mper	ratu	re Control .2653, .2654 Proper cooling methods used; adequate				
4 X Proper eating, tasting, drinking, or tobacco use	21000					equipment for temperature control	1 0.5 0			
5 🕅 🗌 No discharge from eyes, nose or mouth			_		X	Plant food properly cooked for hot holding				
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33	_			Approved thawing methods used				
6 🛛 🗆 Hands clean & properly washed	420	34				Thermometers provided & accurate				
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50		od Ide	ntific	catio					
8 🛛 🗌 Handwashing sinks supplied & accessible	210	35 [			f Fo	Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656, .26	21000			
Approved Source .2653, .2655		36				Insects & rodents not present; no unauthorized animals	210			
9 X     Food obtained from approved source	210000	37				Contamination prevented during food				
10  Food received at proper temperature		38	_			preparation, storage & display Personal cleanliness				
11 🛛 🗌 Food in good condition, safe & unadulterated	210	39								
12 D Required records available: shellstock tags, parasite destruction	210	40 [				Wiping cloths: properly used & stored				
Protection from Contamination .2653, .2654			nner l			Washing fruits & vegetables ensils .2653, .2654				
13 🛛 🗆 🗆 Food separated & protected	31.50			1		In-use utensils: properly stored				
14 Food-contact surfaces: cleaned & sanitized	31.50	42				Utensils, equipment & linens: properly stored,				
15     Image: Second seco	21000					dried & handled Single-use & single-service articles: properly				
Potentially Hazardous Food Time/Temperature         .2653           16            Proper cooking time & temperatures	31.50	┦┝──┼─				stored & used				
				and	Fau	Gloves used properly ipment .2653, .2654, .2663				
17 X Proper reheating procedures for hot holding						Equipment, food & non-food contact surfaces approved, cleanable, properly designed,				
18       X       Image: Constraint of the second se	31.50					constructed, & used				
19   Image: Description of the second seco	31.50	46				Warewashing facilities: installed, maintained, & used; test strips	10.50			
20 🛛 🗆 🔹 Proper cold holding temperatures	31.50	47 [				Non-food contact surfaces clean				
21 🛛 🗆 🖓 Proper date marking & disposition	31.50		ysical							
22 Time as a public health control: procedures & records	210	48	_			Hot & cold water available; adequate pressure				
Consumer Advisory .2653		49	_			Plumbing installed; proper backflow devices				
23       Image: Consumer advisory provided for raw or undercooked foods         Highly Susceptible Populations       .2653		50				Sewage & waste water properly disposed				
24 Pasteurized foods used; prohibited foods not	31.50	51				Toilet facilities: properly constructed, supplied & cleaned	10.50			
24         Image: Chemical         .2653, .2657		52	×			Garbage & refuse properly disposed; facilities maintained	10.50			
25 🔲 🔲 🔀 Food additives: approved & properly used		53 [				Physical facilities installed, maintained & clean				
26 🛛 🗌 🗍 Toxic substances properly identified stored, & used	210	54 [				Meets ventilation & lighting requirements; designated areas used	180 - 8 -			
Conformance with Approved Procedures .2653, .2654, .2658							. 1.5			
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210000									

this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

## Comment Addendum to Food Establishment Inspection Report

## Establishment Name: ARBY'S #5817

Establishment ID: 3034011221

Location Ad	Idress: 2541 LEWISVILLE-C	LEMMONS RD
City: CLEMN	IONS	State: NC
County: 34	Forsyth	Zip: 27012
	ystem:	
	RTM OPERATING CO	
Tolophono	(336) 766-6050	

Date: 09/18/2017 ⊠ Inspection □ Re-Inspection Comment Addendum Attached?

Status Code:	А
Category #:	

Email 1: bspeckin@arbys.com

leiephone: (330) / 00-003

### Email 3:

Temperature Observations								
ltem ServSafe	Location Eric Nelson 8-29-21	Temp 00	ltem Roast beef	Location Hot hold	Temp 138	Item Lettuce	Location Walk-in cooler, cooling	Temp 50
Turkey	Walk-in cooler	40	Cheese	Hot hold	139	Ambient	4 door cooler	38
Beef	Walk-in cooler	37	Chicken	Hot hold	144			
Tomatoes	Walk-in cooler	42	Chicken	Final cook	177			
Hot water	3-compartment sink	120	Hash browns	Ice bath	42			
Quat ppm	3-compartment sink	300	Hot water	Handsink	114	-		
Quat ppm	Bucket	150	Ham	Walk-in cooler	42			
Quat ppm	Bucket 2	150	Roast beef	Reach-in cooler	40			

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing - C - 0 pts - 2 stacks of single-service cups were unprotected beside of the drive thru window. Single-service cups shall be stored where they are not exposed to splash, dust, or other contamination. Store the cups in a dispenser or inside of their original plastic sleeve.

- 4-501.11 Good Repair and Proper Adjustment-Equipment C 0 pts Replace/resurface the green cutting board with deep cuts, 45 replace the utensil with the heat-damaged handle at the make unit, repair the condensation leak inside of the cooling drawer, and replace the door handle on the 4 door cooler. Equipment and utensils shall be maintained in good repair.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - C - 0 pts - Cleaning needed around the floor of the walk-in freezer, inside of the upright freezer, around the condenser in the walk-in cooler, and around the fan under the prep table. Nonfood contact surfaces of equipment and utensils shall be maintained clean.

Text					
Person in Charge (Print & Sign):	Eric	First	Nelson	Last	Emi Man
Regulatory Authority (Print & Sign)	Grayson	First	Hodge	Last	Grayson Hodge REHSI
REHS ID: 2554 - Hodge, Grayson					Verification Required Date: / / /
REHS Contact Phone Number	: ( <u>33</u>	<u>6) 703 - 338</u>	<u>33</u>		
North Carolina Department	of Health &	DHHS is 3	an equal o	blic Health   Envir pportunity employer ent Inspection Repor	

# **Comment Addendum to Food Establishment Inspection Report**

Establishment Name: ARBY'S #5817

Establishment ID: 3034011221

Observations and Corrective Actions	$\checkmark$
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	Spell

53 6-201.11 Floors, Walls and Ceilings-Cleanability - C - Repeat: Repair the following: repair floor tiles inside of the mop sink/back door, replace coved baseboard under shelving by the walk-in cooler and inside of the walk-in cooler; and recaulk around the prep table, the handsink by the walk-in cooler, the toilet base in the men's restroom, and the ceiling of the walk-in cooler where caulk is damaged. Floors, walls, and ceilings shall be smooth and easily cleanable. Floor tiles have been repaired beside of the walk-in cooler.

54 6-202.11 Light Bulbs, Protective Shielding - C - Repeat: Replace the damaged light shield in the walk-in freezer.





Establishment Name: ARBY'S #5817

Establishment ID: 3034011221

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



**√** Spell Establishment Name: ARBY'S #5817

Establishment ID: 3034011221

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. Spell





Establishment Name: ARBY'S #5817

Establishment ID: 3034011221

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

