Food Establishment Inspection Report Score: 91 Establishment Name: QDOBA MEXICAN GRILL Establishment ID: 3034011742 Location Address: 57 MILLER ST City: WINSTON SALEM Date: 09/21/2017 Status Code: A State: NC Time In: $11 : 25 \overset{\otimes}{\circ} ^{am}_{pm}$ Time Out: 0 1: 30 o am Zip: 27104 34 Forsyth County: Total Time: 2 hrs 5 minutes **GD RESTAURANTS LLC** Permittee: Category #: IV

FDA Establishment Type: Full-Service Restaurant No. of Risk Factor/Intervention Violations: 4 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O CDI R VR Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used: adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 1 0.5 0 \square 5 П 1 0.5 0 | | | | No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 1 0.5 0 - -Thermometers provided & accurate 420 _ _ _ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 X Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗆 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 15 0 - -41 🗖 🗆 1 0.5 0 🗆 🗆 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 42 🗆 🗷 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 ... Potentially Hazardous Food Tlme/Temperature stored & used 16 □ □ □ □ X Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🖾 | 🗆 | 🗆 | 🗆 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures Warewashing facilities: installed, maintained, & used; test strips 19 🗆 X Proper hot holding temperatures 1 0.5 0 46 🔀 🗀 20 🗆 X 3 **X** 0 **X** Proper cold holding temperatures |47| □ | 🔀 Non-food contact surfaces clean 21 🛛 🗀 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 49 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; 26 🗵 🗆 Toxic substances properly identified stored, & used 54 1 0.5 0 ... designated areas used Conformance with Approved Procedures .2653, .2654, .2658 Total Deductions: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan |27| 🗆 | 🗆 | 🔀 210 - -



Telephone: (336) 609-3014



| Comment Addendum to Food Establishment Inspection Report | | | | | |
|---|--|--|--|--|--|
| Establishment Name: QDOBA MEXICAN GRILL | Establishment ID: 3034011742 | | | | |
| Location Address: 57 MILLER ST City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27104 Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System Permittee: GD RESTAURANTS LLC Telephone: (336) 609-3014 | ☐ Inspection ☐ Re-Inspection ☐ Date: 09/21/2017 Comment Addendum Attached? ☐ Status Code: A Category #: IV Email 1: paresh7@yahoo.com Email 2: Email 3: | | | | |
| Temperature Observations | | | | | |
| tons I costion Tonso Items I costion | Town Item Leasting Town | | | | |

| Temperature Observations | | | | | | | | |
|--------------------------|---------------------|-------------|-------------------|-----------------------|------------|--------------|----------------------------|------------|
| Item rice | Location steam tabl | Temp 160 | Item tomatillo | Location make-unit | Temp 38 | Item pico | Location walk-in cooler | Temp 37 |
| black beans | steam table | 171 | salsa | make-unit | 40 | hot water | 3-compartment sink | 140 |
| chicken | steam table | 165 | lettuce | make-unit | 37 | quat (ppm) | 3-compartment sink | 200 |
| steak | steam table | 157 | milk | beverage cooler | 51 | ServSafe | Chetan Patel 5-28-21 | 0 |
| pulled pork | steam table | 162 | ambient air | beverage cooler | 52 | | | |
| shrimp | steam table | 148 | chicken | hot hold | 123 | | | |
| ground beef | steam table | 157 | rice | hot hold | 148 | | | |
| pico | make-unit | 40 | salsa | walk-in cooler | 38 | | | |

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

2-102.12 Certified Food Protection Manager - C - Employee with ServSafe not present at beginning of inspection - arrived 20 minutes into inspection. At least 1 employee with supervisory duties shall have passed an ANSI food protection manager course and be present during hours of operation. Have more managers attain ANSI manager certification.



- 5-202.12 Handwashing Sinks, Installation PF All handsinks in the kitchen (3) did not have hot water at the beginning of 8 inspection (78-80F). Handsinks shall be equipped with hot water of at least 100F. CDI - Valve to water heater was turned on which began to supply handsinks with hot water (115-118F).
- 19 3-501.16 (A)(1) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P - Repeat -Container of chicken in hot holding cabinet measured less than 135F. Potentially hazardous foods in hot holding shall measure at least 135F. CDI - Chicken reheated in the steamer to 175F.

Lock Text

First Last Person in Charge (Print & Sign):

First Last Regulatory Authority (Print & Sign): Andrew Lee

Verification Required Date: 10/01/2017

REHS Contact Phone Number: (336)703 - 3128

REHS ID: 2544 - Lee, Andrew

Establishment Name: QDOBA MEXICAN GRILL Establishment ID: 3034011742

| Observations and | Corrective | Actions |
|------------------|------------|---------|
| Observations and | COHECINE | ACHOUS |

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P Bottles of milk in beverage cooler (18) measured 47-51F. Potentially hazardous foods in cold holding shall measure 45F or below. CDI Bottles of milk discarded. VR Door to cooler does not close properly, which is causing cooler to have an air temperature of 50F. Repair beverage cooler so that it maintains milk 45F or below by 10-1 and do not store milk in cooler until repaired.
- 42 4-901.11 Equipment and Utensils, Air-Drying Required C Repeat 4 stacks of food pans still wet. Utensils and food-contact surfaces of equipment shall be air dried prior to stacking.
- 4-205.10 Food Equipment, Certification and Classification C Repeat 2 blenders in establishment that are labeled "for household use only". Only equipment that is listed for commercial use shall be used in the establishment. Remove from restaurant. // 4-501.11 Good Repair and Proper Adjustment-Equipment C Repeat Shelf underneath prep table is oxidized and needs to be reconditioned or replaced. Utensil shelves chipping and shelves inside make-unit are rusted. Both sets of shelves need to be reconditioned or replaced.
- 47 4-602.13 Nonfood Contact Surfaces C Repeat Shelves in walk-in cooler have food buildup and require additional cleaning. Nonfood contact surfaces of equipment shall be maintained clean.
- 5-205.15 System Maintained in Good Repair C Front handsink is actively leaking water on floor. Plumbing fixtures shall be maintained in good repair. Repair leak. 0 pts.
- 5-501.13 Receptacles C Repeat Cardboard dumpster is rusted through and needs to be replaced. Contact waste management company to replace dumpster.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Rubber baseboard is peeling off the wall at front area and quarry tile baseboard corner is broken off near hot water heater. Physical facilities shall be maintained in good repair and be easily cleanable. 0 pts.





Establishment Name: QDOBA MEXICAN GRILL Establishment ID: 3034011742

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: QDOBA MEXICAN GRILL Establishment ID: 3034011742

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: QDOBA MEXICAN GRILL Establishment ID: 3034011742

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



