Food Establishment Inspection Report s																
Establishment Name: HERO HOUSE PETERS CREEK	<				Ε	st	ablishment ID: <u>3034012039</u>									
Location Address: 1375 PETERS CREEK PARKWAY					_		X Inspection Re-Inspection									
City: WINSTON SALEM State: NC								ate		1 / <u>1 2</u> / <u>2 Ø 1 8</u> Status Code: /	A					
•								me	ln	: <u>∅                                   </u>	$: 0.5 \overset{\circ}{\otimes} am$					
Zip: 27103 County: 34 Forsyth										me: 2 hrs 40 minutes	<u> </u>					
Permittee: HH FOOD GROUP INC.					Category #: IV											
Telephone: (336) 631-3030									-	stablishment Type: Full-Service Restaur	ant					
Wastewater System: X Municipal/Community	ten					Risk Factor/Intervention Violations										
Water Supply: Municipal/Community On-S	Site S						Repeat Risk Factor/Intervention V									
Foodborne Illness Risk Factors and Public Health Inter Risk factors: Contributing factors that increase the chance of developing foodb Public Health Interventions: Control measures to prevent foodborne illness or	orne illne	Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.														
IN         OUT         N/A         N/O         Compliance Status         OUT         CDI         R         VR									N/O	Compliance Status	OUT CDI R VR					
Supervision .2652										ater .2653, .2655, .2658						
Image:	20	בוע			28	_	-	X		Pasteurized eggs used where required						
Employee Health .2652 2 X _ Management, employees knowledge; reconcerbilities & reporting	3 1.5 (				29					Water and ice from approved source	21000					
responsibilities & reporting	3 1.5 0				30			$\mathbf{X}$		Variance obtained for specialized processing methods						
3 X         Proper use of reporting, restriction & exclusion           Good Hygienic Practices         .2652, .2653		비니					_	per	atur	e Control .2653, .2654 Proper cooling methods used; adequate						
4 X Proper eating, tasting, drinking, or tobacco use	210	ก่า			31		×			equipment for temperature control						
	1 0.5 (	-							X	Plant food properly cooked for hot holding						
Preventing Contamination by Hands .2652, .2653, .2655, .2656					33					Approved thawing methods used	10.50					
6 🛛 🗌 Hands clean & properly washed	420	ם			34					Thermometers provided & accurate	1 0.5 0 🗆 🗆 🗆					
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 (				-	od l		tific	atic							
8 X - Handwashing sinks supplied & accessible	210				35				<b>F</b> .	Food properly labeled: original container						
Approved Source .2653, .2655								n or	100	od Contamination .2652, .2653, .2654, .2656, Insects & rodents not present; no unauthorized						
9 🛛 🗌 Food obtained from approved source	21(	ם ב								animals Contamination prevented during food						
10 🗆 🔲 🔀 Food received at proper temperature	210				37					preparation, storage & display						
11 🛛 🗌 Food in good condition, safe & unadulterated	210				38	-				Personal cleanliness	10.50					
12 D Required records available: shellstock tags,	210				39					Wiping cloths: properly used & stored						
Protection from Contamination .2653, .2654					40					Washing fruits & vegetables	10.50					
13 🛛 🗆 🗆 Food separated & protected	3 1.5 (	ם				_	_	e of	f Ute	ensils .2653, .2654						
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	3 1.5 (						4			In-use utensils: properly stored						
15 🖾 🗆 Proper disposition of returned, previously served, reconditioned, & unsafe food	210				42					Utensils, equipment & linens: properly stored, dried & handled	1 0.5 0 🗆 🗆 🗆					
Potentially Hazardous Food Time/Temperature .2653					43					Single-use & single-service articles: properly stored & used						
16 🖾 🗔 🗔 Proper cooking time & temperatures	3 1.5 (				44					Gloves used properly	10.50					
17 🔲 🔲 🔀 🔲 Proper reheating procedures for hot holding	3 1.5 (				Ut	ensi	ls a	nd I	Equ	ipment .2653, .2654, .2663						
18 🔲 🔀 🔲 🛛 Proper cooling time & temperatures	3 🗙 🕻				45		×			Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used						
19 🛛 🗆	3 1.5 (				46		]			Warewashing facilities: installed, maintained, 8 used; test strips						
20 🔀 🗀 🗀 Proper cold holding temperatures	3 1.5 (				47		╗			Non-food contact surfaces clean						
21 🔀 🗌 🔲 Proper date marking & disposition	3 1.5 (					nysic	al F	aci	litie	s .2654, .2655, .2656						
22 T Time as a public health control: procedures &	210	_			48					Hot & cold water available; adequate pressure	210					
Consumer Advisory .2653					49					Plumbing installed; proper backflow devices	21000					
23 Consumer advisory provided for raw or undercooked foods	1 0.5 (				50					Sewage & waste water properly disposed						
Highly Susceptible Populations .2653					51					Toilet facilities: properly constructed, supplied						
24 C Pasteurized foods used; prohibited foods not offered	3 1.5 (				52	_				& cleaned Garbage & refuse properly disposed; facilities						
Chemical .2653, .2657						_	_			maintained						
25 C Food additives: approved & properly used	1 0.5 (						×			Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;						
26 X Carbon Toxic substances properly identified stored, & used	21(	비니			54	X				designated areas used						
Conformance with Approved Procedures         .2653, .2654, .2658           27         Image: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan							Total Deduction	ns: 4								

this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. CR Off

Comment Addendum to Food Establishment Inspection Report
--

Establishment Name: HERO HOUSE PETERS CREEK	Establishment ID: 3034012039
Location Address:       1375 PETERS CREEK PARKWAY         City:       WINSTON SALEM         County:       34 Forsyth         Zip:       27103         Wastewater System:       Municipal/Community         Wator Supply:       On-Site System	Inspection Re-Inspection   Comment Addendum Attached? Date: 01/12/2018   Status Code: A   Category #: IV   Email 1:
Water Supply: X Municipal/Community On-Site System Permittee: HH FOOD GROUP INC.	Email 2:
Telephone: (336) 631-3030	Email 3:
Temperature (	Observations
Effective January 1, 2019 Cold I	Holding will change to 41 degrees
Item         Location         Temp         Item         Location           hot water         utensil sink         150         cooked onions         prep coo	

chicken	cooling WIC	94	ham	walk in cooler	39	chlorine	bucket	200
cooked pasta	cooling WIC	53	cole slaw	walk in cooler	38	plate temp	dishmachine	169
chicken rice	hot holding	157	cooked onions	walk in cooler	37	ServSafe	Lakisha Ford 8/7/19	0
chicken	cook to	169	cooked pasta	reach in cooler	40			
ham	prep cooler	42	potato salad	reach in cooler	39			
turkey	prep cooler	41	steak	cook to	164			
cole slaw	prep cooler	41	marinara	hot holding	158			

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

18 3-501.14 Cooling - P- Chicken cooked at 10am this morning in the walk in cooler at 94F. Two large containers of cooked pasta stacked on top of each other in the walk in cooler at 53F. No date marking labels were on the containers. An employee stated it was cooked yesterday. Hot foods shall be cooled from 135F to 70F within 2 hours and from 70F to 45F within 4 hours, and shall not exceed 6 hours. CDI- chicken and pasta was discarded.

31 3-501.15 Cooling Methods - PF- \*REPEAT\*- Cooked chicken and cooked pasta were placed in deep plastic containers with tight lids prior to properly cooling. Use ice baths, shallow pans, separating into smaller portions, use the freezer, loose covers, etc. when cooling hot foods. CDI- chicken and pasta was discarded.

45 4-501.11 Good Repair and Proper Adjustment-Equipment - C- The prep cooler has torn refrigeration gaskets. There is a gap at the diamond plate panel on the inside of the walk in cooler door. There are gaps at the welded stainless piece on the top of the prep table near the dishmachine. Maintain equipment in good repair.

4-502.11 (A) and (C) Good Repair and Calibration-Utensils and

Temperature and Pressure Measuring Devices - C- Several lids for plastic containers are torn or broken. Maintain utensils in good Lock repair.

$\otimes$					
Person in Charge (Print & Sign):	James	First	Hondros	Last	An, An
Regulatory Authority (Print & Sign)	Angie	First	Pinyan	Last	angerthanger REHS
REHS ID	1690 -	- Pinyan, Angie			_ Verification Required Date: / //
REHS Contact Phone Number	(33)	6)7Ø3-261	L 8		
North Carolina Department	of Health &	DHHS is 3	an equal o	pportunity employer.	nmental Health Section • Food Protection Program
		Page 2 of Food	I Establishm	ent Inspection Report,	3/2013

Establishment ID: 3034012039

Observations and Corrective Actions																							
Violations	cited	in this repor	t must be c	orrected	within	the t	ime fram	es b	elov	v, or	as	stated i	n se	ectio	ns i	8-4(	05.1	1 of tl	ne fo	od c	ode		
					-	-																	-

53 6-501.12 Cleaning, Frequency and Restrictions - C- Clean floors in the back room with bag in the box racks, under dry storage racks, prep tables, sinks, ice machine. Maintain floors clean.





Establishment ID: 3034012039

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034012039

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034012039

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

