Food Establishment Inspection Report Score: 100 Establishment Name: FRIEDLAND MORAVIAN CHURCH Establishment ID: 3034011737 Location Address: 2750 FRIEDLAND MORAVIAN CHURCH RD City: WINSTON SALEM Date: 06 / 12 / 2019 Status Code: A State: NC Time In: $11 : 15 \overset{\otimes}{\circ} pm$ Time Out: 12: 20 ⊗ pm County: 34 Forsyth Zip: 27107 Total Time: 1 hr 5 minutes FRIENDLAND MORAVIAN CHURCH Permittee: Category #: IV Telephone: (336) 788-2652 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🗵 🗆 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 □ 🗷 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 X 315 🗶 🗙 🗆 🗆 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🔲 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 - \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 1.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🖾 🗀 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗷 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

				stablishment Inspection Report
Establishment Name: FRIEDLAND MORAVIAN CHURCH.			Н.	Establishment ID: 3034011737
Location Address: 2750 FRIEDLAND MORAVIAN CHURCH RD City: WINSTON SALEM State: NC			State: NC	☐ Inspection ☐ Re-Inspection ☐ Date: 06/12/2019 Comment Addendum Attached? ☐ Status Code: A
County: 34		Zip:_ 271		Water sample taken? Yes No Category #: V
Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System				Email 1: www.friedlandmoravian.org
Permittee: FRIENDLAND MORAVIAN CHURCH				Email 2:
Telephone	:_(336) 788-2652			Email 3:
		Ter	nperature O	bservations
		Cold Holding Te	emperature	is now 41 Degrees or less
Item 0	Location Dough prep	Temp Item	Location	Temp Item Location Temp
Hot water	hand wash sinks	108		
hot water	three comp sink	124		<u> </u>
hot plate temp	dish machine	165		
sanitizer (qac)	three comp sink	200		
ambient air	upright two door	37		
chicken	upright two door	40		
Leaann	11/20/22	0		
window	sill over vegetable	prep sink. Dead insec	ts and pests sha	and other Pest - C Small amount of dead ants and stink bugs in all be removed whenever they are present to prevent further pest during inspection. 0 pts
Lock Text	rge (Print & Sign):	First		east Joseph Joseph
	thority (Print & Sign)	Leaann <i>First</i>	Haynes <i>L</i> . Chrobak	ast Allina Thips
		Leaann <i>First</i>	L Chrobak	verification Required Date: / /

МСРН

Establishment Name: FRIEDLAND MORAVIAN CHURCH. Establishment ID: 3034011737

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FRIEDLAND MORAVIAN CHURCH. Establishment ID: 3034011737

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FRIEDLAND MORAVIAN CHURCH . Establishment ID: 3034011737

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FRIEDLAND MORAVIAN CHURCH. Establishment ID: 3034011737

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



