Food Establishment Inspection Report Score: 98 Establishment Name: LITTLE RICHARD'S WALKERTOWN Establishment ID: 3034012202 Location Address: 5182 REIDSVILLE RD Date: <u>Ø 6</u> / <u>1 4</u> / <u>2 Ø 1</u> 9 Status Code: A City: WALKERTOWN State: NC Time In:  $11:15_{\bigcirc pm}^{\otimes am}$ Time Out: Ø ⊋ : 45⊗ pm County: 34 Forsyth Zip: 27051 Total Time: 3 hrs 30 minutes LITTLERICHARDSBBQOFWALKERTOWNINC Permittee: Category #: IV Telephone: (336) 754-4495 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 🔀 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 40 🛛 🗀 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 X 315 🗶 🗙 🗆 🗆 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 42 🗆 🗷 **X** 0.5 0  $\square$  **X** Proper disposition of returned, previously served 15 🖂 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17|igotimes |igsqcup |igsqcup |igsqcup | Proper reheating procedures for hot holding 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

	Comment	Adde	endum to l	Food Es	<u>stablishn</u>	nent l	<b>Inspection</b>	n Report	
Establishme	ent Name: LITTLE RICH	ARD'S W	ALKERTOWN		Establishn	nent ID	: 3034012202		
Location Address: 5182 REIDSVILLE RD City: WALKERTOWN County: 34 Forsyth			State: NC Zip: 27051		☑ Inspection ☐ Re-Inspection Date: 06/14/2019   Comment Addendum Attached? ☐ Status Code: A   Water sample taken? ☐ Yes ☒ No Category #: IV				
Water Supply Permittee:	LITTLERICHARDSBBQC	unity 🗌 (	On-Site System		Email 1: <sup>ka</sup> Email 2:	ragiorgis	3@aol.com		
Telephone	e: <u>(336)</u> 754-4495				Email 3:				
			Tempe	rature Ol	bservation	S			
Item servsafe	Co Location Pastor Carranza 2/20/22	Id Hol Temp 0	•	erature Location spray bottle		Degr Temp 100	rees or less Item chicken	Location cook temp	Temp 186
pork shoulder	cook temp	202	cheese	prep		40	chicken	cold drawer	38
pork shoulder	reheat temp	166	slaw	prep		39	slaw	walk in cooler	39
blue cheese	dressing cooler	39	pork	steam table	•	153	lettuce	walk in cooler	40
milk	dessert cooler	40	chili	steam table	<b>e</b>	166	pork	walk in cooler	39
hot water	dish machine	161	beans	steam table	)	136	shredded pork	hot cabinet	152
chlorine	front sanitizer bucket	10	fries	cook temp		199			
chlorine	rear sanitizer bucket	100	hush puppies	cook temp		187	1		
	oeing used to sanitize. C	J.: 5166		201011					
stacke 4-903. Single- food re dispen	11 Equipment and Utensed wet. Allow clean dished 11 (A), (B) and (D) Equiposervice and Single-Used sidue. Hush puppy disposer is within an two inched dispenser during filling.	s to air on ment, l Articles enser ha es of a h	dry thoroughly Jtensils, Linens -Storing - C Bi as swing arm th nandsink witho	before stac s and n holding cl hat allows it ut splash g	king. lean utensils i t to swing beh uard in place.	in clean nind cod Install	dish area soile ok line where it splash guard to	ed in bottom with is filled. When in prevent contar	n water and n this position,
	11 Good Repair and Pro mooth and non absorbe								
Lock Text		Ei	rot	ı.	aat	4	$\sim$ 1		
Person in Cha	urge (Print & Sign): Pas	tor	rst rst	Carranza	ast ast	J.	5/5/	Or	
Regulatory Au	uthority (Print & Sign): <sup>Ama</sup>		Ji.	Taylor			YZ		_
	REHS ID: 2	543 - Ta	aylor, Amanda	a		Verifica	ation Required D	ate: / _ /	

REHS Contact Phone Number: (336) 703 - 3136

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: LITTLE RICHARD'S WALKERTOWN Establishment ID: 3034012202

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C 0 points. Physical facilities issues from last inspection have been addressed. Seal hole in wall and ceiling pipe penetrations in water heater closet where recent plumbing work has been done. Reseal peeling sealant from baseboards below rear hand sink and corner near dessert cooler. Physical facilities shall be in good repair.





Establishment Name: LITTLE RICHARD'S WALKERTOWN Establishment ID: 3034012202

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: LITTLE RICHARD'S WALKERTOWN Establishment ID: 3034012202

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: LITTLE RICHARD'S WALKERTOWN Establishment ID: 3034012202

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



