Food Establishment Inspection	n Report				S	core: <u>96</u>
Establishment Name: OMEGA HOUSE				Esta	ablishment ID: 3034010604	
Location Address: 1498 PETERS CREEK PARKWAY					X Inspection Re-Inspection	
City: <u>WINSTON SALEM</u> State: <u>NC</u>			Dat		8 / 27 / 20 1 4 Status Code: A	
•				$: \underline{10} : \underline{20} \bigcirc pm$ Time Out: $\underline{12} :$	45° am	
Zip: 27103 County: 34 Forsyth					me: $2 \text{ hrs } 25 \text{ minutes}$	<u></u>
Permittee: OMEGA FAMILY RESTAURANT INC					ry #: IV	
Telephone: (336) 724-5262				-		
Wastewater System: X Municipal/Community [On-Site Sys				stablishment Type: Risk Factor/Intervention Violations:	6
Water Supply: Municipal/Community On-	Site Supply				Repeat Risk Factor/Intervention Violations.	
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.			Retai	l Praci	Good Retail Practices itees: Preventative measures to control the addition of pa and physical objects into foods.	thogens, chemicals,
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN OI	JT N/	A N/O	Compliance Status	OUT CDI R VR
Supervision .2652		Safe Fo			ater .2653, .2655, .2658	
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □					Pasteurized eggs used where required	
Employee Health .2652 2 Management, employees knowledge;		29 🛛 🗌			Water and ice from approved source	210 🗆 🗆 🗆
responsibilities & reporting		30 🗆 🖸	⊻∣		Variance obtained for specialized processing methods	10.50
3 X Proper use of reporting, restriction & exclusion	31.50	Food Te	empe	eratur	e Control .2653, .2654	
Good Hygienic Practices .2652, .2653 4 X Proper eating, tasting, drinking, or tobacco use		31 🗆 🛛	≤		Proper cooling methods used; adequate equipment for temperature control	
		32 🐱 🛛			Plant food properly cooked for hot holding	10.50
5 X . No discharge from eyes, nose or mouth		33 🛛 🗆			Approved thawing methods used	10.50
Preventing Contamination by Hands .2652, .2653, .2655, .2656		34 🛛 🗆	╅		Thermometers provided & accurate	
6 🖾 🗆 Hands clean & properly washed 7 🖾 🗆 No bare hand contact with RTE foods or pre-	420000	Food Id		ficatio	•	
approved alternate procedure properly followed	31.50	35 🛛 🗌			Food properly labeled: original container	210
8 🗆 🛛 Handwashing sinks supplied & accessible	21 🗙 🗙 🗆 🗆	Prevent	ion (of Foc	od Contamination .2652, .2653, .2654, .2656, .2	657
Approved Source .2653, .2655		36 🛛 🗆			Insects & rodents not present; no unauthorized animals	210
9 🕅 🗌 Food obtained from approved source		37 🛛 🛛			Contamination prevented during food preparation, storage & display	210
10 Image: Second se	210	38 🛛 🗆			Personal cleanliness	
11 Image: Second state of the second state of	210 🗆 🗆 🗆	39 🛛 [Wiping cloths: properly used & stored	
12 D Required records available: shellstock tags, parasite destruction	210					-++++++++++++++++++++++++++++++++++++++
Protection from Contamination .2653, .2654		40 🛛 🗌			Washing fruits & vegetables ensils .2653, .2654	
13 D X D Food separated & protected	3 🗙 O 🗙 🗆 🗆	41 🔀 [In-use utensils: properly stored	10.50
14 Image: Second and Secon	31.5 🗙 🗙 🗆 🗆	42 🛛 🖸	+	_	Utensils, equipment & linens: properly stored, dried & handled	
15 🛛 🗆 Proper disposition of returned, previously served, reconditioned, & unsafe food	210 🗆 🗆 🗆		_		dried & handled Single-use & single-service articles: properly	
Potentially Hazardous Food Tlme/Temperature .2653		43 🔀 🛛	1		stored & used	1 0.5 0
16 🛛 🗆 🗆 Proper cooking time & temperatures	31.50	44 🛛 🗆			Gloves used properly	
17 🕅 🔲 🔲 Proper reheating procedures for hot holding	31.50	Utensils	s and	d Equi	ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces	
18 🛛 🗆 🗆 Proper cooling time & temperatures	3150	45 🗆 🛛	⊴∣		approved, cleanable, properly designed, constructed, & used	21 × □□□
19 🛛 🗆 🔲 Proper hot holding temperatures	31.50	46 🛛 🗆			Warewashing facilities: installed, maintained, & used; test strips	
20 X D Proper cold holding temperatures	31.50	47 🛛 🗆			Non-food contact surfaces clean	
21 🛛 🗆 🗆 Proper date marking & disposition	31.50	Physica	_	cilitie		
Time as a public health control: procedures &					Hot & cold water available; adequate pressure	210
Consumer Advisory .2653		49 🗆 🛛	ব		Plumbing installed; proper backflow devices	21 ×× □□
22 Consumer advisory provided for raw or		50 🛛 🗌			Sewage & waste water properly disposed	
Image: Constraint of the second se			_		Toilet facilities: properly constructed, supplied	
24 Pasteurized foods used; prohibited foods not offered	31.50	51 🛛 🗌			& cleaned	
Chemical .2653, .2657		52 🔀 🛛			Garbage & refuse properly disposed; facilities maintained	1 0.5 0 🗆 🗆
25 🛛 🗆 🕞 Food additives: approved & properly used	10.50	53 🛛 🗌			Physical facilities installed, maintained & clean	1 0.5 0
26 X Toxic substances properly identified stored, & used	21 🗙 🗙 🗆 🗆	54 🛛 🛛			Meets ventilation & lighting requirements; designated areas used	1 0.5 0
Conformance with Approved Procedures .2653, .2654, .2658					~	s. 4
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	ecialized process, 210					5: 7
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.						



Comment Addendum to Food Establishment Inspection Report

Establishment Name: OMEGA HOUSE

1

Location Address: 1498 PETERS CREEK PARKWAY						
City: WINSTON SALEM	_ State: NC					
County: <u>34 Forsyth</u> Zip: <u>271</u>	03					
Wastewater System: 🛛 Municipal/Community 🗌 On-Site Syst	em					
Water Supply: 🛛 🛛 Municipal/Community 🗌 On-Site Syst	em					
Permittee: OMEGA FAMILY RESTAURANT INC						
Telephone: (336) 724-5262						

Establishment ID: 3034010604

⊠Inspection □Re-Inspection		Date: 08/27/2014
-		•

Comment Addendum Attached?

Status Code: <u>A</u> Category #: IV

Soell.

Email 1: jmi4444@msn.com

Em	nail	2:
	iun	<u> </u>

Email 3:

			Tempe	rature Observ	vations			
ltem Serv Safe	Location John Ioannou Exp:	Temp 00	Item Grilled Onions	Location Ice Bath	Temp 55	ltem Raw	Location Make Unit Bottom	Temp 45
Hot Water	2-comp sink	145	Gravy	WIC	45	Sliced	Make Unit Top	49
Dish Temp	Dishwasher	175	Lettuce	WIC	42	Cut Tomatoes	Make Unit Top	48
Santizer	Bucket-Bleach	50	Pasta	WIC	55	Cheese	Make Unit Top	45
Sanitizer	Bottle-Bleach	0	Sliced	WIC	44	Cole Slaw	Make Unit Top	43
Final Cook	Hashbrowns	190	Cole Slaw	Reach-In	42			
Final Cook	Eggs	160	Cheese	Reach-In	42			
Collards	Ice Bath	61	Country Ham	Reach-In	40			

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

2-102.12 Certified Food Protection Manager - C. The Certified Food Protection Manager was not present at the start of the inspection. A Certified Food Protection Manager must be present during all hours of operation. Have enough employees that have completed an ANSI-certified food protection manager course so that one is always present. See county website at: https://www.co.forsyth.nc.us/publichealth/environmentalhealth/servsafe.aspx for approved ANSI-certified food protection manager courses.

- 4 2-401.11 Eating, Drinking, or Using Tobacco C. General Comment-Two employee drinks were stored above prepackaged food in the front refrigerator in dining area. Employee drinks must be stored underneath & away from food for the establishment & must have a lid & a straw. CDI-Drinks relocated.
- 8 6-301.11 Handwashing Cleanser, Availability PF. General Comment-Soap was not available in front handwashing sink. Soap must be supplied to all hand sinks. CDI-Replaced soap.

Person in Charge (Print & Sign):	<i>First</i> John	loannou	Last	Autom
Regulatory Authority (Print & Sign)	First Jo	Farmer	Last	Shannow REHS
REHS ID	2443 - Farmer	Johanna		Verification Required Date: / /
REHS Contact Phone Number	: (<u>336</u>) <u>7Ø3</u>	- <u>3136</u>		
North Carolina Department	of Health & Human Serv	ices ● Division of Pu DHHS is an equal o		Environmental Health Section • Food Protection Program
	(/	ices • Division of Pu		nvironmental Health Section • Food Protection Program

Comment Addendum to Food Establishment Inspection Report

Establishment Name: OMEGA HOUSE

Establishment ID: 3034010604

Observations and Corrective Actions	
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	

13 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation - P. Eight containers of country ham were stored above ready-to-eat food in walk-in cooler & reach in refrigerator. Country ham is shelf-stable but it is still a raw food so it must be stored underneath ready-to-eat food. CDI-Relocated country ham to bottom shelf in both places.

- 14 4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization-Temperature, pH, Concentration and Hardness - P. General Comment-One bottle of bleach sanitizer measured at 0 ppm. Sanitizer strength for bleach sanitizer must be between 50-200 ppm. CDI-Replaced sanitizer with sanitizer of proper strength.
- 26 7-102.11 Common Name-Working Containers PF. General Comment-Two containers of bleach sanitizer had the label worn off. All chemical bottles must be labeled. CDI-Relabeled bottles.
- 31 3-501.15 Cooling Methods PF. One container of collard greens was cooling is a deep, plastic pan. One pan of cooling pasta was in walk-in cooler with lid on tightly. When cooling portion food into smaller portions and place them in shallow, metal pans to facilitate heat transfer. CDI-Vented pasta pan in walk-in cooler & transferred collards to a shallow, metal pan.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C. General Comment-There is a condensation leak in the walk-in freezer. Ice builds up on the inside of the door. Repair.
- 49 5-203.14 Backflow Prevention Device, When Required P. General Comment-Hose in the back had nozzle attached to it that creates continuous pressure. Install a backflow preventer rated for continuous pressure or keep nozzle unattached to hose. CDI-Removed nozzle.





Spell

Establishment Name: OMEGA HOUSE

Establishment ID: 3034010604

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



√ Spell Establishment Name: OMEGA HOUSE

Establishment ID: 3034010604

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: OMEGA HOUSE

Establishment ID: 3034010604

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell