H (\mathbf{OC}	d	E	.SI	ablishment inspection	Re	po	rt							Scor	e:	6	<u>7.</u>	<u>5</u>	
ĒS	tak	lis	hn	ner	nt Name: WALMART #3626 DELI							_ E	S	tablishment ID: 3034020648						
_0	cat	ior	A	ddr	ess: 3475 PARKWAY VILLAGE CIRCLE															
City: WINSTON SALEM State:						. N	IC	Date: <u>Ø 5 / 1 8 / 2 Ø 1 6</u> Status Code: A												
Zip: 27107 County: 34 Forsyth							Time In: $09 : 40 \circ pm$ Time Out: $11 : 35 \circ pm$													
Permittee: WAL MART STORES INC												ime: 1 hr 55 minutes			Ċ					
				' -							Ca	ate	go	ory #: _III				_		
	_				336) 771-1011		0	_			F	DΑ	Е	stablishment Type:						
					System: Municipal/Community				ster	n				Risk Factor/Intervention Violation	s: 0					
N	ate	r S	Sup	ply	/: ⊠Municipal/Community □ On-	Site S	Supp	oly			No	o. c	of	Repeat Risk Factor/Intervention	√iolati	on	ıs:			
F	-00	dha	orne	ااا ج	ness Risk Factors and Public Health Int	ervent	ions							Good Retail Practices				_		
F	lisk f	acto	rs: (Contr	buting factors that increase the chance of developing foodb	orne illne				Good	d Re	tail F	Pra	ctices: Preventative measures to control the addition o	f pathoge	ns, (chei	mical	ls,	
F				_	ventions: Control measures to prevent foodborne illness or		11		<u> </u>	I I				and physical objects into foods.					_	_
	upe		N/A	N/O	Compliance Status .2652	OUT	CDI	R VR	-	IN afo E	_		_	Compliance Status Vater .2653 .2655 .2658		OUT		CDI	R	VR
_					PIC Present; Demonstration-Certification by accredited program and perform duties	2 0			28			×	uv	Pasteurized eggs used where required	1	0.5	П	П	П	П
	mpl			alth	.2652				╌					Water and ice from approved source				_		F
2	X				Management, employees knowledge; responsibilities & reporting	3 1.5 0			30			X		Variance obtained for specialized processing		0.5	H	=		F
3	X				Proper use of reporting, restriction & exclusion	3 1.5 0							atu	methods ire Control .2653, .2654		10.0		긔		Ľ
C	ood	Ну	gien	ic Pı	ractices .2652, .2653					×		ipci	att	Proper cooling methods used; adequate	1	0.5	О	П	П	П
4	X				Proper eating, tasting, drinking, or tobacco use	2 1 0			32			$\overline{}$	¥	equipment for temperature control Plant food properly cooked for hot holding						F
5	X				No discharge from eyes, nose or mouth	1 0.5			33	\vdash			-	Approved thawing methods used		+	\vdash		\dashv	F
$\overline{}$	$\overline{}$		g Co	onta	mination by Hands .2652, .2653, .2655, .2656				⊩		_						\vdash	\rightarrow		Ë
6					Hands clean & properly washed	4 2 0				ood	Idor	tific	nati	Thermometers provided & accurate on .2653	1	1 0.5	0	믜		Ľ
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 0				×		Itilit	Jau	Food properly labeled: original container	2		П	П	П	П
8	X				Handwashing sinks supplied & accessible	2 1 0					=	n of	Fc	ood Contamination .2652, .2653, .2654, .2656	, .2657					
\neg	•	ovec	l So	urce	· ·				36	×				Insects & rodents not present; no unauthorize animals	.d 2	1	0			
9	X	Ш			Food obtained from approved source	2 1 0	1-1		37	×				Contamination prevented during food preparation, storage & display	2		0			
10				×	Food received at proper temperature	2 1 0	1=1		1	×				Personal cleanliness		+	\vdash		-	
11	X				Food in good condition, safe & unadulterated	2 1 0			1	×				Wiping cloths: properly used & stored		+	\vdash		-	F
12			X		Required records available: shellstock tags, parasite destruction	2 1 0			1	×	\exists			Washing fruits & vegetables		0.5	\vdash	\vdash		Ē
					Contamination .2653, .2654		-11-			\perp		se of	f H	tensils .2653, .2654		10.0	اكا			
		Ш	Ш	Ш	Food separated & protected	3 1.5 0				×		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		In-use utensils: properly stored	1	0.5	0			
	X				Food-contact surfaces: cleaned & sanitized	3 1.5 0			1		×			Utensils, equipment & linens: properly stored,	X	0.5			X	П
	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	2 1 0			1					dried & handled Single-use & single-service articles: properly stored & used		0.5	Н			E
\neg	oter	itial	_		dous Food Time/Temperature .2653		ا ا		١.	\vdash							\Box	-1		H
16				X	Proper cooking time & temperatures	3 1.5 0			-	tons	_	and I	Fai	Gloves used properly uipment .2653, .2654, .2663	1	0.5	0	븨		Ľ
17				×	Proper reheating procedures for hot holding	3 1.5 0	1-1		4		X	iiiu	LY	Equipment, food & non-food contact surfaces					\Box	
18	X	Ш		Ш	Proper cooling time & temperatures	3 1.5 0		4	45					approved, cleanable, properly designed, constructed, & used		×	U	Ц	\Box	브
19	X				Proper hot holding temperatures	3 1.5 0			46	X				Warewashing facilities: installed, maintained, used; test strips	& 1	0.5	0			
20	X				Proper cold holding temperatures	3 1.5 0			47		X			Non-food contact surfaces clean	1	0.5	X			
21	X				Proper date marking & disposition	3 1.5 0				hysi	-	Faci	litie							
22	X				Time as a public health control: procedures & records	2 1 0			1	X				Hot & cold water available; adequate pressure	9 2	1	0	Ц		
\neg	ons	ume		dviso					1⊢	X				Plumbing installed; proper backflow devices	2		0	Ш		
23			×		Consumer advisory provided for raw or undercooked foods	1 0.5 0			50	×				Sewage & waste water properly disposed	2	1	0			
1 2/1	iigni	y St	isce	ptib	le Populations .2653 Pasteurized foods used; prohibited foods not	3 1.5 0			51	X			L	Toilet facilities: properly constructed, supplied & cleaned	1 1	0.5	0			
24 (hem:	nical			offered .2653, .2657	1.3 0	السال		52	×				Garbage & refuse properly disposed; facilities maintained	1	0.5	0			
\neg	X				Food additives: approved & properly used	1 0.5 0			53		X			Physical facilities installed, maintained & clea	n 1	×	0			
-	X	П			Toxic substances properly identified stored. & used	2 1 1			54				H	Meets ventilation & lighting requirements;	1	0.5		\Box	\exists	Ē



Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 2.5

Ectabliche	nent Name: WALMA	RT #3626 DFI	1		Ectablick	mont IF	1. 3034020648		
): 3034020648		
	Address: 3475 PARK	KWAY VILLAG				tion _	Re-Inspection		
•	ISTON SALEM			te: <u>NC</u>	Comment A	Addendum	Attached?	otatao oodo.	
County:_			Zip:					Category #: _III_	
wastewate Water Sup	r System: ⊠ Municipal/0 olv: ⊠ Municipal/0		On-Site System On-Site System		Email 1:				
	: WAL MART STOR	, —			Email 2:				
Telephor	ne:_(336) 771-1011				Email 3:				
			Tempe	rature Ob	servatio	ns			
Item Roast round	Location display case	Temp 37	Item chicken	Location hot display		Temp 135	Item hot water	Location three comp sink	Temp
turkey	display case	38	fried chicken	hot display		168	sanitizer	three comp sink (ppm)	200
ham	display case	38	tilapia	hot display		196	ambient air	sandwich display	37
pastrami	display case	38	mashed	hot display		173	Christopher	6-12-19	0
pasta salad	cold display	40	mac and	hot display		168			
orzo salad	cold display	39	tomatoes	walk in		39			
crab salad	cold display	41	pasta salad	walk in		40			
utensils	Violations cited in this 1 Equipment and Ute	report must be ensils, Air-Dr r dried after	ying Required - washing and sa	the time frame: - C Repeat: Nanitizing. Hav	rective As below, or a Multiple stare employe	as stated in icks of pa	n sections 8-405 ans stored wet for complete a	i. Do not store or stack air drying, recommend o	sing
2 4-901.1 utensils available 4-501.1 tongs. / and pull	Violations cited in this 1 Equipment and Ute until they are fully ai e space of drainboar 1 Good Repair and F Caulking sealing pre tables out for cleani	report must be ensils, Air-Dr r dried after ds of three co	Observation corrected within ying Required - washing and sa compartment sin tment-Equipme lisplay case is canel on right er	ns and Cor the time frame: - C Repeat: Nanitizing. Hav nk at night to ent - C Multiple cracked. Recaded of display	rective As below, or a Multiple stare employer allow drying the tongs has aulk the tacase is loo	Actions as stated in cks of pa es allow ng of more	n sections 8-405 ans stored wet for complete re pans. Neve ded or melted la de display case deeds to be se	t. Do not store or stack air drying, recommend or r towel dry utensils. nandles. Replace dama e or remove all old caul aled to the wall. / Gask	ged ing
2 4-901.1 utensils available 4-501.1 tongs. / and pull on walk sealed t	Violations cited in this 1 Equipment and Ute until they are fully ai e space of drainboar 1 Good Repair and F Caulking sealing pre tables out for cleani in freezer door. Rep o the floor. / Equipment	report must be ensils, Air-Dr r dried after ds of three control of the control of	Observation corrected within ying Required washing and sa compartment single transfer of the compartment of	ent - C Multiple cracked. Recard of display or guide whee pair.	rective As below, or a Multiple stare employer allow drying le tongs has aulk the tacase is locally elements. Contact Sur	Actions as stated in cks of pa ees allow ng of more ave chipp bles to th use and n in freeze	n sections 8-405 ans stored welfor complete are pans. Never the dor melted line display casheds to be seen sliding door	i. Do not store or stack air drying, recommend or towel dry utensils. nandles. Replace dama e or remove all old caul aled to the wall. / Gask is loose and needs to b	ged ing et torr
2 4-901.1 utensils available 4-501.1 tongs. / and pull on walk sealed t	Violations cited in this 1 Equipment and Ute until they are fully ai e space of drainboar 1 Good Repair and F Caulking sealing pre tables out for cleani in freezer door. Rep o the floor. / Equipment	report must be ensils, Air-Dr r dried after ds of three control of the control of	Observation corrected within ying Required washing and sa compartment single transfer of the display case is canel on right ered gasket. / Dockept in good rescontact Surface off shelves. Che	ent - C Multiple cracked. Recard of display or guide whee pair.	rective As below, or a Multiple stare employer allow drying le tongs has aulk the tacase is locally elements. Contact Sur	Actions as stated in cks of pa ees allow ng of more ave chipp bles to th use and n in freeze	n sections 8-405 ans stored welfor complete are pans. Never the dor melted line display casheds to be seen sliding door	i. Do not store or stack air drying, recommend or r towel dry utensils. nandles. Replace dama e or remove all old caul aled to the wall. / Gask is loose and needs to b	ged ing et torr

Regulatory Authority (Print & Sign): Joseph

Verification Required Date: ___

REHS Contact Phone Number: (336)703 - 3164

REHS ID: 2450 - Chrobak, Joseph





Establishment Name: WALMART #3626 DELI Establishment ID: 3034020648

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

√ Spell

6-201.11 Floors, Walls and Ceilings-Cleanability - C Display case needs to be caulked to the floor as old caulking has torn. Floor in front of display case has a loose metal panel revealing a gap between tiles and the panel. Repair this area of the floor to maintain easy to clean surface. // 6-501.12 Cleaning, Frequency and Restrictions - C Cleaning needed on wall and floor behind deep fryers to remove grease accumulation. / Physical facilities shall be kept clean and in good repair.



53



Establishment Name: WALMART #3626 DELI Establishment ID: 3034020648

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: WALMART #3626 DELI Establishment ID: 3034020648

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: WALMART #3626 DELI Establishment ID: 3034020648

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



