Food Establishment Inspection Report Score: <u>97.5</u>					
Establishment Name: FOOD LION #2554 PRODUCE	Establishment ID: 3034020724				
Location Address: 1430 RIVER RIDGE RD		□ Re-Inspection ■ Re-Inspection			
City: CLEMMONS	State: NC	Date: 10/15/2019 Status Code: A			
Zip: 27012 County: <u>34 Forsyth</u>		Time In: $\underline{12}$: $\underline{16} \otimes pm$ Time Out: $\underline{01}$: $\underline{20}$	⊙am ⊗om		
Permittee: FOOD LION, LLC		Total Time: <u>1 hr 4 minutes</u>	- 1		
Telephone: (336) 712-1644		Category #: _II			
		FDA Establishment Type: Produce Department and Sa	lad Bar		
Wastewater System: Municipal/Community		No. of Risk Factor/Intervention Violations: 0			
Water Supply: Municipal/Community On-	Site Supply	No. of Repeat Risk Factor/Intervention Violatio	ons:		
Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.					
IN OUT N/A N/O Compliance Status	OUT CDI R VR		DUT CDI R VR		
Supervision .2652 1 Image: Compare the second sec		Safe Food and Water .2653, .2655, .2658			
accredited program and perform duties		28 C Pasteurized eggs used where required			
Employee Health .2652 2 X Image: Complexity of the state of the	31.50				
3 X Proper use of reporting, restriction & exclusion	31.50		0.50000		
Good Hygienic Practices .2652, .2653		Food Temperature Control .2653, .2654 31 X Proper cooling methods used; adequate quipment for temperature control			
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210	equipment for temperature control			
5 🛛 🗆 No discharge from eyes, nose or mouth					
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6 🛛 🗆 Hands clean & properly washed	420				
7 Image: Constraint of the second	31.50	Food Identification .2653 35 ☑ ☐ Food properly labeled: original container ②			
8 🛛 🗌 Handwashing sinks supplied & accessible	210	Prevention of Food Contamination			
Approved Source .2653, .2655		Insects & redents not present: no unauthorized			
9 🛛 🗌 Food obtained from approved source	210 🗆 🗆 🗆				
10 Food received at proper temperature	210	preparation, storage & display			
11 X Food in good condition, safe & unadulterated	210				
12 C Required records available: shellstock tags,	210				
Protection from Contamination .2653, .2654 13 X Food separated & protected	31.50	Proper Use of Utensils .2653, .2654			
		41 🛛 🗌 In-use utensils: properly stored	0.50		
14 X Food-contact surfaces: cleaned & sanitized 17 X Proper disposition of returned, previously served,	+ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$	42 🛛 🗌 Utensils, equipment & linens: properly stored, 🗍	0.5 0 🗆 🗆 🗆		
15 Image: Constraint of the second	210000		0.50		
16 C Proper cooking time & temperatures	3150000				
17 Proper reheating procedures for hot holding	31.50	Utensils and Equipment .2653, .2654, .2663			
18 ⊠ □ □ Proper cooling time & temperatures	3 1.5 0 0 0	45 X Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 2			
19 Proper hot holding temperatures	31.50	constructed, & used 46 ☑ Warewashing facilities: installed, maintained, & used: test strops			
20 X □ □ Proper cold holding temperatures	3 1.5 0				
21 X D Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656			
22 T Time as a public health control: procedures &		48 🛛 🗌 Hot & cold water available; adequate pressure	10000		
Consumer Advisory .2653		49 🗌 🛛 Plumbing installed; proper backflow devices			
23 Consumer advisory provided for raw or undercooked foods		50 🛛 🗌 Sewage & waste water properly disposed 2			
Highly Susceptible Populations .2653		51 🛛 🗆 Toilet facilities: properly constructed, supplied			
24 C Pasteurized foods used; prohibited foods not offered	3150	Garbage & refuse properly disposed; facilities			
Chemical .2653, .2657					
25 🕅 🗌 🛛 Food additives: approved & properly used					
26 Image: Conformance with Approved Procedures .2653, .2654, .2658		54 🛛 🗆 Meets ventilation & lighting requirements; 🗐			
27 Image: Second and the second and	21000	Total Deductions: 2.3	5		

- 1		
1	ala	-
6	14	Ś.
-	À	3
	11/1	

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. CR Off Page 1 of _____ Food Establishment Inspection Report, 3/2013

Comment Addendum to Food Establishment Insp	pection Report

Establishment Name: FOOD LION #2554 PRODUCE	Establishment ID: 3034020724		
Location Address: <u>1430 RIVER RIDGE RD</u> City: <u>CLEMMONS</u> State: <u>NC</u> County: <u>34 Forsyth</u> Zip: <u>27012</u> Wastewater System: X Municipal/Community On-Site System Water Supply: X Municipal/Community On-Site System Permittee: <u>FOOD LION, LLC</u> Telephone: (336) 712-1644	Inspection Re-Inspection Date: 10/15/2019 Comment Addendum Attached? Status Code: A Water sample taken? Yes X No Category #: II Email 1: Iaura.tubbs@retailbusinessservices.vom Email 2: Email 3:		
	e Observations		
Cold Holding Temperatu Item Location Temp Item	LITE IS NOW 41 Degrees or less		

veg wash	produce fresh - ppm	60	
hot water	3 comp sink	123	
leaf lettuce	walk-in cooler	42	
watermelon	display case	41	
quat sani	3 comp sink (ppm)	400	

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

31	3-501.15 Cooling Methods - PF Cut honeydew melon in tightly covered plastic cup was 48F. Utilize proper cooling methods for all	Spell
	potentially hazardous foods; foods in the process of cooling may be loosely covered or uncovered if protected from overhead	open
	contamination. CDI - cup discarded; discussion about cooling methods.	

49 5-202.13 Backflow Prevention, Air Gap - P The continuous pressure rated backflow preventer has not been reattached to the hose bibb in produce, as discussed during previous inspection dated 4/17/19. A plumbing system shall be installed to preclude backflow...at each point of use in a food establishment, including on a hose bibb...by installing an approved backflow prevention device. VERIFICATION required by 10/24; please email a photo of correct setup by this date.

Lock Text			\sim	
Person in Charge (Print & Sign):	<i>First</i> Rachel	Last Lovelady	and the second s	
Regulatory Authority (Print & Sign	<i>First</i>): ^{Aubrie}	<i>Last</i> Welch	Automa Welch REHS	
REHS II	0: 2519 - Welch, A	Verification Required Date: <u>10</u> / <u>24</u> / <u>2019</u>		
REHS Contact Phone Number: (<u>336</u>) <u>703</u> - <u>3131</u> North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of <u>2</u> Food Establishment Inspection Report, 3/2013				

Establishment ID: 3034020724

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034020724

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034020724

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034020724

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

