Score: 96.5																
Establishment Name: BOJANGLES								Establishment ID: 3034011076								
Location Address: 623 WAUGHTOWN ST									Inspection ☐ Re-Inspection							
City: WINSTON SALEM State: NC									Date: 07 / 21 / 2014 Status Code: A							
								Time In: $09:30\%$ pm Time Out: $11:20\%$ pm								
									Total Time: 1 hr 50 minutes							
- Crimition								Category #: III								
Telephone:								FDA Fetablishment Tuner								
Wastewater System: ⊠Municipal/Community ☐ On-Site Sys								FDA Establishment Type: No. of Risk Factor/Intervention Violations: 1								
Water Supply: ⊠Municipal/Community ☐ On-Site Supply								No. of Risk Factor/Intervention Violations: No. of Repeat Risk Factor/Intervention Violations:								
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.								Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.								
	IN					OUT CDI R V	₹	IN	OUT	N/A	A N/O	Compliance Status	OUT	CDI R	VR	
_		pervision .2652					S	afe	Food and Water .2653, .2655, .2658							
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2 0	28			×]	Pasteurized eggs used where required	1 0.5 0			
$\overline{}$		oye	He	alth	.2652		29	×				Water and ice from approved source	2 1 0			
\rightarrow	×				Management, employees knowledge; responsibilities & reporting	3 1.5 0	30			×		Variance obtained for specialized processing methods	1 0.5 0		П	
3	×		Proper use of reporting, restriction & exclusion 3 1.5 0				F	Food Temperature Control .2653, .2654								
$\overline{}$	$\overline{}$		gieni	ic Pr	ractices .2652, .2653		31	×				Proper cooling methods used; adequate equipment for temperature control	1 0.5 0			
\rightarrow	×				Proper eating, tasting, drinking, or tobacco use	2 1 0	32					Plant food properly cooked for hot holding	1 0.5 0		口	
_	×				No discharge from eyes, nose or mouth	1 0.5 0	33	×				Approved thawing methods used	1 0.5 0		П	
$\overline{}$	eve X	ntin	g Co	onta	mination by Hands .2652, .2653, .2655, .2656	420		×	+			Thermometers provided & accurate	1 0.5 0	-	H	
-	_]	Hands clean & properly washed No bare hand contact with RTE foods or pre-		╝	_		ntifi	icatio	·				
\rightarrow	×	Ш		Ш	approved alternate procedure properly followed	3 1.5 0		×	_			Food properly labeled: original container	2 1 0		口	
8								reve	entio	n o	of Foo	od Contamination .2652, .2653, .2654, .2656, .2657				
$\overline{}$	_	vec	l Soi	urce	· ·		36	×				Insects & rodents not present; no unauthorized animals	2 1 0			
\dashv	X				Food obtained from approved source	210	37		×			Contamination prevented during food preparation, storage & display	2 1 🗶	$\boxtimes \Box$	П	
-		Ш		X	Food received at proper temperature	210	38	×				Personal cleanliness	1 0.5 0		Ħ	
11	×	Ш			Food in good condition, safe & unadulterated	210	ш⊢	×	+			Wiping cloths: properly used & stored	1 0.5 0		Ħ	
12			X		Required records available: shellstock tags, parasite destruction	210		×	+	Е	1	Washing fruits & vegetables	1 0.5 0	_	Ħ	
_	_	ctio	n fro		Contamination .2653, .2654			_				ensils .2653, .2654	ا ا		ㅂ	
\rightarrow	×	Ш	Ш	Ш	Food separated & protected	3 1.5 0	_	_		_			1 0.5 0		П	
14	×				Food-contact surfaces: cleaned & sanitized	3 1.5 0	JI ├─		+			Utensils, equipment & linens: properly stored,	1 0.5 0		H	
	×				Proper disposition of returned, previously served, reconditioned, & unsafe food	210	JI ├─	X				dried & handled Single-use & single-service articles: properly	1 0.5 0		H	
$\overline{}$	$\overline{}$	tiall	y Ha	izaro	dous Food Time/Temperature .2653		-ا	-	-			stored & used			H	
\dashv	×				Proper cooking time & temperatures	3 1.5 0	⊣ —	X ton		d	I Fami	Gloves used properly ipment .2653, .2654, .2663	1 0.5 0		븨	
_	×	Ш	Ш	Ш	Proper reheating procedures for hot holding	3 1.5 0	46		T	anu	Equ	Equipment, food & non-food contact surfaces			H	
18	X				Proper cooling time & temperatures	3 1.5 0] 45	Ш	×			approved, cleanable, properly designed, constructed, & used	2 🗶 0		Ш	
19	X				Proper hot holding temperatures	3 1.5 0	∐ 46	×				Warewashing facilities: installed, maintained, & used; test strips	1 0.5 0			
20	×				Proper cold holding temperatures	3 1.5 0	47		×			Non-food contact surfaces clean	X 0.5 0			
21	X				Proper date marking & disposition	3 1.5 0	P	hys	ical	Fac	cilities	s .2654, .2655, .2656				
22	×				Time as a public health control: procedures & records	210	48	X]	Hot & cold water available; adequate pressure	2 1 0			
С	ons	ume	r Ad	lvisc	ory .2653		49		×			Plumbing installed; proper backflow devices	2 1 🗶			
23			X		Consumer advisory provided for raw or undercooked foods	1 0.5 0	50	X				Sewage & waste water properly disposed	2 1 0		П	
\neg	=	y Sı	\neg	ptibl	le Populations .2653		51	×]	Toilet facilities: properly constructed, supplied & cleaned	1 0.5 0		口	
24			X		Pasteurized foods used; prohibited foods not offered	3 1.5 0	JI ├─	×	+	F		Garbage & refuse properly disposed; facilities	1 0.5 0		Ħ	
$\overline{}$	hem	ical			.2653, .2657		4	-	+			maintained Physical facilities installed, maintained & clean			H	
\dashv	X				Food additives: approved & properly used		$\dashv \vdash$		X			Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;			븬	
_	X onfo	<u>□</u>	□ Dac	14:141	Toxic substances properly identified stored, & used	2 1 0	54		×			designated areas used	1 0.5		븨	
27	onto	ma רו	ince	WIT	h Approved Procedures .2653, .2654, .2658 Compliance with variance, specialized process, reduced payeen packing criteria or HACCP plan	210						Total Deductions:	3.5			



Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Laratia Ad	Establishment Name: BOJANGLES						Establishment ID: 3034011076						
Location Add	Location Address: 623 WAUGHTOWN ST												
	City: WINSTON SALEM State: NC						Comment Addendum Attached? Status Code: A						
County: 34 F	County: 34 Forsyth Zip: 27107 Wastewater System: ☑ Municipal/Community ☐ On-Site System							Category					
						Email 1:							
	Water Supply: ✓ Municipal/Community Permittee: BOJANGLES RESTAURANT INC					Email 2:							
_													
r elephone	Telephone:					Email 3:							
Item	Location	Temp		Location	Observatio	Temp	Item	Location	Tem				
	Hot Hold table	178	lettuce		prep cooler	45							
Sausage I	Hot Hold table	150											
Fried Chicken	Final Cook	170											
Eggs I	Hot Hold table	168											
Chicken	walk in cooler	42											
ambient air	biscuit cooler	39											
eggs 1	final cook	200											
tomatoes	sandwich prep cooler	41											
				r cyclem. Of	DI. Employee	e replace	d towels during ir	ispection. Ci	וכ				
3-307.11 Mi adequately	iscellaneous Sources covered to prevent c	s of Cont ontamina	amination - C	Tray of bis	cuits at top o	f speed r	ack without a cov	ver. Food sha	all be				
4-501.11 Go parts./ Drink machine au covers seale writing from	iscellaneous Sources covered to prevent of cood Repair and Prop comachine at drive the to off switch. / Reach ed and riveted where the manufacturer the Provide proof of NSF	er Adjust ru autom n in coole e doors w at the un	amination - Cation from occ tment-Equipn atic shut off ser portion of sere located). it meets NSF	Tray of biscurring. CDI nent - C Clipswitch not furandwich pre This unit is standards v	cuits at top o Biscuits we s are missing nctioning pro p line has be unapproved	f speed rome covered from ice operly, reven modified in its curi	ack without a covid with a clean trace e machine lid. Reversed on/off. Covided (doors removed)	ver. Food sha ay by employ eplace missin rrectly repair ved and stain ovide commi	all be ree. CDI. g equipment drink iless steel unication in				
adequately 4-501.11 Go parts./ Drink machine au covers seale writing from	covered to prevent of cood Repair and Prop c machine at drive the to off switch. / Reach ed and riveted where the manufacturer the Provide proof of NSF	er Adjust ru autom n in coole e doors w at the un	amination - Cation from occ tment-Equipn atic shut off ser portion of sere located). it meets NSF	e Tray of biscurring. CDI ment - C Clip switch not fur andwich pre This unit is standards v	cuits at top o Biscuits we s are missing nctioning pro p line has be unapproved	f speed range from ice sperly, reven modified in its currences change	e machine lid. Reversed on/off. Coffied (doors removent condition. Prd. All equipment	ver. Food sha ay by employ eplace missin rrectly repair ved and stain ovide commi shall be in go	all be ree. CDI. og equipment drink aless steel unication in ood condition				
4-501.11 Go parts./ Drink machine au covers seal writing from and repair.	covered to prevent of cood Repair and Prop c machine at drive the to off switch. / Reach ed and riveted where the manufacturer the Provide proof of NSF	er Adjust ru autom n in coole e doors w at the un complia	amination - Cation from occ tment-Equipn atic shut off ser portion of ser ere located). it meets NSF nce for coole	enent - C Clip curring. CDI ment - C Clip switch not fu andwich pre This unit is standards v	cuits at top o Biscuits we sare missing nctioning pro pline has be unapproved with the door	f speed range from ice sperly, reven modified in its currences change	e machine lid. Reversed on/off. Coffied (doors removent condition. Prd. All equipment	ver. Food sha ay by employ eplace missin rrectly repair ved and stain ovide commi shall be in go	all be ree. CDI. og equipment drink aless steel unication in ood condition				
4-501.11 Go parts./ Drink machine au covers seale writing from and repair. I	covered to prevent of cood Repair and Prop c machine at drive the to off switch. / Reach ed and riveted where the manufacturer the Provide proof of NSF	er Adjust ru autom n in coole e doors w at the un complia	amination - Cation from occ tment-Equipn atic shut off ser portion of sere located). it meets NSF nce for coole	enent - C Clip curring. CDI ment - C Clip switch not fu andwich pre This unit is standards v	cuits at top on the sare missing actioning proper line has be unapproved with the doors.	f speed range from ice sperly, reven modified in its currences change	ack without a covid with a clean trace e machine lid. Reversed on/off. Covided (doors removed)	ver. Food sha ay by employ eplace missin rrectly repair ved and stain ovide commi shall be in go	all be ree. CDI. og equipment drink aless steel unication in ood condition				

REHS Contact Phone Number: (336)703 - 3383



Establishment Name: BOJANGLES Establishmen	t ID: _3034011076
--	-------------------

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Cleaning needed on surfaces of equipment including grill, sandwich prep cooler, fryers, and biscuit make ovens. Clean gaskets and interiors of equipment. Non food contact surfaces shall be maintained clean. Employees cleaned equipment during inspection, maintain a cleaning schedule to prevent further build up and promote cleanliness.
- 49 5-203.14 Backflow Prevention Device, When Required P No visible back flow prevention on tea/coffee brewing machines. Back flow prevention shall be provided wherever the potential of contamination of the water supply is present. Provide written documentation of back flow prevention built into tea/coffee brewing machines or attach proper back flow preventer.
- 6-501.12 Cleaning, Frequency and Restrictions C Detail cleaning needed under shelves in walk in cooler and under equipment in the kitchen area. Floors shall be maintained clean. CDI Employee sweept areas noted during inspection. CDI There was food splash on the ceiling tiles above the slicer area. Cleaning needed. Air returns on the front line were dusty. Cleaning needed. // 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Clean out cover missing on wall beside fryer. Replace cover
- 6-303.11 Intensity-Lighting C Light fixture is out above the bag in box system. Light in storage areas shall be provided at 20 ft/cl. Repair light fixture.



Establishment ID: 3034011076 Establishment Name: BOJANGLES

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOJANGLES Establishment ID: 3034011076

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOJANGLES Establishment ID: 3034011076

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



