Food Establishment Inspection Report Score: 96 Establishment Name: ZAXBY'S 50501 Establishment ID: 3034012337 Location Address: 110 PINEVIEW COURT Date: 10 / 16 / 2018 Status Code: A City: KERNERSVILLE State: NC Time In: $12 : 00 \times pm$ Time Out: Ø 3 : Ø Ø ⊗ pm County: 34 Forsyth Zip: 27284 Total Time: 3 hrs 0 minutes JJM OPERATIONS EAST MOUNTAIN, LLC Permittee: Category #: II Telephone: (336) 497-4222 FDA Establishment Type: Fast Food Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 🔀 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3150 - approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 \times Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 105 🗙 🗆 🗆 42 🗆 🗷 Proper disposition of returned, previously served 15 🖂 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 Hot & cold water available; adequate pressure 2 1 0 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🔀 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 🗶 🗆 🗆

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

	Comme	nt Adde	ndum to I	Food Es	<u>tablishr</u>	nent l	nspection	n Report	
Stablishmer			Establishment ID: 3034012337						
Location Address: 110 PINEVIEW COURT City: KERNERSVILLE State: NC					☐ Inspection ☐ Re-Inspection Date: 10/16/2018				
County: 34 Forsyth Zip: 27284			e: <u></u>	Comment Addendum Attached? Status Code: A Water sample taken? Yes No Category #: II					
Wastewater System: Municipal/Community □ On-Site System								Category #	
Water Supply: ✓ Municipal/Community ☐ On-Site System					Email 1: ^{jpage@jjm-ops.com}				
Permittee: JJM OPERATIONS EAST MOUNTAIN, LLC					Email 2:				
Telephone: (336) 497-4222					Email 3:				
Temperature Observations									
					lding wil		ige to 41 d	_	_
ltem servsafe	Location Tracy Grubbs 12/13/1	Temp 9 0	Item tomato	Location salad prep		Temp 41	Item raw chicken	Location walk in cooler	Temp 41
quat sanitizer	front bucket	0	cheese	salad prep		42	slaw	walk in cooler	42
quat sanitizer	3 compartment sink	400	wings	hot holding unit		166	fried chicken	cook temp	208
lettuce	glass door cooler	44	44 raw chicken cold drawer			43	grilled chicken	cook temp	199
slaw	glass door cooler	42	raw chicken	hicken chicken prep		44	fries	cook temp	206
hot water	3 compartment sink	124	tomato	cooling 1.5 hours from		55			
celery	left prep	43	tomato	cooling 2 hours from		48			
grilled chicken	hot box	149	lettuce	walk in coole	er	44			
Vi	olations cited in this re		bservation borrected within t					11 of the food code.	
 4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization-Temperature, pH, Concentration and Hardness - P Quat sanitizer in front area tested 0PPM. Maintain quat sanitizer as specified in 7-204.11. CDI. Bucket refilled from 3 compartment sink. Now 400PPM. 4-901.11 Equipment and Utensils, Air-Drying Required - C 0 points. 3 clear plastic pans on clean dish rack stacked wet. Allow dishes to air dry thoroughly before stacking. 									
45 4-501.11 Good Repair and Proper Adjustment-Equipment - C 0 points. Recaulk hoods where sealant has deteriorated. Replace missing knob on lettuce chopper. Equipment shall be in good repair. Lock									
Text									
	(5.1.0.5)	<i>Fir</i> Tracy		<i>La</i> Grubbs	st		1	1000	
Person in Char	ge (Print & Sign):	•					/IRON U	40	
Regulatory Authority (Print & Sign): Amanda Taylor									
REHS ID: 2543 - Taylor, Amanda Verification Required Date://									
REHS Contact Phone Number: (336)703-3136 North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.									
Page 2 of Food Establishment Inspection Report, 3/2013									

Establishment Name: ZAXBY'S 50501 Establishment ID: 3034012337

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Repeat violation. Insides of salad prep and glass door cooler soiled with excess of salad debris. Clean buildup from spray wand at 3 compartment sink. Outsides(especially handles) of stainless steel refrigeration equipment and cook line equipment in need of cleaning. Clean undersides of drainboards at 3 compartment sink. Dust outside of ice machine. Non food contact surfaces shall be clean.
- 6-303.11 Intensity-Lighting C 0 points. Additional lighting fixtures have been installed since last inspection in fryer area. Lighting now 44 footcandles, but several bulbs not working. Replace bulbs to elevate lighting intensity to 50 footcandles.





Establishment Name: ZAXBY'S 50501 Establishment ID: 3034012337

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ZAXBY'S 50501 Establishment ID: 3034012337

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ZAXBY'S 50501 Establishment ID: 3034012337

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



