Food Establishment Inspection Report Score: 97 Establishment Name: ARBY'S #7202 Establishment ID: 3034011363 Location Address: 3184 PETERS CREEK PARKWAY Date: 11 / 05 / 2018 Status Code: A City: WINSTON SALEM State: NC Time In: $10 : 15 \overset{\otimes}{\circ}$ am pm Time Out: 12: 55⊗ am County: 34 Forsyth Zip: 27103 Total Time: 2 hrs 40 minutes RTM OPERATING CO LLC Permittee: Category #: II Telephone: (336) 785-1106 FDA Establishment Type: Fast Food Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗆 🔀 preparation, storage & display 10 🗵 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 Food in good condition, safe & unadulterated 39 🗆 🗷 Wiping cloths: properly used & stored Required records available: shellstock tags, 21000 12 🗆 parasite destruction 40 🛛 🗀 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 42 🗆 🗷 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🗆 🔀 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🗵 3 1.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🗆 | 🔀 | 🗆 2**X**0**X** 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

Establishment Name: ARBY'S #7202				Establishment ID: 3034011363		
Location Address: 3184 PETERS CREEK PARKWAY					_	
City: WINSTON SALEM State: NC				_		
County: 34 Forsyth Zip: 27103				Comment Addendum Attached? Status Code: A Water sample taken? Yes No Category #: II		
-	er System: 🗷 Municipal/Coi	•		_		
Water Supply: ✓ Municipal/Community ☐ On-Site System				Email 1:		
Permittee: _RTM OPERATING CO LLC				Email 2:		
Telepho	ne:_(336) 785-1106			Email 3:	_	
		Ter	nperature Ol	bservations		
	Effecti	ve January 1, 2	019 Cold Ho	olding will change to 41 degrees		
Item 7-1-21	Location Jazmine Maldonado	Temp Item 0 rb	Location make unit	Temp Item Location Tem	р	
chicken	hot hold	158 ham	make unit	43		
chicken	hot hold	148 tomato	make unit	40		
roast	hot hold	146 turkey	make unit	38		
chicken	final cook	180 turkey	cooler	36		
roast beef	hot hold	144 rb	cooler	41		
cheese	ho thold	151				
turkey	make unit	41			_	
	Violations sited in this roy			Orrective Actions nes below, or as stated in sections 8-405.11 of the food code.	ı	
Soft		ng run out of machine		at drive through open during most of inspection. Maintain closed To not re-run the soft serve mix to avoid contamination. Food sha		
Once Reco	e wet, wiping cloths sha	all be held in an effec submerged in large s	tive sanitizing so	rs of wiping cloths measured less than 200ppm quat sanitizer. olution, and maintained clean. CDI-Sanitizer changed. or to placing in small containers, so that the solution can be		
Lock Text						
		First	La Maldonado	ast O M		
Person in C	harge (Print & Sign):	Jazmine 		Gry en		
Regulatory	Authority (Print & Sign):	<i>First</i> Nora	Sykes	ast /	_	
	REHS ID:	2664 - Sykes, Nor	ra	Verification Required Date: / /		
REHS Ahha	- S Contact Phone Number: North Carolina Department o			· — — —		
CHA		Page 2 of	Food Establishment I	Inspection Report, 3/2013		

Establishment Name: ARBY'S #7202	Establishment ID: _3034011363

Observations	and C	orroctivo	A ctions
Observations	anu c	Jonecuve	ACHORS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



42 4-901.11 Equipment and Utensils, Air-Drying Required - C- Multiple stacks of pans stored in walk in were stacked while still wet. Air dry all dishes before stacking.

- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C-REPEAT-Cups stored with mouth parts unprotected. Single service articles shall be stored in a clean, dry location and where they are not exposed to splash, dust, or other contamination; and in its original protective packaging until used. Some improvement here, left at half.
- 4-501.11 Good Repair and Proper Adjustment-Equipment C-REPEAT-Reattach and make flush/readjust the walk in floor panels. Long screws on condensers in walk in cooler and walk in freezer, cut to 2.5 screw threads or cap. Magnets at meat display case rusted. Remove rust. Drink machine at drive through operates with ice bin open. Wheel damaged on dry storage rolling rack. Cut pipe from drain at 3-comp sink. Equipment shall be maintained in good repair.
- 49 5-205.15 (B) System maintained in good repair C- Small drip at right faucet of 3 comp sink. Maintain in good repair. Opts.

- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C- Recaulk back hand sink to wall. Reattach FRP panel to left side of back door. Physical facilities shall be smooth and easily cleanable. // 6-501.12 Cleaning, Frequency and Restrictions C- Clean under drink station in dining room and floor in dry storage. Maintain facilities clean. Opts.
- 6-303.11 Intensity-Lighting C-REPEAT-Lights, measured in foot candles (fc) low in the following areas: back prep table (37fc) and back slicer (48fc). Lights shall be 50fc in areas of food preparation and service. Increase lighting. Opts.





Establishment Name: ARBY'S #7202 Establishment ID: 3034011363

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ARBY'S #7202 Establishment ID: 3034011363

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ARBY'S #7202 Establishment ID: 3034011363

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



