Food Establishment Inspection Report Score: 95 Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573 Location Address: 271 W 4TH ST Date: 12/10/2019 Status Code: A City: WINSTON SALEM State: NC Time In: $11 : 50 \overset{\otimes}{\circ} ^{am}$ Time Out: Ø 2 : Ø Ø ⊗ pm County: 34 Forsyth Zip: 27101 Total Time: 2 hrs 10 minutes SOUPHAB RESTAURANT GROUP INC Permittee: Category #: IV Telephone: (336) 777-1422 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 4 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 X Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-7 🗆 3 1.5 0 approved alternate procedure properly followed 35 🖾 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 210 - parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 🗶 🗆 🗆 🗆 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🗆 🔀 1 0.5 🗶 🗌 🗌 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🛛 | 🗆 | 🗆 Proper reheating procedures for hot holding 3150 - -Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🛛 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



|27| 🗆 | 🗆 | 🔀

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 □ | 🖾 | □



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

21 🗶 🗙

210 - -

	Comme	ent Adae	<u>enaum to</u>	F000 E	<u>stabiisn</u>	<u>ment i</u>	<u>nspection</u>	<u>Report</u>	
Establishment Name: DOWNTOWN THAI					Establishment ID: 3034011573				
Location Address: 271 W 4TH ST					☑Inspection ☐Re-Inspection Date: 12/10/2019				
City: WINSTON SALEM State: NC				ate: NC	Comment Addendum Attached? Status Code: A				
County: 34 Forsyth Zip: 27101					Water sample taken? Yes X No Category #: IV				
Wastewater System: ✓ Municipal/Community ☐ On-Site System					Email 1: downtownthai@yahoo.com				
Water Supply: ✓ Municipal/Community ✓ On-Site System Permittee: SOUPHAB RESTAURANT GROUP INC					Email 2:				
	Telephone: (336) 777-1422				Email 3:				
relephone	(000) / / / / / / / /		T						
			•		bservatio				
Itama	Lagation		_	•	is now 4	_	ees or less	Lagation	Tama
Item Beef	Location cooling 81 - 70 in 30	Temp 0	Item hot water	Location three comp	sink	Temp 128	item	Location	Temp
chicken	reach in	40	sanitizer (cl)	dish machi	ne (ppm)	100			
eggroll	reheat	178	rice	hot hold		153			
chicken wings	final cook	193							
chicken	final cook	198							
shrimp	two door	38							
curry	two door	40							
beef	two door	40							
in cool	11 Packaged and U er over vegetables. n to low shelf with o	Foods must	be stored in a						
REPE/ large b Potent	16 (A)(2) and (B) Po AT: Cooked tofu on oins of cut cabbage ially hazardous food s to drop in tempera	counter at 4 on counter a ds held cold ture. Ranch	6-52F. Cooke at 64F. One lar must be kept a was out for or	d chicken in ge bottle of at 41F or lov	make unit a ranch dip w wer at all tim	at 45F. Ra rith "refrig nes. CDI:	aw eggs out at ro erate after openi Tofu, chicken, e	oom temperatur ing" at 70F on c ggs, and cabba	e (70F). Two counter.
Person in Cha	arge (Print & Sign):	Souphab	rst	Doahenag .	ast	4			
Regulatory Au	uthority (Print & Sign		rst	Chrobak	ast	B			
REHS ID: 2450 - Chrobak, Joseph						Verifica	ition Required Dat	e: / /	
REHS (Contact Phone Numbe	 r: (336)	703-31	 6 4	_	_	1 1	<u> </u>	
ILLIIO C	Jorth Carolina Donartment	\ <u> </u>		<u>u →</u> ivision of Dublic	Hoolth • Envi	ronmontal U	acith Costion . • Fac	d Drotootion Drogram	

luman Services ● Division of Public Health ● Environmenta
DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 7-207.11 Restriction and Storage-Medicines P,PF One bottle of employee medicine stored on cart with foods. Employee personal items and medications must be stored in a manner that prevents potential contamination. CDI: Medication moved to employee storage area. 0 pts
- 43 4-502.13 Single-Service and Single-Use Articles-Use Limitations C One siracha bottle being reused to hold black sauce. Single use single service articles may not be reused after original product is used. Remove siracha bottle and use reusable food safe containers. 0 pts
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Vinyl floor tiles breaking in upstairs storage area. Replace any damaged and lifting vinyl tiles. / Floor tiles cracked and loose by prep table in back of kitchen. Repair or replace damaged tiles in kitchen. 0 pts





Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: DOWNTOWN THAI Establishment ID: 3034011573

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



