Food Establishment Inspection Report Score: 96 Establishment ID: 3034010371 Establishment Name: RYAN'S Location Address: 719 COLISEUM DR. Date: 12/11/2019 Status Code: A City: WINSTON SALEM State: NC Time In: 01:30% am pm Time Out: <u>Ø 4</u>: <u>1 Ø ⊗ pm</u> County: 34 Forsyth Zip: 27106 Total Time: 2 hrs 40 minutes **DENNIS CARTER** Permittee: Category #: IV Telephone: (336) 724-6132 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community □ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 🗵 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🗵 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 21000 12 🔀 parasite destruction 40 🛛 🗀 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 🔀 Food separated & protected 1 0.5 🗶 🗌 🗌 41 □ | 🔀 In-use utensils: properly stored 14 🗆 \times Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🗆 \square ☐ Proper date marking & disposition 3 1.5 🗶 🔀 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 Hot & cold water available; adequate pressure |22| 🗆 | 🗆 | 🖼 | 🗆 2 1 0 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 🗶 🗆 🗆

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

		Comme	ent Adde	endum to	Food E	<u>stablis</u> t	ment	Inspection	n Report	
Establishment Name: RYAN'S						Establishment ID: 3034010371				
Location Address: 719 COLISEUM DR.						☑Inspection ☐Re-Inspection Date: 12/11/2019				
City: WINSTON SALEM State: N					tate: <u>NC</u>	Comment Addendum Attached? Status Code: A				
County: 34 Forsyth Zip: 27106						Water sample taken?				
Wastewater System: ☑ Municipal/Community ☐ On-Site S Water Supply: ☑ Municipal/Community ☐ On-Site S							ryans@ry	ansrestaurant.coı	m	
		DENNIS CARTER (336) 724 6132				Email 2:				
rei	epnone:	(336) 724-6132		Toman	aratura O	Email 3:				
				•	erature O			roce or loc	<u> </u>	
Item		Location	Temp		Location	15 110W 4	Temp	rees or les	Location	Temp
ServS	Safe	Jon Willis 5/25/22	00	salad	upright co	oler	41	lettuce	back upright	41
hot water		dish machine	170	crab dip	upright cooler		40	crab	back upright	40
hot water		warewashing sink	145	crab	3 door reach in		38	oysters	SC 485 SS	00
greens		walk in cooler	40	scallop	3 door reach in		38	quat sani	ppm spray bottle	150
mash sweetp		walk in cooler	38	lobster	live deliver	y- returned	2			
salad		walk in cooler	41	crab	cooler dra	wers	41			
crab n	nix	walk in cooler	39	pina salsa	saute read	h in	35			
oysters		walk in cooler	36	shrimp 	back uprig	ht	38			
14	improve		e blade, 1 m	netal lid, 1 lar	ge knife soile				peat- kept at half crec surfaces shall be clea	
21	potatoe days. T	s dated 12/4, rice d	lated 12/3, o ods shall be	cooked crab 1 e discarded if	12/4 exceede they exceed	ed time and 7 days at 4	temperation temperation to the temperature	ture criteria of h	Disposition - P - Mash neld at 41F for a maxi incorrectly dated, or i	mum of 7
41									in. During pauses in on the hazardous food. 0 pts	
Lock Text			_							
Darson	n in Char	ge (Print & Sign):	Jon	irst	<i>L</i> Willis	ast		An.	450	
		chority (Print & Sign)	F. Lauren	irst	L Pleasants	ast	Ja	and	lasesto	121KJ
		RFHS ID	: 2809 - P	leasants. La	uren		Vorific	ation Paguired C	Date: / /	

REHS Contact Phone Number: (336) 703 - 3144

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: RYAN'S Establishment ID: 3034010371

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-501.11 Good Repair and Proper Adjustment-Equipment C REPEAT Repaint chipped areas of large mixer and walk-in cooler shelving using food-grade paint. Repair loose side panel of ice machine. Repair bread holder and remove tape along the top ledge at expo line. Remove rust and repair corrosion in beer cooler at bar. Repair cooler drawers to close more easily. Equipment shall be maintained in good repair. //4-202.11 Food-Contact Surfaces-Cleanability PF- REPEAT One melted lid, one cracked lid, and one broken funnel in dish storage. Multiuse food-contact surfaces shall be free of cracks, pits, inclusions, or similar imperfections. CDI Utensils voluntarily discarded by PIC.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C REPEAT Additional cleaning needed on the following equipment: Splash zone of large mixer, along hinges and top of door of autosham, inside bin holding lids, inner side of gasket of saute reach in cooler, side of fryers and ovens. Nonfood-contact surfaces shall be free of dust, dirt, food residue, and other debris.
- 6-501.12 Cleaning, Frequency and Restrictions C Wall and floor cleaning needed at steamers, warewashing sink, and warewashing machine. Physical facilities shall be cleaned at a frequency necessary to maintain them clean. 0 pts.
- 6-303.11 Intensity-Lighting C In men's restroom, lighting measured 1-12 foot candles. In women's restroom, lighting measured 3-7 foot candles. Lighting shall be at least 20 foot candles in toilet rooms. Increase lighting in both restrooms. 0 pts.





Establishment Name: RYAN'S Establishment ID: 3034010371

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: RYAN'S Establishment ID: 3034010371

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: RYAN'S	Establishment ID: _3034010371
----------------------------	-------------------------------

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



