

# Food Establishment Inspection Report

Score: 97

Establishment Name: PANERA BREAD #3715

Establishment ID: 3034012470

Location Address: 105 HANES SQUARE CIRCLE

☒ Inspection ☐ Re-Inspection

City: WINSTON SALEM

State: NC

Date: 06 / 16 / 2017 Status Code: U

Zip: 27104

County: 34 Forsyth

Time In: 12 : 20 <sup>am</sup> <sub>pm</sub> Time Out: 02 : 35 <sup>am</sup> <sub>pm</sub>

Permittee: RAISING DOUGH NC, LLC

Total Time: 2 hrs 15 minutes

Telephone: (336) 794-2033

Category #: IV

Wastewater System: ☒ Municipal/Community ☐ On-Site System

FDA Establishment Type: \_\_\_\_\_

No. of Risk Factor/Intervention Violations: 1

Water Supply: ☒ Municipal/Community ☐ On-Site Supply

No. of Repeat Risk Factor/Intervention Violations: \_\_\_\_\_

Foodborne Illness Risk Factors and Public Health Interventions										
Risk factors: Contributing factors that increase the chance of developing foodborne illness.										
Public Health Interventions: Control measures to prevent foodborne illness or injury.										
IN	OUT	N/A	N/O	Compliance Status			OUT	CDI	R	VR
<b>Supervision .2652</b>										
1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PIC Present; Demonstration-Certification by accredited program and perform duties			2	0		
<b>Employee Health .2652</b>										
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Management, employees knowledge; responsibilities & reporting			3	13	0	
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper use of reporting, restriction & exclusion			3	13	0	
<b>Good Hygienic Practices .2652, .2653</b>										
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper eating, tasting, drinking, or tobacco use			2	1	0	
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No discharge from eyes, nose or mouth			1	03	0	
<b>Preventing Contamination by Hands .2652, .2653, .2655, .2656</b>										
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hands clean & properly washed			4	2	0	
7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No bare hand contact with RTE foods or pre-approved alternate procedure properly followed			3	13	0	
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Handwashing sinks supplied & accessible			2	1	0	
<b>Approved Source .2653, .2655</b>										
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food obtained from approved source			2	1	0	
10	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Food received at proper temperature			2	1	0	
11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food in good condition, safe & unadulterated			2	1	0	
12	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required records available: shellstock tags, parasite destruction			2	1	0	
<b>Protection from Contamination .2653, .2654</b>										
13	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food separated & protected			3	13	0	
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Food-contact surfaces: cleaned & sanitized			3	13	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper disposition of returned, previously served, reconditioned, & unsafe food			2	1	0	
<b>Potentially Hazardous Food Time/Temperature .2653</b>										
16	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Proper cooking time & temperatures			3	13	0	
17	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Proper reheating procedures for hot holding			3	13	0	
18	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Proper cooling time & temperatures			3	13	0	
19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper hot holding temperatures			3	13	0	
20	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper cold holding temperatures			3	13	0	
21	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper date marking & disposition			3	13	0	
22	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Time as a public health control: procedures & records			2	1	0	
<b>Consumer Advisory .2653</b>										
23	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Consumer advisory provided for raw or undercooked foods			1	03	0	
<b>Highly Susceptible Populations .2653</b>										
24	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pasteurized foods used; prohibited foods not offered			3	13	0	
<b>Chemical .2653, .2657</b>										
25	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food additives: approved & properly used			1	03	0	
26	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Toxic substances properly identified stored, & used			2	1	0	
<b>Conformance with Approved Procedures .2653, .2654, .2658</b>										
27	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan			2	1	0	

Good Retail Practices										
Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.										
IN	OUT	N/A	N/O	Compliance Status			OUT	CDI	R	VR
<b>Safe Food and Water .2653, .2655, .2658</b>										
28	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pasteurized eggs used where required			1	03	0	
29	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water and ice from approved source			2	1	0	
30	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Variance obtained for specialized processing methods			1	03	0	
<b>Food Temperature Control .2653, .2654</b>										
31	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper cooling methods used; adequate equipment for temperature control			1	03	0	
32	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Plant food properly cooked for hot holding			1	03	0	
33	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved thawing methods used			1	03	0	
34	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Thermometers provided & accurate			1	03	0	
<b>Food Identification .2653</b>										
35	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food properly labeled: original container			2	1	0	
<b>Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657</b>										
36	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insects & rodents not present; no unauthorized animals			2	1	0	
37	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contamination prevented during food preparation, storage & display			2	1	0	
38	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personal cleanliness			1	03	0	
39	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wiping cloths: properly used & stored			1	03	0	
40	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Washing fruits & vegetables			1	03	0	
<b>Proper Use of Utensils .2653, .2654</b>										
41	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In-use utensils: properly stored			1	03	0	
42	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Utensils, equipment & linens: properly stored, dried & handled			1	03	0	
43	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Single-use & single-service articles: properly stored & used			1	03	0	
44	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gloves used properly			1	03	0	
<b>Utensils and Equipment .2653, .2654, .2663</b>										
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used			2	<input checked="" type="checkbox"/>	0	
46	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warewashing facilities: installed, maintained, & used; test strips			1	03	0	
47	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Non-food contact surfaces clean			1	03	0	
<b>Physical Facilities .2654, .2655, .2656</b>										
48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hot & cold water available; adequate pressure			2	1	0	
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Plumbing installed; proper backflow devices			2	<input checked="" type="checkbox"/>	0	
50	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sewage & waste water properly disposed			2	1	0	
51	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Toilet facilities: properly constructed, supplied & cleaned			1	03	0	
52	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Garbage & refuse properly disposed; facilities maintained			1	03	0	
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Physical facilities installed, maintained & clean			1	<input checked="" type="checkbox"/>	0	
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Meets ventilation & lighting requirements; designated areas used			1	<input checked="" type="checkbox"/>	0	
<b>Total Deductions:</b>										3



North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program  
DHHS is an equal opportunity employer.

CR  
Off



# Comment Addendum to Food Establishment Inspection Report

Establishment Name: PANERA BREAD #3715

Location Address: 105 HANES SQUARE CIRCLE

City: WINSTON SALEM State: NC

County: 34 Forsyth Zip: 27104

Wastewater System: ☒ Municipal/Community ☐ On-Site System

Water Supply: ☒ Municipal/Community ☐ On-Site System

Permittee: RAISING DOUGH NC, LLC

Telephone: (336) 794-2033

Establishment ID: 3034012470

☒ Inspection ☐ Re-Inspection Date: 06/16/2017

Comment Addendum Attached? ☐ Status Code: U

Category #: IV

Email 1: kelly.stehura@covelli.com

Email 2:

Email 3:

## Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Jason	5/22/2022	0	corn chowder	hot well	175			
sanitizer	three comp sink (ppm)	300	broth	hot well	173			
hot water	three comp sink	132	egg	sandwich line	40			
chicken	walk in	38	ham	sandwich line	40			
ham	walk in	36	lettuce	sandwich line	42			
lettuce	walk in	44	tomato	sandwich line	40			
corn salsa	walk in	41	tuna	line	38			
onion soup	hot well	172						

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 14 4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization-Temperature, pH, Concentration and Hardness - P Chlorine dish machine did not have a measurable amount of sanitizer at start of inspection. Chlorine sanitizer shall be dispensing between 50 - 100 ppm and tested regularly to ensure concentration. CDI: PIC contacted eco lab and an ecolab employee arrived during inspection and repaired a damaged dispensing line, upon repair chlorine sanitizer dispensed at 100 ppm chlorine sanitizer. 0 pts
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment - C General equipment repair required for the establishment including damaged front cabinetry, rusted and chipped wire shelving and castors, cut damaged wooden table tops, rusted undersides of tables and sinks, and the ice machine has severe damage to outside stainless panels. Equipment shall be kept in good repair. Consult transitional permit comment addendum for complete list of required repairs.
- 49 5-203.14 Backflow Prevention Device, When Required - P As noted on the transitional permit comment addendum; The hose at the can wash attached to on/off splitter valves required an atmospheric backflow preventer installed between the hose and the on off valve, the backflow preventer attached directly to the spigot can be moved to between the splitter and hose to be in compliance. / ASSE 1022 backflow preventer required on water line entering coffee machine at front counter to prevent potential backsiphonage into the water supply.

Person in Charge (Print & Sign): Alex *First* Ruiz *Last*

Regulatory Authority (Print & Sign): Joseph *First* Chrobak *Last*

REHS ID: 2450 - Chrobak, Joseph

REHS Contact Phone Number: ( 336 ) 703 - 3164

Verification Required Date: \_\_\_ / \_\_\_ / \_\_\_



North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program  
DHHS is an equal opportunity employer.



# Comment Addendum to Food Establishment Inspection Report

Establishment Name: PANERA BREAD #3715

Establishment ID: 3034012470

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 53 6-201.11 Floors, Walls and Ceilings-Cleanability - C Physical facility repairs needed through the kitchen including repairs to damaged floor tiles and floor grout, recaulking corner guards that are pulling off the wall, cleaning rust on door frames and repainting, recaulking equipment to walls where old caulking is torn, repairing or replacing water damaged frp wall by the dish machine. Physical facilities shall be kept in good repair. Consult transitional permit comment addendum for complete list of required repairs.
- 54 6-202.11 Light Bulbs, Protective Shielding - C Light shield missing from fixture above sandwich prep line and light shield missing from fixture in prep area in back kitchen. Both shields removed to cut new shields. Lights shall be shatter proof or adequately shielded to prevent potential contamination from broken bulbs. Replace light shields as soon as possible.



# Comment Addendum to Food Establishment Inspection Report

Establishment Name: PANERA BREAD #3715

Establishment ID: 3034012470

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

✓  
Spell



# Comment Addendum to Food Establishment Inspection Report

Establishment Name: PANERA BREAD #3715

Establishment ID: 3034012470

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

✓  
Spell



# Comment Addendum to Food Establishment Inspection Report

Establishment Name: PANERA BREAD #3715

Establishment ID: 3034012470

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

✓  
Spell

