Food Establishment Inspection Report

Establishment Name: THE GREEK GRILL
Location Address: 1520 LEWISVILLE CLEMMONS RD

Score: 97

Establishment ID: 3034012284

Inspection Re-Inspection

City: CLEMMONS State: NC Date: 0.7 / 1.7 / 2017 Status Code: A Zip: 27012 County: 34 Forsyth Time In:  $0.2 : 1.5 \otimes pm$  Time Out:  $0.4 : 1.5 \otimes pm$ 

Permittee: THE GREEK GRILL LLC Total Time: 2 hrs 0 minutes

Telephone: (336) 293-4777

Wastewater System: Municipal/Community On-Site System

No. of Risk Factor/Intervention Violations: 2

Water Supply: ⊠Municipal/Community ☐ On-Site Supply  No. of Repeat Risk Factor/Intervention Violations:  No. of Repeat Risk Factor/Intervention Violations:  1																		
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness.  Public Health Interventions: Control measures to prevent foodborne illness or injury.  Good Retail Practices: Preventative measures to control the addition of pathogens, chem and physical objects into foods.											nemi	icals	3,					
П	IN	OUT	N/A	N/O	Compliance Status	OUT	CDI	R VR	III	I OUT	N/A	A N/C	Compliance Status		DUT	C	DI	R VR
Supervision   .2652   Safe Food and Water   .2653, .2655, .2658																		
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2 0			28 🗆		×	3	Pasteurized eggs used where required	1	0.5	0 [		
E	mpl	oye	Hea	alth	.2652				29 🔀	a l			Water and ice from approved source	2	1	nг	71	ᆏ
2	×				Management, employees knowledge; responsibilities & reporting	3 1.5			30 [		×	]	Variance obtained for specialized processing	1	0.5	#		#
3	Proper use of reporting, restriction & exclusion 3 13 0 0 0 Food Temperature Control .2653, .2654																	
C	ood	Ну	jieni	c Pr	actices .2652, .2653				31 2	$\overline{}$			Proper cooling methods used; adequate	1	0.5		٦Īг	$\exists \Box$
4	×				Proper eating, tasting, drinking, or tobacco use	210			32	_	┢		equipment for temperature control  Plant food properly cooked for hot holding	1	0.5	010		
5	X				No discharge from eyes, nose or mouth	1 0.5 0		$\Box  \Box$	33 [	+	F	+	Approved thawing methods used	1	H	0 [	7 7	
P	reve	ntin	g Co	ntai	mination by Hands .2652, .2653, .2655, .2656				<b>」</b>		┞	1		Η			_  _	#
6	$\boxtimes$				Hands clean & properly washed	420	ו 🗆 🗈		34 🗵				Thermometers provided & accurate	1	0.5	<u> </u>	<u> </u>	ᆚᆚ
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 (				d Ide	ntif	icati	T T T T T T T T T T T T T T T T T T T			7		
8	×	П			Handwashing sinks supplied & accessible	210		$\exists \vdash$	35 🔼		L	$\perp$	Food properly labeled: original container	2	1	0	_ [	ᆜᆜ
ш	ppro	שט	Soi	Irco	• 11	الالكال	الحالم				on c	of Fo	od Contamination .2652, .2653, .2654, .2656, .265	T	$\overline{}$	Ŧ	_	
9	X		300		Food obtained from approved source	2110			36 ▶				Insects & rodents not present; no unauthorized animals	2	1	0		
10				×	Food received at proper temperature	210			37	₫ 🗆			Contamination prevented during food preparation, storage & display	2	1	0 [		
Н	$\mathbf{X}$				Food in good condition, safe & unadulterated	+++			38 🗵				Personal cleanliness	1	0.5	0 [		
12	$\overline{\Box}$	$\overline{\Box}$	×	П	Required records available: shellstock tags,	210	+		39 □				Wiping cloths: properly used & stored	1	0.5	X D	<b>I</b>	
ш	rote	ctio		m C	parasite destruction contamination .2653, .2654				40  ∑	<b>3</b>   □	ļ⊏	]	Washing fruits & vegetables	1	0.5	0 [		
13	×	П	П	П	Food separated & protected	3 1.5 (		$\exists \Box$	Pro	per U	se (	of Ut	ensils .2653, .2654					
14		X			Food-contact surfaces: cleaned & sanitized	3 🗙 (		<u> </u>	41 🖸				In-use utensils: properly stored	1	0.5	0 [		
15	$\overline{\mathbf{x}}$				Proper disposition of returned, previously served, reconditioned, & unsafe food	210			42 🗵				Utensils, equipment & linens: properly stored, dried & handled	1	0.5	<u> </u>		
P		ntiall	y Ha	zaro	dous Food Time/Temperature .2653				43   □				Single-use & single-service articles: properly stored & used	1	0.5	<b>X</b>		
16		X			Proper cooking time & temperatures	3 🗶 🕻			44 🛭					1	0.5	0 [		
17				X	Proper reheating procedures for hot holding	3 1.5 (			Ute	Utensils and Equipment .2653, .2654, .2663					_	Ţ	ļ	
18	×				Proper cooling time & temperatures	3 1.5 (			45 🗆				Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed. & used	2	1	<b>3</b>		
19	×				Proper hot holding temperatures	3 1.5 (			46	<b>d</b> 🗆			Warewashing facilities: installed, maintained, & used; test strips	1	0.5	0 [		
20	$\boxtimes$				Proper cold holding temperatures	3 1.5 (		$\Box  \Box$	47 🗵				Non-food contact surfaces clean	1	0.5	0		
21	X				Proper date marking & disposition	3 1.5 (			Phy	sical	Fac	cilitie	es .2654, .2655, .2656					
22			X		Time as a public health control: procedures &	210			48 ∑	<b>3</b>   □		]	Hot & cold water available; adequate pressure	2	1	0		
$\perp$	ons			visc	records bry .2653				49 ≥				Plumbing installed; proper backflow devices	2	1	0		
23			×		Consumer advisory provided for raw or undercooked foods	1 0.5 (			50 🛭				Sewage & waste water properly disposed	2	1	0 [		
$\Box$	ighl			otibl	e Populations .2653  Pasteurized foods used; prohibited foods not			_1_	51 🛭	<u>a</u> 🗆		]	Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0		
24	hor		×		offered .2653, .2657	3 1.5 (			52 2	-	T	$\dagger$	Garbage & refuse properly disposed; facilities maintained	1		0 [		5
25	hem	$\overline{}$	×						<del>∐</del>		1	-		1		_	7/-	$\pm$
Н					Food additives: approved & properly used  Toxic substances properly identified stored, & used				+	_	+	+	Physical facilities installed, maintained & clean  Meets ventilation & lighting requirements;	$\vdash$	$\vdash$	+	-) -	#
26	X onf	<u> </u>	=	14:41	113	210	ᆀ니니	Meets ventilation & lighting requirements; designated areas used										
-	Conformance with Approved Procedures .2653, .2654, .2658  27 Compliance with variance, specialized process, .21100 Compliance with variance, specialized process, .21100 Compliance with variance specialized process with var																	





Comment Addendum to Food Establishment Inspection Report											
stablishmer	nt Name: THE GREEK	GRILL			Establishr	nent I	D: 3034012284				
City: CLEMN County: 34 Wastewater S Water Supply:	Forsyth  ystem: Municipal/Commu  Municipal/Commu	ınity 🗌 C	St _ Zip: <u>27012</u> On-Site System	ate: NC	☐ Inspection ☐ Re-Inspection ☐ Date: 07/17/2017  Comment Addendum Attached? ☐ Status Code: A Category #: IV  Email 1: yalonzo2@gmail.com						
	THE GREEK GRILL LLC (336) 293-4777				Email 2: Email 3:						
			Temp	erature O	bservation	s					
ltem ServSafe	Location Guillermo Cruz	Temp 00	Item Chicken	Location Final cook		Temp 170	Item Ham	Location Walk-in cooler	Temp 42		
Lettuce	Make unit	41	Hot water	3-compart	ment sink	117	Turkey	Walk-in cooler	41		

3-compartment sink

**Bucket** 

**Bottle** 

Bottle

Chicken	Walk-in cooler	43	
Green beans	Walk-in cooler	41	

150

0

0

50

Hotdogs

Lettuce

Cooked

Cooling drawer

Walk-in cooler

Make unit 2

42

42

41

4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization-Temperature, pH, Concentration and Hardness - P - 2 bottles of chlorine sanitizer measured 0 ppm. Sanitizers shall be maintained at the correct concentration (50-200 ppm chlorine). CDI - Bottles adjusted to 50 ppm chlorine.// 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P - Repeat: Food debris present on the blade of the can opener. Food contact surfaces of equipment and utensils shall be clean to sight and touch. CDI - Can opener washed, rinsed, and sanitized.//4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C - Repeat: Light soil inside of the ice machine. Ice machines shall be cleaned at a frequency to prevent contamination. Clean frequently.

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

3-401.11 Raw Animal Foods-Cooking - P,PF - Raw chicken was cooked to 158-161F in the small oven. Raw poultry shall be cooked to at least 165F for 15 seconds minimum. CDI - Chicken cooked to 165F and above.

39 3-304.14 Wiping Cloths, Use Limitation - C - 0 pts - One sanitizer bucket measured 0 ppm quat and was not labeled. Wet wiping cloth solutions shall be maintained at the correct concentration (150-400 ppm quat) and labeled. CDI - Solution adjusted to 150 ppm quat and the bucket was labeled.

Person in Charge (Print & Sign):

First

Cruz

First

Last

First

Last

Regulatory Authority (Print & Sign): Grayson Hodge

REHS ID: 2554 - Hodge, Grayson

Verification Required Date:

REHS Contact Phone Number: (<u>336</u>) <u>703</u> - <u>3383</u>



**Tomatoes** 

Raw pork

Meat sauce

Chicken

Chicken

Beef

Make unit

Hot hold

Hot hold

Hot hold

Final cook

Cooling drawer

40

41

155

153

136

158

Quat ppm

Quat ppm

Chlorine ppm

Chlorine ppm



Establishment Name:	THE GREEK GRILL	Establishment ID: 3034012284

Observations and	Corrective A	Actions
------------------	--------------	---------

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 43 4-502.13 Single-Service and Single-Use Articles-Use Limitations C 0 pts A single-service cup and a small single-service container are being used as scoops for dry goods. Single-service and single-use articles shall not be used more than once. Provide cleanable multi-use utensils with handles for scoops.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C 0 pts The shelving inside of the walk-in cooler and the lower chemical shelf are starting to chip paint and rust. Equipment and utensils shall be maintained in good repair.
- 6-501.12 Cleaning, Frequency and Restrictions C 0 pts Light cleaning on the window sill beside of the 3-compartment sink and around the wall vent next to the drive-thru window. Floor cleaning is needed under chemical shelving. Floors, walls, and ceilings shall be kept clean.//6-201.11 Floors, Walls and Ceilings-Cleanability C 0 pts A few floor tiles are damaged in the kitchen area. Floors, walls, and ceilings shall be smooth and easily cleanable.
- 6-202.11 Light Bulbs, Protective Shielding C 0 pts 3 light fixtures are missing light shields in the dry goods storage room. Provide documentation of shatterproof bulbs or provide light shields.





Establishment Name: THE GREEK GRILL Establishment ID: 3034012284

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: THE GREEK GRILL Establishment ID: 3034012284

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: THE GREEK GRILL Establishment ID: 3034012284

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



