Food Establishment Inspection Report Score: 100 Establishment Name: CITY BEVERAGE Establishment ID: 3034012294 Location Address: 915 BURKE STREET City: WINSTON SALEM Date: 08/15/2017 Status Code: A State: NC Time In:  $01 : 35 \otimes pm$  Time Out:  $02 : 10 \otimes pm$ County: 34 Forsyth Zip: 27101 Total Time: 35 minutes CITY BEVERAGE INC. OF WINSTON SALEM Permittee: Category #: I Telephone: (336) 722-2774 FDA Establishment Type: No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | | | | | | 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0  $\times$ П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used; adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 \Bigcup \Bi 1 0.5 0  $\square$ 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🛛 🗆 1 0.5 0 - -Thermometers provided & accurate 420 \_ \_ \_ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-7 □ □ □ □ ⊠ 3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🔀 🗀 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗀 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🗆 🗆 🗷 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 41 🗖 🗆 1 0.5 0 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 ... Potentially Hazardous Food Tlme/Temperature stored & used 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 🗆  $| \, \square \, | \, oxtimes \, |$  Proper reheating procedures for hot holding 3 1.5 0 | | | | Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🛛 🗆 210 -3 1.5 0  $\times$ Proper cooling time & temperatures Warewashing facilities: installed, maintained, & used; test strips 19 🗆 X 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0  $\mathbf{X}$ 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🗆 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 49 🗖 2100 Plumbing installed: proper backflow devices **Consumer Advisory** .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀



Chemical

26 🗷 🗆

25 | | | | | |

|27| 🗆 | 🗆 | 🔀

.2653, .2657

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



1 0.5 0

1 0.5 0

1 0.5 0 ...

Garbage & refuse properly disposed; facilities

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;

**Total Deductions:** 

maintained

designated areas used

52 🛛 🗆

53 🗷 🗆

54

 $\Box$ 

1 0.5 0

210 - -

Comment Addendum to Food Establishment Inspection Report Establishment Name: CITY BEVERAGE Establishment ID: 3034012294 Location Address: 915 BURKE STREET Date: 08/15/2017 X Inspection ☐ Re-Inspection City: WINSTON SALEM State: NC Comment Addendum Attached? Status Code: A County: 34 Forsyth Zip: 27101 Category #: 1 Wastewater System: 

■ Municipal/Community 

On-Site System Email 1: citybeverage@yahoo.com Water Supply: Permittee: CITY BEVERAGE INC. OF WINSTON SALEM Email 2: Telephone: (336) 722-2774 Email 3: Temperature Observations Temp Item Location Item Location Temp Item Location Temp Three Compartment Sink 117 Hot water Sanitizer Chlorine tablets 0 Lighting Above 50ft/cl at bar Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. First Last Chase Watts Person in Charge (Print & Sign): First Last Regulatory Authority (Print & Sign): Joseph Chrobak

REHS ID: 2450 - Chrobak, Joseph

\_\_Verification Required Date: \_\_\_\_/ \_\_\_/ \_\_\_\_/

REHS Contact Phone Number: (336)703 - 3164





Establishment Name: CITY BEVERAGE Establishment ID: 3034012294

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: CITY BEVERAGE Establishment ID: 3034012294

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: CITY BEVERAGE Establishment ID: 3034012294

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: CITY BEVERAGE Establishment ID: 3034012294

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



