Food Establishment Inspection	Report		Score: <u>95</u>		
Establishment Name: MATAS GROCERY & DELI		Establishment ID: 3034020689			
Location Address: 4838 RURAL HALL ROAD		Inspection Re-Inspection			
City: WINSTON SALEM	State: NC	Date: Ø9/14/2017 Status Code: A			
Zip: 27105 County: 34 Forsyth		Time In: 09 : 00° am Time Out: 11	L:45 ^{⊗ am}		
Permittee: MATA GROCERY, INC.		Total Time: 2 hrs 45 minutes			
Telephone: (336) 661-7882					
		FDA Establishment Type:			
Wastewater System: Municipal/Community	-	No. of Risk Factor/Intervention Violation	ns: 2		
Water Supply: Municipal/Community On-	Site Supply	No. of Repeat Risk Factor/Intervention			
Foodborne Illness Risk Factors and Public Health Inter Risk factors: Contributing factors that increase the chance of developing foodb Public Health Interventions: Control measures to prevent foodborne illness or	Good Retail Practices Good Retail Practices: Preventative measures to control the addition of and physical objects into foods.	of pathogens, chemicals,			
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN OUT N/A N/O Compliance Status	OUT CDI R VR		
Supervision .2652		Safe Food and Water .2653, .2655, .2658			
1 Image: Constraint of the second		28 D X Pasteurized eggs used where required			
Management, employees knowledge:	31.50000	29 X Water and ice from approved source 20 Variance obtained for specialized processing			
2 Image: Second state in the second	31.50				
Good Hygienic Practices .2652, .2653		Food Temperature Control .2653, .2654 31 31 9 Proper cooling methods used; adequate equipment for temperature control			
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210				
5 🛛 🗌 No discharge from eyes, nose or mouth		32 C Plant food properly cooked for hot holding			
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 C Approved thawing methods used			
6 🛛 🗆 Hands clean & properly washed	420 🗆 🗆 🗆	34 X C Thermometers provided & accurate			
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3150	Food Identification .2653 35 X Food properly labeled: original container	21000		
8 🛛 🗆 Handwashing sinks supplied & accessible	210 🗆 🗆 🗆	Prevention of Food Contamination .2652, .2653, .2654, .2650			
Approved Source .2653, .2655		36 X IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			
9 🛛 🗌 Food obtained from approved source	21000	27 🔽 🗖 Contamination prevented during food			
10 Image: Second state Food received at proper temperature	210000	38 X Personal cleanliness			
11 X Food in good condition, safe & unadulterated	210 🗆 🗆 🗆	39 ⊠ □ Wiping cloths: properly used & stored			
12 Required records available: shellstock tags, parasite destruction	210	40 X U Washing fruits & vegetables			
Protection from Contamination .2653, .2654		Proper Use of Utensils .2653.2654			
13 🛛 🗆 🗠 Food separated & protected	31.50	41 🗙 🗌 In-use utensils: properly stored	10.50		
14 Image: Second contact surfaces: cleaned & sanitized 16 Image: Second contact surfaces: cleaned & sanitized	315 🕱 🗙 🗆 🗆	42 🖾 🗆 Utensils, equipment & linens: properly stored dried & handled			
reconditioned, & unsafe food	210000	A2 🔽 🗔 Single-use & single-service articles: properly			
Potentially Hazardous Food TIme/Temperature .2653	3 1.5 0	43 A Stored & used 44 X Gloves used properly			
17 Image: Second seco	31.50	Utensils and Equipment .2653, .2654, .2663			
		45 Karley			
		constructed, & used	• • • • • • • • • • • • • • • • • • •		
19 Image: Second state 20 57 20 57		used; test strips			
20 X Proper cold holding temperatures	31.50	47 X Non-food contact surfaces clean			
21 X Image: Constraint of the second se	31.50	Physical Facilities .2654, .2655, .2656 48 X Hot & cold water available; adequate pressure	re 2110		
	210000	49 ⊠ □ Plumbing installed; proper backflow devices			
Consumer Advisory .2653 23					
23 Image: Construction of the second secon		50 🛛 🗌 Sewage & waste water properly disposed			
24 C X Pasteurized foods used; prohibited foods not offered	31.50				
Chemical .2653, .2657		52 C Sarbage & refuse properly disposed; facilitie maintained			
25 🗌 🗌 🔀 Food additives: approved & properly used		53 D Physical facilities installed, maintained & clea	an 105 🗙 🗆 🗆 🗆		
26 🔀 🗔 🔲 Toxic substances properly identified stored, & used	210	54 Image: Meets ventilation & lighting requirements; designated areas used			
Conformance with Approved Procedures .2653, .2654, .2658		Total Deducti	ions: 5		
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210000				

Ahhs

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: MATAS GROCERY & DELI	Establishment ID: 3034020689			
Location Address: 4838 RURAL HALL ROAD	X Inspection Re-Inspection	Date: _09/14/2017		
City: WINSTON SALEM State: NC	Comment Addendum Attached?	Status Code: A		
County: <u>34 Forsyth</u> Zip: <u>27105</u>		Category #: _II		
Wastewater System: X Municipal/Community On-Site System Water Supply: X Municipal/Community On-Site System	Email 1:			
Permittee: MATA GROCERY, INC.	Email 2:			
Telephone: (336) 661-7882	Email 3:			
Temperature Observations				

remperature Observations								
ltem pepperoni	Location prep unit	Temp 43	Item	Location	Temp	Item	Location	Temp
sausage	prep unit	42						
mushrooms	prep unit	43						
hot water	3 compartment sink	124						
hot water	restroom hand sink	112						
chlorine	spray bottle	200						
milk	worktop cooler	40						
pizza	cook temp	189						
		(Observat	ions and Correc	tive Actions	3		

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

1 2-102.12 Certified Food Protection Manager - C There shall be at least one employee on duty during all hours of operation who has passed an ANSI approved management level food safety course. No certified food protection manager on duty.

14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P 0 points. Chlorine sanitizer spray bottle tested at less than 50 PPM chlorine. Chlorine sanitizer shall be maintained between 50 and 200 PPM for effective sanitization of food contact surfaces. CDI. New sanitizer mixed to 200 PPM.

4-501.11 Good Repair and Proper Adjustment-Equipment - C Repeat violation. Remove damaged chair from kitchen as it is no longer smooth and easily cleanable. Seal wooden table on right side of prep sink so it is not absorbent. Alternatively, remove wooden table from kitchen. Repair/replace broken freezer handle on right door of freezer. Equipment shall be in good
 Lock repair.
 Lock 4-205 10 Food Equipment. Certification and Cleasification. C Public Content of the second cleasification.

Text 4-205.10 Food Equipment, Certification and Classification - C Remove domestic blender from kitchen. If for employee use, store in office or other area away from restaurant food prep area.

Page 2 of Food Establishment Inspection Report, 3/2013					
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.					
REHS Contact Phone Number:	(<u>336</u>) <u>703</u> - <u>31</u>	36			
REHS ID:	2543 - Taylor, Amano	la		Verification Required Date:	_/ /
Regulatory Authority (Print & Sign):	<i>First</i> Amanda	Taylor	Last	O	
Person in Charge (Print & Sign):	<i>First</i> Antonia	Silva	Last	AS:IUG	

Establishment ID: 3034020689

	Observations and Corrective Actions
	Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.
52	5-501.114 Using Drain Plugs - C 0 points, Dumpster has been replaced with new receptacle, but drain plug is now missing

- 52 5-501.114 Using Drain Plugs C 0 points. Dumpster has been replaced with new receptacle, but drain plug is now missing. Replace dumpster with one that has a drain pug in place. Receptacles shall be maintained in good repair.
- 53 6-501.12 Cleaning, Frequency and Restrictions C 0 points. Dust ceiling vents in employee restroom. Seal cracked floor tile behind toilet in employee restroom to maintain a smooth and easily cleanable floor surface.
- 54 6-403.11 Designated Areas-Employee Accommodations for eating / drinking/smoking C Repeat violation. Employee water bottle found in freezer among restaurant food. Em[ployee coffee mugs stored on clean dish shelf with restaurant pans. Employee belongings shall be stored separately from restaurant items to avoid contamination.





Spell

Establishment ID: 3034020689

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034020689

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034020689

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

