Food Establishment Inspection Report Score: 92 Establishment Name: STEAK N SHAKE 2704 Establishment ID: 3034014017 Location Address: 4684 N PATTERSON AVE ☐ Inspection ☐ Re-Inspection City: WINSTON SALEM Date: 04/15/2019 Status Code: A State: NC Time In:  $11 : 20 \overset{\otimes}{\circ} ^{am}$ Time Out: 12: 50 ⊗ pm County: 34 Forsyth Zip: 27105 Total Time: 1 hr 30 minutes STEAKERS AND SHAKERS LLC Permittee: Category #: II Telephone: (336) 744-3335 FDA Establishment Type: Fast Food Restaurant Wastewater System: 

✓ Municipal/Community 

✓ On-Site System No. of Risk Factor/Intervention Violations: 3 No. of Repeat Risk Factor/Intervention Violations: 3 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed **Food Identification** No bare hand contact with RTE foods or pre-X 3150 - approved alternate procedure properly followed 35 🖾 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13  $\times$ Food separated & protected 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 X Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🔀 ☐ Proper date marking & disposition **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| □ | □ | 🖼 | 2 1 0 49 2110 - | -Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

		Commo	ent Add	endum to	Food E	stablis	hment	<u>Inspection</u>	n Report		
Establishment Name: STEAK N SHAKE 2704						Establishment ID: 3034014017					
Loc	Location Address: 4684 N PATTERSON AVE						☐ Inspection ☐ Re-Inspection Date: 04/15/2019				
City: WINSTON SALEM State: N					ate. NC	Comment Addendum Attached?   Status Code:   A					
County: 34 Forsyth Zip: 27105					ato	Water sample taken? Yes No Category #:					
Wastewater System:   Municipal/Community □ On-Site System						Email 1: SNS2704@TRIAD.RR.COM					
Water Supply:   Munici  Permittee:   STEAKERS AN			al/Community			Email 2:					
Telephone: (336) 744-3335					Email 3:						
				Tempe	erature C	bservat	ions				
			Cold Ho	olding Tem	perature	is now	41 Degr	ees or less	6		
Item Servs	afe	Location J. Gales 6/20/22	Temp 00	_	Location cold well		Temp 45		Location walk-in cooler	Temp 40	
hot water		3-compartment sink	142	12" hot dog	cold well		45	lettuce	walk-in cooler	41	
quat sani		3-comp sink (ppm)	200	chicken	cooling @ 1145		54				
cl2 sani		dish machine (ppm)	50	chicken	cooling @	1230	40	-			
slice tomato		make unit	39	soup	steam wel	il .	161	-			
slaw		make unit 2	40	beans	steam wel	il .	151	'			
lettuce		make unit 2	40	chili	steam wel	il	166				
tomatoes		make unit 2	41	tomatoes	walk-in co	oler	40				
	package	ger patties were b es of onion rings. F ent so that contam	Ready-to-ea	at and raw anim	nal foods sh	all be prote	ected from	cross-contamir			
14	and one	1 (A) Equipment, I e slicer blade were CDI: PIC sent item	soiled with	food debris. Fo	ood contact	surfaces o	of equipmer	nt and utensils	shall be clean to	sight and	
20	REPEA	6 (A)(2) and (B) Po T - Hot dogs (45F) Iding shall be main	and foot lo	ing hot dogs (4	5F) in cold	wells meas					
Lock Text									4		
Person in Charge (Print & Sign): Armand			Armando	First	<i>L</i> Garcia	Last	_	1			
Regula	atory Aut	hority (Print & Sign		-irst	<i>L</i> Frazier REI	L <b>ast</b> HSI		4.	Fr Se	H<5	

REHS ID: 2737 - Frazier, Michael

REHS Contact Phone Number: (336)703-3382

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program

DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: STEAK N SHAKE 2704 Establishment ID: 3034014017

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 31 3-501.15 Cooling Methods PF Chicken was placed covered into cold well without having cooled to 41F, and measured 54F. Cool potentially hazardous foods in small, thin portions, and uncovered if otherwise protected from overhead contamination. CDI: PIC placed chicken in walk-in cooler on flat pan to cool.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C REPEAT Sides of most of equipment along cook line in need of additional cleaning. Non-food contact surfaces and utensils shall be clean to sight and touch.
- 6-501.12 Cleaning, Frequency and Restrictions C REPEAT Extensive floor cleaning needed throughout the establishment. Physical facilities shall be kept clean. // 6-201.11 Floors, Walls and Ceilings-Cleanability C REPEAT Low grout between the floor tiles by the ice machine and warewashing area. Wall, wall coverings, floor and floor coverings shall be smooth and easily cleanable. // 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C REPEAT Damaged base tile inside by the inner door of the walk in cooler. Physical facilities shall be maintained in good repair.





Establishment Name: STEAK N SHAKE 2704 Establishment ID: 3034014017

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: STEAK N SHAKE 2704 Establishment ID: 3034014017

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: STEAK N SHAKE 2704 Establishment ID: 3034014017

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



