Food Establishment Inspection	n Report	:	Score: <u>96</u>		
Establishment Name: PAPA JOHNS 1731		Establishment ID: 3034020629			
Location Address: 3028 OLD HOLLOW RD					
City: WALKERTOWN					
Zip: 27051 County: <u>34 Forsyth</u>		Time In: 01 : 30 \otimes pm Time Out: 03	$: 30^{\circ}_{\otimes \text{pm}}$		
		Total Time: 2 hrs 0 minutes	0 pm		
		Category #: II			
Telephone: (336) 595-7002		EDA Establishment Type: Fast Food Restauran	t		
Wastewater System: X Municipal/Community		tem No. of Risk Factor/Intervention Violations	· 1		
Water Supply: XMunicipal/Community On	-Site Supply	No. of Repeat Risk Factor/Intervention V			
Foodborne Illness Risk Factors and Public Health In	terventions	Good Retail Practices			
Risk factors: Contributing factors that increase the chance of developing food		Good Retail Practices: Preventative measures to control the addition of p	oathogens, chemicals,		
Public Health Interventions: Control measures to prevent foodborne illness of		and physical objects into foods.			
IN OUT N/A N/O Compliance Status Supervision .2652	OUT CDI R VR	IN OUT NA NO Compliance Status	OUT CDI R VR		
1 PIC Present: Demonstration-Certification by		Safe Food and Water .2653, .2655, .2658 28 Image: Comparison of the second se			
Image: Constraint of the second sec		29 X □ Water and ice from approved source			
2 🛛 🗆 Management, employees knowledge; responsibilities & reporting	31.50				
3 X D Proper use of reporting, restriction & exclusion	31.50000				
Good Hygienic Practices .2652, .2653		Food Temperature Control .2653, .2654 31 X Proper cooling methods used; adequate equipment for temperature control			
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210				
5 🛛 🗌 No discharge from eyes, nose or mouth		32 C Plant food properly cooked for hot holding			
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 C Approved thawing methods used			
6 🛛 🗆 Hands clean & properly washed	420 🗆 🗆 🗆	34 🛛 🗆 Thermometers provided & accurate	10.50		
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre-	31.50	Food Identification .2653			
8 🛛 🗌 Handwashing sinks supplied & accessible	210	35 ⊠ □ Food properly labeled: original container Prevention of Food Contamination .2652, .2653, .2654, .2656, .	21000		
Approved Source .2653, .2655		36 ☑ □ Insects & rodents not present; no unauthorized			
9 Image: Second contraction of the second contraction of	210				
10 🗆 🔲 🛛 Food received at proper temperature	210 🗆 🗆 🗆	preparation, storage & display			
11 🛛 🗌 Food in good condition, safe & unadulterated	210	38 🛛 🗌 Personal cleanliness			
12 I Required records available: shellstock tags, parasite destruction	210	39 🛛 🗌 Wiping cloths: properly used & stored			
Protection from Contamination .2653, .2654		40 🛛 🗆 Washing fruits & vegetables			
13 🖾 🗀 🗀 Food separated & protected	31.50	Proper Use of Utensils .2653, .2654			
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	31.50	41 ⊠ In-use utensils: properly stored 42 ⊠ Utensils, equipment & linens: properly stored,			
15 🖾 🗆 Proper disposition of returned, previously served reconditioned, & unsafe food	, 210 🗆 🗆 🗆	dried & handled			
Potentially Hazardous Food Time/Temperature .2653		43 🛛 🗆 Single-use & single-service articles: properly stored & used			
16 🖾 🗀 🗀 Proper cooking time & temperatures	31.50	44 🔀 🔲 Gloves used properly	1050 🗆 🗆		
17 🛛 🗆 🗆 Proper reheating procedures for hot holding	31.50	Utensils and Equipment .2653, .2654, .2663			
18 🔲 🔲 🔀 Proper cooling time & temperatures	31.50	45 Approved, cleanable, properly designed, constructed, & used	21 🛛 🗆 🗆 🗆		
19 🛛 🗆 🔲 Proper hot holding temperatures	31.50	46 🛛 🗌 Warewashing facilities: installed, maintained, & used: used: test strips			
20 🔲 🔀 🗔 Proper cold holding temperatures	31.5 🗶 🗖 🗆	47 X Non-food contact surfaces clean			
21 🛛 🗌 🗍 Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656			
22 C Time as a public health control: procedures &	210000	48 🛛 🗌 Hot & cold water available; adequate pressure	210		
Consumer Advisory .2653		49 🛛 🗌 Plumbing installed; proper backflow devices			
23 Consumer advisory provided for raw or undercooked foods	10.50	50 🛛 🗌 Sewage & waste water properly disposed			
Highly Susceptible Populations .2653		51 S Cleaned			
24 Image: Pasteurized foods used; prohibited foods not offered	31.50	Garbage & refuse properly disposed; facilities			
Chemical .2653, .2657		maintained			
25 C Food additives: approved & properly used		53 Physical facilities installed, maintained & clean			
26 X Toxic substances properly identified stored, & used	210	54 Image: Second seco	10.5 🗶 🗆 🗆		
Conformance with Approved Procedures .2653, .2654, .2658		Total Deduction	ns: 4		
27 X Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan					

applys

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: PAPA JOHNS 1731					Establishment ID: 3034020629				
City: WALKE County: <u>34</u> Wastewater Sy Water Supply: Permittee:	Location Address: 3028 OLD HOLLOW RD City: WALKERTOWN County: 34 Forsyth Zip: 27051 Wastewater System: Municipal/Community Water Supply: Municipal/Community On-Site System Permittee: PAPA JOHNS INTERNATIONAL Telephone: (336) 595-7002		☑ Inspection □ Re-Inspection Date: 06/10/2019 Comment Addendum Attached? □ Status Code: A Water sample taken? □ Yes ☑ No Category #: II Email 1: Email 2: Email 3:						
Temperature Observations									
Cold Holding Temperature is now 41 Degrees or less									
ltem servsafe	Location Kasey Causey 5/2/24		ltem chicken	Location walk in coole	er	Temp 40	Item	Location	Temp

quat sanitizer	3 compartment sink	300	dough	walk in cooler	39	
sausage	make unit	40	pizza	cook temp	198	
tomato	make unit	39				
chicken	make unit	45				
ham	make unit	43				
air temp	small front cooler	38				
salami	walk in cooler	39				

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P 0 points. Chicken and ham on make unit 43-45F. Potentially hazardous food shall be cold held at 41F or less. Chicken and ham stacked to high in pan. Items thinned out and returned to walk in cooler.

- 37 3-307.11 Miscellaneous Sources of Contamination C Repeat violation. Pepperocinis and pizza sauce in prep area as well as several boxes of brownies and desserts in walk in cooler stored uncovered. Unless cooling, store foods covered to prevent contamination.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C 0 points. Small front cooler has been replaced since last inspection. Repair torn gasket on left door of make unit. Equipment shall be in good repair.

LOCK Text						•	
Person in Charge (Print & Sign):	Kasey	First	Causey	Last	Jana.		
	Amondo	First	Taylor	Last			
Regulatory Authority (Print & Sign)):		Taylor				
REHS ID: 2543 - Taylor, Amanda					Verification Required Date	://	
REHS Contact Phone Number	r: (33)	6)7Ø3-31	36				
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of Food Establishment Inspection Report, 3/2013							

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: PAPA JOHNS 1731

Establishment ID: 3034020629

	Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	Spell
51	 6-501.19 Closing Toilet Room Doors - C Repeat violation. Repair restroom door closure mechanism for employee restroom. Restroom doors shall be self closing. 5-501.17 Toilet Room Receptacle, Covered - C Provide a covered receptacle in employee restroom. A toilet room used by females shall be provided with a covered receptacle for sanitary napkins. 	_

- 52 5-501.113 Covering Receptacles C Dumpster observed with door open. Keep dumpster and other outside waste handling containers for refuse, recyclables, and returnables covered with tight-fitting lids or doors.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Repeat violation(with improvements made).
 Sinks have been reattached and recaulked since last inspection. Pipe penetrations have been sealed. Repair crack in bottom of can wash. Recaulk hoods where sealant is deteriorating. Replace missing baseboard tile near 3 compartment sink. Physical facilities shall be in good repair.
 6-501.12 Cleaning, Frequency and Restrictions C Clean excessively sioled walls in can wash.
 - Physical facilities shall be clean.
- 6-202.11 Light Bulbs, Protective Shielding C Replace missing light lens in walk in cooler or provide a shatterproof bulb. Light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed food; clean equipment, utensils, and linens; or unwrapped single-service and single-use articles.



Establishment Name: PAPA JOHNS 1731

Establishment ID: 3034020629

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: PAPA JOHNS 1731

Establishment ID: 3034020629

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: PAPA JOHNS 1731

Establishment ID: 3034020629

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

