Food Establishment Inspection Report Score: 96 Establishment Name: HARRIS TEETER 216 DELI Establishment ID: 3034011195 Location Address: 2281 CLOVERDALE Date: 09 / 11 / 2018 Status Code: A City: WINSTON SALEM State: NC Time In: $08:35^{\otimes am}_{\odot pm}$ Time Out: 12: 12⊗ am Zip: 27103 34 Forsyth County: . Total Time: 3 hrs 37 minutes HARRIS TEETER INC Permittee: Category #: IV Telephone: (336) 777-1075 FDA Establishment Type: Deli Department Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 3 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 X Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🗵 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 21000 12 🛛 🗀 parasite destruction 1 0.5 0 40 🗆 🗆 🗷 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils ☐ ☐ ☐ Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 3150 - -Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 - \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 X Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 1 0.5 🗶 🗌 🗌 21 🗆 \square ☐ Proper date marking & disposition 3 **X** 0 **X Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🔀 | 🖂 | 🖂 2 1 0 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:


210 - -

	<u>Commen</u>	<u>t Adde</u>	<u>endum to </u>	Food I	<u>-stablish</u>	<u>ment l</u>	<u>nspectior</u>	n Report	
Establishment Name: HARRIS TEETER 216 DELI					Establishment ID: 3034011195				
Location Address: 2281 CLOVERDALE					☑ Inspection ☐ Re-Inspection Date: 09/11/2018				
City: WINSTON SALEM State: NC					•		Attached?		
County: 34 Forsyth Zip: 27103					Water sample taken? Yes No Category #:				
Wastewater System: ☑ Municipal/Community ☐ On-Site System					Email 1: s216mgr001@harristeeter.com				
Water Supply: Municipal/Community □ On-Site System									
Permittee: HARRIS TEETER INC Telephone: (336) 777-1075				Email 2:					
l elephone	9: (330) ///-10/5				Email 3:				
			Tempe	rature (Observatio	ns			
					_		ige to 41 d	_	_
Item FSP	Location Deidra 9-21-21	Temp 00	Item lettuce	Location preperation table		Temp 59	Item ebi shrimp	Location sushi station	Temp 39
hot water	3-comp sink	130	meatballs	sandwhid	ch make unit	37	eel	sushi station	45
quat (ppm)	3-comp sink	200	philly steak	sandwhich make unit		36	imitation crab	sushi station	41
hot water	pizza's 3-comp sink	131	ham	sandwhid	ch make unit	40	brown rice	sushi station	41
quat (ppm)	pizza's 3-comp sink	200	tomatoes	sandwhid	ch make unit	37	turkey	deli display	40
rotisserie	rotiserie stand	141	sausage	pizza ma	ke unit	40	bologna	deli display	39
veg. soup	soup station	156	mozzerella	pizza ma	ke unit	41	vegetables	salad display	37
chicken soup	soup station	149	chicken	pizza ma	ke unit	40	chicken salad	salad display	40
P-REP hazard	16 (A)(2) and (B) Pote PEAT- One package of lous food shall be held e. Decreased points to	lettuce wa at 45F ar	as stored out a nd below (41F	at room te and belov	mperature for v in 2019!). C	r an unkno DI: Lettuc	own amount of e was volunta	f time measured 59	9F. Potential
meats potenti	18 Ready-To-Eat Pote prepared on 9/4 were ially hazardous foods h Il foods were voluntairl	not discar neld at 41	ded after 7 da F and below s	ays: 2 halv	es of ham, 1	halve of to	urkey, and 1 h	alve of bologna. R	eady-to-eat,
Lock Text									
D	(D. 1. 2. 21.) M	<i>Fi.</i> ICHAEL	rst	JARVIS	Last	_		12	
Person in Cha	arge (Print & Sign): [™]		,			_X	<u>. h</u>		<u> </u>
Regulatory Au	uthority (Print & Sign): ^{Sl}		rst	SANDERS	Last S	8	Son	Sold	0B
	REHS ID:	2683 - S	haneria Sand	lers		Verifica	ntion Required D	vate: / /	
RFHS (— Contact Phone Number:	(336)	703-314	1 4			•		

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section

DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013





Establishment Name: HARRIS TEETER 216 DELI Establishment ID: 3034011195

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 47 4-602.13 Nonfood Contact Surfaces C- Detail cleaning is needed inside the microwave, shelving inside the walk-in cooler, and single-service shelving in front of 3-compartment sink. 0pts
- 49 5-205.15 (B) System maintained in good repair C- Evaluate leak at faucet to handsink in front of sushi station. Plumbing systems shall be in good repair. 0pts
- 6-201.11 Floors, Walls and Ceilings-Cleanability C- REPEAT- uting is low in various areas around deli kitchen. Add more grout to flooring to level the grout with the floor tiles. Concrete floors in walk-in freezer have pitting holes. Repair. Floors, walls, and ceilings shall be smooth and easily cleanable.// 6-501.12 Cleaning, Frequency and Restrictions -C- Detail floor cleaning is needed inside walk-in freezer and walk-in cooler. Baseboard tiles and floor tiles underneath pipes between walk-in cooler and walk-in freezer are starting to mold. Floors, walls, and ceilings shall be maintained clean. 1pt





Establishment Name: HARRIS TEETER 216 DELI Establishment ID: 3034011195

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: HARRIS TEETER 216 DELI Establishment ID: 3034011195

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: HARRIS TEETER 216 DELI Establishment ID: 3034011195

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



