Food Establishment Inspection Report Score: 94 Establishment Name: SALEM COLLEGE CAFETERIA #3484 Establishment ID: 3034060004 Location Address: 601 S CHURCH STREET Date: 01/15/2020 Status Code: A City: WINSTON SALEM State: NC Time In:  $\underline{\emptyset} \ 9 : \underline{\emptyset} \ \underline{\emptyset} \ \underline{\otimes} \ \underset{pm}{\overset{\text{am}}{\otimes}}$ Time Out: Ø ⊋ : 3 Ø ⊗ pm County: 34 Forsyth Zip: 27101 Total Time: 5 hrs 30 minutes SALEM COLLEGE Permittee: Category #: IV Telephone: (336) 917-5321 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community □ On-Site System No. of Risk Factor/Intervention Violations: 3 No. of Repeat Risk Factor/Intervention Violations: 2 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 🔀 1 0.5 0 🗆 🗆 □ □ □ Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🗆 🛭 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗌 21000 parasite destruction 40 🛛 🗀 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 15 **X** X 🗆 🗆 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 42 🗆 🗷 **X** 0.5 0  $\square$  **X** Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17|igotimes |igsqcup |igsqcup |igsqcup | Proper reheating procedures for hot holding 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 Proper hot holding temperatures 1 0.5 🗶 🗌 🗌 46 🗆 🗷 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 2110 - | -Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

			endum to	Food Es	<u>stablishr</u>	nent	Inspectio	n Report		
Establishment Name: SALEM COLLEGE CAFETERIA #3484					Establishment ID: 3034060004					
Location Address: 601 S CHURCH STREET					☑Inspection ☐Re-Inspection Date: 01/15/2020					
City: WINSTON SALEM				State:_ <sup>NC</sup>		Comment Addendum Attached? Status Code: A				
County: 34 Forsyth Zip: 27101					Water sample taken?  Yes  No Category #:  IV					
Wastewater System: ☑ Municipal/Community ☐ On-Site System Water Supply: ☑ Municipal/Community ☐ On-Site System Permittee: SALEM COLLEGE					Email 1: diningservices@salem.edu Email 2:					
Telephone: (336) 917-5321					Email 3:					
Тоюрноги	Temne	rature Ok	Observations							
	Co	ld Ho	Iding Temp				rees or les	<u> </u>		
Item servsafe	Location Kori Price 5/31/22	Temp 0	•	Location	our from prep	Temp 42		Location walk in cooler 1	Temp 38	
chicken	cook temp	202	ham	upright dining room		40	beef	walk in cooler 2	37	
mac and	cook temp	213	steak	holding cabinet dining		102	gravy	kitchen upright 2	40	
lettuce	lettuce salad bar		zucchini	dining room prep		39	cheese	kitchen upright 1	37	
cheese salad bar		39	steak	reheat temp		182	veggie patty	2 door 1	38	
tomato	salad bar	38	air temp	salad prep		32	hot water	3 compartment sink	144	
pasta cooling 1 hour from prep		48	hot water	dish machine		161	cut fruit	upright 2 door 2	40	
pasta cooling 2 hours from		39	milk	dispenser		37	butter	catering upright	37	
13 3-302.	od inside. CDI. Cans rek	ckaged	Food-Separatio	on, Packagii						
holding	cing in bakery worktop or g, and display. CDI. Egg 16 (A)(1) Potentially Ha con. Steak for philly chee holding less than 2 hour	s move zardous sesteak	d to lower shelf Food (Time/Te in hot cabinet	emperature 102F. Maint	Control for S ain TCS foo	Safety F	ood), Hot and t holding at 13	Cold Holding - P Repe 5F or above. CDI. Ste	eat eak placed	
Lock Text		F	irst	La	ast	•	1			
Person in Cha	arge (Print & Sign): Juli			Voss			w.L.	Y K		
Regulatory A	uthority (Print & Sign): <sup>Am</sup>		irst	La Taylor	ast		Si			
	REHS ID: 2	543 - T	aylor, Amanda	a		_ Verific	ation Required L	Date://		

REHS Contact Phone Number: (336)703-3136

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program

DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: SALEM COLLEGE CAFETERIA #3484 Establishment ID: 3034060004

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 42 4-901.11 Equipment and Utensils, Air-Drying Required C Repeat violation. Many metal pans in clean dish storage room stacked wet. Allow clean dishes to air dry thoroughly before stacking.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C Repeat violation(with improvements made). Many compressors for refrigeration units have been replaced since last inspection to repair refrigeration that was unable to hold food temperatures of 41F or less. Cold drawers under flat top grill still not working. Address condensation dripping from overhead unit in walk in cooler 2. Equipment shall be in good repair.
- 4-301.12 Manual Warewashing, Sink Compartment Requirements PF 0 points. Facility has purchased Triplet Plus as instructed by EHS last inspection as detergent sanitizer for 3 compartment sink. Triplet Plus is no longer an approved detergent sanitizer. CDI. Variance paperwork provided for PIC. Points will be taken next inspection if not approved for variance for 3 compartment sink. Before a two compartment sink can be used the permit holder shall have its use approved.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Repeat violation. Clean inside surfaces, especially ceiling of walk in cooler 2 to remove black buildup. Clean gaskets of upright catering cooler where mold is present. Dusting needed on shelving in storage areas. Non food contact surfaces of equipment shall be clean.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Repeat violation. Floors, walls and ceilings throughout facility are neither smooth nor easily cleanable. Historic building. Physical facilities shall be in good repair.

  Note:employee restroom in state of disrepair and sign posted not to be used. Plumbing still functional and restroom fully stocked. Be sure to contact building inspections before removing plumbing fixtures.





Establishment Name: SALEM COLLEGE CAFETERIA #3484 Establishment ID: 3034060004

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM COLLEGE CAFETERIA #3484 Establishment ID: 3034060004

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SALEM COLLEGE CAFETERIA #3484 Establishment ID: 3034060004

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



