Food Establishment Inspection Report Score: 97 Establishment Name: COOK OUT #57 Establishment ID: 3034011946 Location Address: 1010 S MAIN STREET Date: 01/12/2021 Status Code: A City: KERNERSVILLE State: NC Time In:  $03 : 20 \overset{\bigcirc{}}{\otimes} ^{am}_{pm}$ Time Out: Ø 5 : 5 Ø ⊗ pm County: 34 Forsyth Zip: 27284 Total Time: 2 hrs 30 minutes COOK OUT, INC. Permittee: Category #: III Telephone: (336) 993-3597 FDA Establishment Type: Fast Food Restaurant Wastewater System: 

✓ Municipal/Community 

✓ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0  $\times$ П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🗆 🛮 Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656 1 0.5 0 🗆 🗆 34 🗵 🗆 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🖾 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗆 🔀 preparation, storage & display 10 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 210 - parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🗆 X Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🗆 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷  $\boxtimes$ 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🔀 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🔀 | 🖂 | 🖂 2 1 0 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 1 0.5 🗶 🗆 🗆 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

	<u>Comment</u>	<u>Adde</u>	<u>endum to</u>	<u>Food E</u>	<u>stablishr</u>	<u>nent</u>	<u>Inspection</u>	Report		
Establishment Name: COOK OUT #57					Establishment ID: 3034011946					
Location Address: 1010 S MAIN STREET					☑Inspection ☐Re-Inspection Date: 01/12/2021					
City: KERNERSVILLE			Sta	State: NC		Comment Addendum Attached? Status Code: A				
County: 34 Forsyth			Zip: <sup>27284</sup>		Water sample taken? Yes No Category #: III					
	System: 🛭 Municipal/Comm	unity 🗌 (	On-Site System		Email 1:			g,	·	
Water Supply		unity 🗌 (	On-Site System							
	COOK OUT, INC.				Email 2:					
Telephone	:_(336) 993-3597				Email 3:					
			Tempe	erature C	bservation	ıs				
	Co		_	•	is now 41	_	rees or less	ı		
Item Coley Reece	Location 5/4/22	Temp 0	Item hot dogs	Location grill		Temp 168	Item	Location	Temp	
Raw bacon	reach in	35	chicken	grill		153				
raw beef	reach in	40	bbq	walk in		39	_			
chili	stove	155	chili	walk in		37				
bbq	stove	145	bacon	walk in		38				
tomato	make unit	39	hot water	four comp	sink	143				
chili	hot well	180								
burgers	grill	170								
	iolations cited in this repor				orrective A					
14 4-602.´ accumi	r that prevents potentia I1 Equipment Food-Co ulation. Food contact si d and sanitized during i	ntact Sui urfaces s	rfaces and Uto	ensils-Frequ	uency - P Mult	tiple soc	da nozzles in dir	ning room have		
Establi	13 Thawing - C Twelve shment may only thaw g at room temperature i	foods as	part of the co	ooking proce	ess, under run	ning wa	ater at 70F or lov			
Text										
D ! Ob	rao (Drint & Sian). Co		rst	L Reece	_ast		00	_		
Person in Cha	rge (Print & Sign):	•	t					<u> </u>		
Regulatory Au	thority (Print & Sign): <sup>Jos</sup>		irst	Chrobak	_ast	1				
	REHS ID: 2	450 - C	hrobak, Jose	eph		Verifica	ation Required Da	ate / /	1	
REHS C	ontact Phone Number: (			•		_ : 5.11100		····		
		,	1	<b>∵</b> .						

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: COOK OUT #57	Establishment ID: _3034011946
Establishment Name:	Establishinont ib:

<b>O</b> l	- 4:	1	<u> </u>	41	۸ - 1:	Ξ
Observa	าเดกร	and	Correc	nve	ACTIONS	:

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 37 3-307.11 Miscellaneous Sources of Contamination C Twelve bins of bbq thawing on wire shelf over four compartment washing sink. Food may not be stored in any location subject to potential contamination. Do not store foods on or around the ware washing equipment. CDI: PIC moved bbq to walk in.
- 4-501.11 Good Repair and Proper Adjustment-Equipment C Two shelves chipped and rusted in walk in cooler. One grey shelf in dry storage chipped and rusted. One shelf for chemicals rusted from corrosion. Equipment shall be kept in good repair. Replace rusted shelving. 0 pts
- 52 5-501.113 Covering Receptacles C Two dumpsters in gated area had doors open. Dumpsters must be kept closed. CDI: Doors closed during inspection. // 5-501.111 Area, Enclosures and Receptacles, Good Repair C Cardboard dumpsters have large holes and tears in areas around lift arm slots. Replace damaged dumpsters 0 pts.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Floor grout chipped and thin around ware washing equipment and along cook line. Repair grout to maintain cleanability of flooring. / Hole in ceiling where soda lines are entering. Seal gap around soda lines to close off hole. / Physical facilities shall be kept in good repair. 0 pts
- 6-501.110 Using Dressing Rooms and Lockers C REPEAT: Employee jackets and purses on bag in box shelving and on shelving covering bags of onions. Employee personal items must be stored in designated areas not on or over equipment, utensils, or food for consumers. Move employee items to designated areas. // 6-303.11 Intensity-Lighting C Lighting low in walk in cooler a 2 13 foot candles due to burned out bulb. Replace burned out bulbs.





Establishment Name: COOK OUT #57 Establishment ID: 3034011946

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: COOK OUT #57 Establishment ID: 3034011946

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: COOK OUT #57 Establishment ID: 3034011946

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



