Food Establishment Inspection Report Score: 95 Establishment Name: THE GRILL Establishment ID: 3034012023 Location Address: 627A NORTH MAIN STREET City: KERNERSVILLE Date: 01/14/2021 State: NC Status Code: A County: 34 Forsyth Zip: 27284 Time In: 2:55 PM Time Out: 4:55 PM Permittee: MERCY & GRACE ONE STOP LLC Total Time: 2 hrs 0 min Telephone: (336) 992-5258 Category #: II FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 1 Water Supply: X Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. CDI R VR CDI R VR IN OUT N/A N/O Compliance Status I IN OUTIN/AIN/C Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 28 🗆 🗆 🗆 Pasteurized eggs used where required Employee Health 200 29 🛛 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 15 0 Variance obtained for specialized processing 30 methods Proper use of reporting, restriction & exclusion Food Temperature Control .2653, .2654 Proper cooling methods used; adequate equipment for temperature control Good Hygienic Practices .2652, .2653 31 🛛 🗀 Proper eating, tasting, drinking, or tobacco 2 1 0 32 Plant food properly cooked for hot holding 1900 5 1 0.5 0 No discharge from eyes, nose or mouth 33 🖾 🗆 🗆 🗆 Approved thawing methods used |D||2||0||-||-Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🖾 🗆 Thermometers provided & accurate 6 M ΙП Hands clean & properly washed 4 2 0 No bare hand contact with RTE foods or pre Food Identification 1.9 () X ΙП approved alternate procedure properly followe 35 🖾 🗀 Food properly labeled: original container 8 \boxtimes 10 Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2657 .2653. .2655 Approved Source Insects & rodents not present; no 36 🛛 🗀 unauthorized animals \boxtimes Food obtained from approved source 2 1 0 Contamination prevented during food preparation, storage & display امام اماما 37 🖾 🗀 10 1 0 Food received at proper temperature 38 🛛 🗀 1 0.5 0 Personal cleanliness 11 Food in good condition, safe & unadulterated 2 1 0 39 🛛 🗀 Wiping cloths: properly used & stored Required records available: shellstock tags 2 1 0 40 🖾 🖂 Washing fruits & vegetables Protection from Contamination .2653, Proper Use of Utensils □ □ Food separated & protected 41 🖾 🗀 In-use utensils: properly stored 14 🛛 🗀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored 42 🖾 🗀 Proper disposition of returned, previously dried & handled 15 🛛 🗀 Single-use & single-service articles: properly Served, reconditioned, & unsafe food
Potentially Hazardous Food Time/Temperature .2653 43 🖾 🗆 44 🛛 🗀 16 ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 15 0 Gloves used properly Utensils and Equipment .2653, .2654, .2663 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🗆 🗆 Proper cooling time & temperatures 3 1.5 0 Warewashing facilities: installed, maintained, & used; test strips 19 3 15 0 ☑ Proper hot holding temperatures \Box 46 🖾 🗆 □ Proper cold holding temperatures 1.5 () 47 🗆 🗖 Non-food contact surfaces clean 21 3 1.5 0 Physical Facilities .2654, .2655, .2656 \boxtimes ☐ Proper date marking & disposition Hot & cold water available; adequate pressure Time as a public health control:procedures 48 🖾 🗀 🖂 210 & records 49 🛛 🗆 اداد الاست Consumer Advisory Plumbing installed; proper backflow devices Consumer advisory provided for raw or 23 🗆 🗆 🖾 1 0.9 0 50 🖾 🗆 Sewage & waste water properly disposed 210000 undercooked foods



Conformance

П

24 🗆 🗆 🖾

Chemical

 \Box

27

Highly Susceptible Populations

Compliance with variance, specialized

Pasteurized foods used; prohibited foods not 3 13 0

2653, .2657

Food additives: approved & properly used Toxic substances properly identified stored.

with Approved Procedures .2653, .2654, .265

51 🖾 🗀 🗀

52 🔲 🛛

53 🔲 🛛

54 🖂

Total Deductions:

Toilet facilities: properly constructed, supplied 🗖 🖂 🖂 🖂

Physical facilities installed, maintained & clean


Meets ventilation & lighting requirements; designated areas used

1 0.5 0

210000

	Comment A	<u> ∙aae</u>	enaum to	D F000	⊑stabiisnn	nent	inspection	Report		
Establishment Name: THE GRILL					Establishment ID: 3034012023					
Location Address: 627A NORTH MAIN STREET					Inspection					
City: KERNERSVILLE State: NC										
County: 34 Forsyth Zip: 27284										
Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System					Email 1: matthew_mp@hotmail.com					
Permittee: MERCY & GRACE ONE STOP LLC					Email 2:					
Telephone: (336) 992-5258					Email 3:	Email 3:				
			Temp	perature	Observation	s				
	Effective .	Janua	ary 1, 20	19 Cold	Holding is r	1ow 4	1 degrees o	r less		
Item hot water	Location 3 compartment sink	Temp 120		Location		Temp	-	Location	Temp	
servsafe	J. Salgado 9/20/21	00								
chicken	reach-in freezer	31								
		Fii	rst		Last		1			
Person in Char	ge (Print & Sign): Jose			Salgado			M			
		Fii	rst		Last					
Regulatory Authority (Print & Sign): Damon Thomas							DILL, KIN	* # <i>3977</i>		
REHS ID: 2877 - Thomas, Damon						Verification Required Date:				







Comment Addendum to Food Establishment Inspection Report

Establishment Name: THE GRILL Establishment ID: 3034012023

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation P-REPEAT- Inside of the three door reach in freezer ready-to-eat potatoes and chicken that had been removed from its original packaging was stored beneath raw hamburger and steak. Raw pork sausage was stored inside a container with pre-cooked chicken- Food shall be protected from cross-contamination by separating raw animal foods during storage, holding, preparation and display from cooked ready to eat foods and other raw animal foods by stacking order from top shelf to bottom shelf having items with the highest required cooking temperature for safety on the bottom or in the front wells a cold well refrigeration unit-CDI: All items were arranged according to approved standards.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- The two-door Norlake refrigerator and the ice machine need to be repaired or removed from the establishment- Equipment shall be maintained in a state of good repair.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- Cleaning is needed for the interior surfaces of the warming box at the front counter- Nonfood contact surfaces of equipment shall be kept free of an accumulation of food residue, dust, dirt and other debris- 0 pts.
- 52 5-501.113 Covering Receptacles C- The lid to the dumpster was open- Receptacles and waste handling units for refuse, recyclables and returnables shall be kept covered with tight-fitting lids or doors if kept outside of the food establishment- 0 pts.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C- Repair the caulking at the junction between the rear panel of the 3 compartment sink and the wall. Seal the holes in the stainless steel panel covering the wall behind the 3 compartment sink- Physical facilities shall be maintained in good repair- 0 pts.
- 6-303.11 Intensity-Lighting C- The light intensity inside of the ladies bathroom was measured at 13.5 foot candles (Fc), the men's bathroom was 10.3Fc and the area at the flat top grill and fryer was 32.2- 40.1Fc- The light intensity shall be at least 20 foot candles (Fc) at 30 inches above the floor in areas used for handwashing, warewashing and equipment and utensil storage and in toilet rooms and at least 50 foot candles at a surface where an employee is working with food or equipment- 0 pts.