Food Establishment Inspection Report Score: 98.5													_						
Establishment Name: FOOD AVENUE EXPRESS #1077 Establishment ID: 3034011070																			
Location Address: 5420 N UNIVERSITY PKWY																			
City: WINSTON SALEM State: NC									Date: Ø 1 / 1 5 / 2 Ø 2 1 Status Code: A										
Zip: 27105 County: 34 Forsyth									Time In: $\underline{11} : \underline{55} \overset{\otimes}{\bigcirc} \overset{am}{\text{pm}}$ Time Out: $\underline{\emptyset1} : \underline{30} \overset{\otimes}{\otimes} \overset{am}{\text{pm}}$										
										Total Time: 1 hr 35 minutes									
										Category #: II									
	Telephone: (336) 744-7880										FDA Fotobliobment Type Fast Food Restaurant								
Wastewater System: ⊠Municipal/Community □ On-Site System FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 0)			_				
W	Water Supply: ☑Municipal/Community ☐ On-Site Supply No. of Repeat Risk Factor/Intervention Violations:														_				
Foodborne Illness Risk Factors and Public Health Interventions									Good Retail Practices										
Risk factors: Contributing factors that increase the chance of developing foodb Public Health Interventions: Control measures to prevent foodborne illness or											Good Retail Practices: Preventative measures to control the addition of patho and physical objects into foods.						mica	als,	
Н		OUT			·	OUT	СГ	DI I	R VR		IN	OUT	N/A	N/C	Compliance Status	OUT	CDI	R	VF
S	upe	pervision .2652						Safe Food and Wa											
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2][28			X		Pasteurized eggs used where required	1 0.5 0			E
-		oye	e He	alth	.2652					29	×				Water and ice from approved source	210			Ē
2	X				Management, employees knowledge; responsibilities & reporting	3 1.5][30		П	X		Variance obtained for specialized processing	1 0.5 0	Ш	П	F
3	X				Proper use of reporting, restriction & exclusion	3 1.5][atu	methods .2653, .2654				
П		Ну	gien	ic P	ractices .2652, .2653		_	Ţ			×		ľ		Proper cooling methods used; adequate equipment for temperature control	1 0.5 0			E
\vdash	X				Proper eating, tasting, drinking, or tobacco use	21	0			32		П	×	Г		1 0.5 0	П	П	F
5	X				No discharge from eyes, nose or mouth	1 0.5	0 [][-			_	-	Approved thawing methods used	1 0.5 0	\vdash		F
$\overline{}$		ntin	g Co	onta	mination by Hands .2652, .2653, .2655, .2656					⊩			H			1 0.5 0	\vdash		F
Н	X				Hands clean & properly washed	42	_][ood		ntific	ati	Thermometers provided & accurate	LI [0.3] [U			L
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5	0][_	Tunc	au	Food properly labeled: original container	2 1 0			F
8	X				Handwashing sinks supplied & accessible	21][\vdash			n of	Fc	ood Contamination .2652, .2653, .2654, .2656, .265				
-		ovec	l So	urc	e .2653, .2655			Ţ		36	×				Insects & rodents not present; no unauthorized animals	210			E
9	X				Food obtained from approved source	2 1	_][[37	×	П			Contamination prevented during food	210	П	П	F
10				X	Food received at proper temperature	21	0][preparation, storage & display Personal cleanliness	1 0.5 0	\vdash		F
11	X				Food in good condition, safe & unadulterated	21][_		×				1 🗷 0	\vdash		F
12			X		Required records available: shellstock tags, parasite destruction	21				\vdash	+		+-		Wiping cloths: properly used & stored		+		F
$\overline{}$			n fro	om (Contamination .2653, .2654			ļ			rone	or H		F 1 1	Washing fruits & vegetables tensils .2653 .2654	1 0.5 0	Ш	닏	L
13	X				Food separated & protected	3 1.5	0][Tope			U	tensils .2653, .2654 In-use utensils: properly stored	1 0.5 0		П	F
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5	0 [][_					Utensils, equipment & linens: properly stored,	1 0.5 0	+		F
15	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	21][-					dried & handled Single-use & single-service articles: properly		\vdash		E
P	oter	ntiall	_	azar	dous Food Time/Temperature .2653			Ţ		-	×	Ш			stored & used	1 0.5 0	Ш	Ш	L
16			X		Proper cooking time & temperatures	3 1.5	0][×				Gloves used properly	1 0.5 0			Ŀ
17			X		Proper reheating procedures for hot holding	3 1.5	0][L	Itens	sils a	and	Equ	uipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces				F
18				X	Proper cooling time & temperatures	3 1.5	0 [45		X			approved, cleanable, properly designed, constructed, & used	211			F
19			X		Proper hot holding temperatures	3 1.5	0			46	×				Warewashing facilities: installed, maintained, & used; test strips	1 0.5 0			Ē
20	X				Proper cold holding temperatures	3 1.5	0][47		×			Non-food contact surfaces clean	1 0.5 🗶			E
21	X				Proper date marking & disposition	3 1.5	0][P	hysi			litie	es .2654, .2655, .2656				
22	П	П	X	П	Time as a public health control: procedures &	21	0	1	寸口	48					Hot & cold water available; adequate pressure	210			F
\perp	ons	ume		dvis	records .2653			-		49		X			Plumbing installed; proper backflow devices	2 X 0			×
23			X		Consumer advisory provided for raw or undercooked foods	1 0.5	0 [][50	×				Sewage & waste water properly disposed	2 1 0			Ē
Н	lighl	y Sı	isce	ptik	le Populations .2653			İ		51	+	×	П		Toilet facilities: properly constructed, supplied	1 0.5	H	П	F
24			X		Pasteurized foods used; prohibited foods not offered	3 1.5	0 [-			۲		& cleaned Garbage & refuse properly disposed; facilities		\vdash	H	F
П	hen	nical			.2653, .2657			,		-		닏			maintained	1 0.5 0	-	닏	Ł
25	Ш		X		Food additives: approved & properly used	1 0.5	0	4		53	+	X			Physical facilities installed, maintained & clean	1 0.5	+		Ŀ
-	×			L	Toxic substances properly identified stored, & used	21	0][54	X				Meets ventilation & lighting requirements; designated areas used	1 0.5 0			E
П	onfo	orma		e wi	th Approved Procedures .2653, .2654, .2658 Compliance with variance, specialized process.										Total Deductions:	1.5			
27	Ш	Ш	X		Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21		IJL							Total Doddottolls.				





				F000 ES	stabiisnmer	<u>it inspection</u>	<u>ı Report</u>					
Establishmer	nt Name: FOOD AVENU	E EXPRE	SS #1077		Establishment ID: 3034011070							
Location Ad	ddress: 5420 N UNIVERS	ITY PKW	Υ									
City: WINST				ite: <u>NC</u>	Comment Addendum Attached? Status Code: A							
County: 34	Forsyth		Zip: 27105		Water sample taken? Yes No Category #: II							
Wastewater S Water Supply	System: Municipal/Commu				Email 1: krystal.miller@target.com							
	: ⊠ Municipal/Communicipal/Com	illy 🗌 Oi	1-Site System		Email 2:							
	(336) 744-7880				Email 3:							
			Tempe	rature Ob	servations							
	Col	d Holo	ling Tem	oerature	is now 41 De	egrees or less	S					
Item milk	Location milk cooler	Temp I	•	Location		mp Item	Location	Temp				
ambient air	upright cooler	38										
ambient air	reach-in cooler	38										
ambient air	reach-in cooler 2	39										
hot water	3-compartment sink	130										
quat (ppm)	3-compartment sink	200										
CFPM	Kevin Campbell 7-18-23	0										
Vi	iolations cited in this report				rrective Actions below or as state		11 of the food code					
	4 Wiping Cloths, Use Li cloths must be stored in				o wipe milk steam	ner wand was in co	ontainer with no s	eanitizer. Wet				
	1 Good Repair and Proportainer in it is being hel 0 pts.											
	3 Nonfood Contact Surf I at a frequency necessa				and cabinets. Nor	nfood contact surfa	aces of equipmer	nt shall be				
Lock Text												
Person in Char	ge (Print & Sign): Kevi	<i>Fir</i> s	st	La Campbell	ast	11						
Regulatory Aut	hority (Print & Sign): ^{Andr}	Firs ew	st	Lee Lee	ast	1-0	Lu RC	IU5				

REHS ID: 2544 - Lee, Andrew

Verification Required Date: <u>Ø 1</u> / <u>2 5</u> / <u>2 Ø 2 1</u>

REHS Contact Phone Number: (336)703-3128

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program

DHHS is an equal opportunity employer.

Page 2 of ______ Food Establishment Inspection Report, 3/2013

Establishment Name: FOOD AVENUE EXPRESS #1077 Establishment ID: 3034011070

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 5-202.13 Backflow Prevention, Air Gap P Drain pipe from several sinks in Starbucks area are falling below the rim of the floor drain. An air gap between the water supply inlet and the flood level rim of the plumbing fixture, equipment, or nonfood equipment shall be at least twice the diameter of the water supply inlet and may not be less than 1 inch. VR Verification of drain pipe repairs to be completed by 1-25-2021. Contact Andrew Lee at (336) 703-3128 for any questions.
- 51 5-501.17 Toilet Room Receptacle, Covered C Family restroom has no trash can with a lid. Restrooms used by women must have a covered receptacle for the disposable of sanitary napkins. 0 pts.
- 6-501.12 Cleaning, Frequency and Restrictions C Syrup spills on walls around soda bag and box system. Floors, walls and ceilings shall be cleaned at a frequency necessary to maintain them clean. 0 pts.



Establishment Name: FOOD AVENUE EXPRESS #1077 Establishment ID: 3034011070

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FOOD AVENUE EXPRESS #1077 Establishment ID: 3034011070

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FOOD AVENUE EXPRESS #1077 Establishment ID: 3034011070

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



