Food Establishment Inspection	ו Re	рс	ort					S	core: <u>98.5</u>
Establishment Name: BROOKSTOWN INN CATERING KITCHEN Establishment ID: 3034012436									
Location Address: 200 BROOKSTOWN AVENUE								X Inspection Re-Inspection	
City: WINSTON SALEM	State	e: <u>N</u>	С					7/29/2021 Status Code: A	
Tip: <u>27101</u> County: <u>34 Forsyth</u> Time In:11:05 AM Time Out: 1:55 PM							M		
Permittee: BROOKSTOWN HOSPITALITY LLC Total Time: 2 hrs 50 min									
Telephone: (336) 725-1120 Category #: IV Wastewater System: XMunicipal/Community On-Site System FDA Establishment Type: Full-Service Restaurant							aurant		
No of Risk Eactor/Intervention Violations: 2									
Water Supply: X Municipal/Community On	-Site S	Sup	oly		Ν	lo.	of F	Repeat Risk Factor/Intervention Vic	lations: 0
Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices									
Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury. Good Retail Practices: Preventative measures to control the addition of pathogens, chem and physical objects into foods.						hogens, chemicals,			
	OUT	CDI	R VR	\vdash	IN OU	T N/A	AN/d		OUT CDI R VR
Supervision .2652		0.01				_	_	Water .2653, .2655, .2658	
1 🛛 🗆 PIC Present: Demonstration-Certification by accredited program and perform duties	/ 2 [00		28]	Pasteurized eggs used where required	
Employee Health .2652				29				Water and ice from approved source	210000
2 🛛 🗆 Management, employees knowledge; responsibilities & reporting	3 1.5 (미미		30			1	Variance obtained for specialized processin	
3 🛛 🗆 Proper use of reporting, restriction & exclusion	3 1.5 (םם			od T			methods ure Control .2653, .2654	
Good Hygienic Practices .2652, .2653				31		ו		Proper cooling methods used; adequate equipment for temperature control	
	210			32				Plant food properly cooked for hot holding	
5 🖾 🗆 No discharge from eyes, nose or mouth		00		33 🛛				Approved thawing methods used	
Preventing Contamination by Hands .2652, .2653, .2655, .2				34	_			Thermometers provided & accurate	
6 🛛 🗌 Hands clean & properly washed	420				od Id	enti	ifica	-	
7 🛛 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly follows				35	_]		Food properly labeled: original container	210
8 X Handwashing sinks supplied & accessible	21	XX		Pre	event	tion	of F	ood Contamination .2652, .2653, .2654, .265	6, .2657
Approved Source .2653, .2655				36 [⊠ ⊏]		Insects & rodents not present; no unauthorized animals	210
9 🛛 🗆 Food obtained from approved source	21			37 🛛				Contamination prevented during food preparation, storage & display	210000
10 Food received at proper temperature	21			38 [1		Personal cleanliness	
11 🛛 🗌 Food in good condition, safe & unadulterate		미미		39	_	1		Wiping cloths: properly used & stored	
12 Required records available: shellstock tags available: shellstock tags	, 21 (미미		40 [2	_	+_		Washing fruits & vegetables	
Protection from Contamination .2653, .2654								Jtensils .2653, .2654	
13 🛛 🗆 🗆 Food separated & protected		미미		41 0				In-use utensils: properly stored	
14 🖾 🗆 Food-contact surfaces: cleaned & sanitized				42		1		Utensils, equipment & linens: properly store dried & handled	
15 X Proper disposition of returned, previously Served, reconditioned, & unsafe food	210	미미		43		1		Single-use & single-service articles: proper	
Potentially Hazardous Food Time/Temperature .2653					_	+	+	stored & used	
16 🛛 🗆 🗠 Proper cooking time & temperatures	3 1.5 (44		<u> </u>		Gloves used properly	
17 Proper reheating procedures for hot holding	-							uipment .2653, .2654, .2663 Equipment, food & non-food contact surface	es
18 Image: Second state 18	3 1.5 (45				Equipment, food & non-food contact surfact approved, cleanable, properly designed, constructed, & used	
19	3 1.5 (46 🛛	X C]		Warewashing facilities: installed, maintaine & used; test strips	d, <u>1050</u>
20 🛛 🗆 🗆 Proper cold holding temperatures	3 1.5 (47 []		Non-food contact surfaces clean	
21 🗌 🛛 🗆 Proper date marking & disposition	3 1.5	XX			ysica	al Fa	acilit		
22 C X Time as a public health control:procedures	21(48 🛛		니디		Hot & cold water available; adequate pressure	
Consumer Advisory .2653	<u> </u>			49 [Plumbing installed; proper backflow devices	s 21 X
23 🖾 🗆 🖸 Consumer advisory provided for raw or undercooked foods	1 0.5 (미미		50 🛛]		Sewage & waste water properly disposed	210
Highly Susceptible Populations .2653	tode			51]	Toilet facilities: properly constructed, supplie & cleaned	
	3 1.5 (52 🛛				Garbage & refuse properly disposed; faciliti	
Chemical .2653, .2657 25 Chemical .2653 .2657	1 0.5 (53	_	1		Physical facilities installed, maintained	
Taula automatic and standard data the	+ $+$ $+$				_	<u>' </u>	+	& clean	
26 Conformance with Approved Procedures .2653, .2654, .265		피니		54 []		1		Meets ventilation & lighting requirements; designated areas used	
27 Compliance with variance, specialized	210							Total Deductions	_{3:} 1.5
or HACCP plan									
North Carolina Department of Health & Human Services									

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BROOKSTOWN INN CATERING KITCHEN	Establishment ID: 3034012436				
Location Address: 200 BROOKSTOWN AVENUE	X Inspection Re-Inspection Date: 07/29/2021				
City: WINSTON SALEM State: NC	Comment Addendum Attached? X Status Code: A				
County: <u>34 Forsyth</u> Zip: <u>27101</u>	Water sample taken? Yes X No Category #: IV				
Wastewater System: X Municipal/Community On-Site System	Email 1:jburns@brookstowninn.com				
Permittee: BROOKSTOWN HOSPITALITY LLC	Email 2: slawson@brookstowninn.com				
Telephone: (336) 725-1120	Email 3:				
Temperature Observations					

Γ

Effective January 1, 2019 Cold Holding is now 41 degrees or less						
Item chicken breast	Location cook line- final	Temp Item 170.0	Location	Temp Item	Location	Temp
ham	walk-in cooler	41.0				
pork belly	walk-in cooler	41.0				
turkey	walk-in cooler	41.0				
roast beef	walk-in cooler	41.0				
cheese	walk-in cooler	41.0				
hot water	3 compartment sink	145.0				
chlorine	dishmachine 50ppm	0.0				
quat sani	spray bottle 200ppm	0.0				
servsafe	R. Aquino 9/26/23	0.0				

Person in Charge (Print & Sign): Roger	First	Aquino	Last	BourAgi
Regulatory Authority (Print & Sign): Damor	<i>First</i>	Thomas	Last	Dat & RE45 #2877
REHS ID: 2877 -	Thomas, Damo	n		Verification Required Date:
REHS Contact Phone Number: (336) 7	uman Services OHHS	Division of Pul is an equal opp food Establishm	olic Health Environr ortunity employer. ent Inspection Report, 3.	e Food Protection Program



Comment Addendum to Food Establishment Inspection Report

Establishment Name: BROOKSTOWN INN CATERING KITCHEN

Establishment ID: 3034012436

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 8 5-205.11 Using a Handwashing Sink-Operation and Maintenance PF- The handwashing sink next to the restroom was blocked by trays of glassware- A handwashing sink shall be maintained so that it is accessible at all times for employee use- CDI: The trays of glassware were relocated away from the handwashing sink- 0 pts.
- 21 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking PF- The following items, all opened on 7/23/21, were stored inside of the walk-in cooler (WIC) without effective datemarking- Ham, pork belly, turkey, roast beef- Potentially hazardous foods that are held for more than 24 hours shall be marked to indicate the day and date by which the items shall be consumed, sold or discarded within a maximum of 7 days at a temperature of 41F or less and the day of preperation shall be counted as day 1- CDI: Effective datemarking was applied to the items by the person-in-charge (PIC)- 0 pts.
- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C- A Box of single-service packets of sugar and single use lids were stored on the floor in the dry storage area- Equipment, utensils and single-service articles shall be stored at least 6 inches above the floor- 0 pts.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- Repair or replace the torn door gasket for the walk-in cooler. Complete repairs and installation of the filter for the exhaust hood on the rear cook line, repair the lid for the large make-unit, recondition the underside of the drainboard for the dishmachine and the legs and casters for the equipment tables on the cook line to remove rusting. Replace the non-functioning light bulbs above the bar and complete the in-progress repairs for the leak at the A/C unit above the restroom ceiling- Equipment shall be maintained in a state of good repair.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- REPEAT- Cleaning is needed for the exterior surfaces of the fryers, the under-counter True freezer, the Vulcan range oven on the rear cook line and the equipment table for the steamer. Clean the door gaskets for the chef base refrigerator, glass door refrigerator for condiments, glass door refrigerator behind the bar and the small True make-unit- Nonfood contact surfaces of equipment shall be kept free of an accumulation of food residue, dust, dirt and other debris.
- 49 5-205.15 (B) System maintained in good repair C- Repair the non-functioning cold water handle of the sink in the bar area- A plumbing system shall be maintained in good repair- 0 pts.