



Forsyth County
Department of Public Health

Marlon B. Hunter, BSEH, MAOM
Public Health Director

Daniel A. Lemons, REHS
Environmental Health Director

Important Changes to 2017 Dixie Classic Fair:

- All sinks and other wastewater discharges must be connected to sewer. Supply trucks with ice machines may be connected to a portable storage tank with a minimum capacity of 15 gallons. Portable storage tanks must be emptied in an approved sewer connection.
- Wastewater containers and hoses **shall be labeled** and not used for any other purpose.
- Containers and hoses used to store, haul, or convey potable water shall be approved for potable water use, shall not be used for any other purpose, and shall be protected from contamination. **Potable water hoses and containers need to be clearly labeled.**
- A hot water tank of sufficient capacity to fill the wash vat to 110°F must be provided. It is recommended that a hot water tank has a capacity of at least 10 gallons.
- A three-compartment sink big enough to submerge, wash, rinse, and sanitize utensils must be provided. Wash water needs to maintain at least 110°F when washing dishes.
- Ice machines **MUST BE** empty, clean, and sanitized before a permit can be issued. **DO NOT** fill the ice machines or ice bins until your permit has been given to you.
- A one-compartment food preparation sink must be provided for washing produce. If a separate produce sink cannot be provided, produce must be prewashed with documentation that it has been pre-washed from the supplier. A permit will not be issued until the preparation sink or documentation of pre-washed produce from the supplier is provided.