Food Establishment Inspection Report Score: 95 Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526 Location Address: 205 S. STRATFORD RD. SUITE F Date: 10/14/2020 City: WINSTON SALEM Status Code: A State: NC County: 34 Forsyth Time In: 11:15 AM Time Out: 12:48 PM Zip: 27103 Total Time: 1 hrs 33 min Permittee: PURE TRIDENT, INC. Category #: IV Telephone: (336) 293-6230 FDA Establishment Type: Full-Service Restaurant Wastewater System: Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 1 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 0 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals Public Health Interventions: Control measures to prevent foodborne illness or injury and physical objects into foods. IN OUT N/A N/O Compliance Status IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653. .2655. .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 0 0 0 عاد اعاق 28 | | | | | | Pasteurized eggs used where required Employee Health .2652 200 -29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3190 - -Variance obtained for specialized processing 30 | | | | | | | 190-X Proper use of reporting, restriction & exclusion 3150 - -Food Temperature Control .2653, .2654 Good Hygienic Practices .2652, .2653 Proper cooling methods used; adequate 31 🖾 🗆 equipment for temperature control 4 🛛 🗀 Proper eating, tasting, drinking, or tobacco use 32 0 0 0 0 X Plant food properly cooked for hot holding 5 🛛 П No discharge from eyes, nose or mouth 33 🛛 🗀 🗀 🗀 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🖾 🗆 Thermometers provided & accurate 420-6 X Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre- \boxtimes 3 13 0 0 0 approved alternate procedure properly followed 35 🛛 🗆 Food properly labeled: original container 2100-N Handwashing sinks supplied & accessible 200 a a a Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🛛 🗆 | - | - | - | - | - | 9 🛛 م ام امالاتات Food obtained from approved source Contamination prevented during food 37 🔲 🛛 preparation, storage & display 10 Food received at proper temperature (2)M(0) (2) (2) (2) 38 🖾 🗆 Personal cleanliness Food in good condition, safe & unadulterated 2000 o o o 39 🖾 🗀 Wiping cloths: properly used & stored Required records available: shellstock tags, 12 🗆 | | | | | | | | | | parasite destruction 40 🖾 🗀 🗀 Washing fruits & vegetables Protection from Contamination Proper Use of Utensils □ □ □ Food separated & protected 3150 - -41 🖾 🗆 In-use utensils: properly stored 14 🛛 3130 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, 42 🗆 🗖 Proper disposition of returned, previously served, dried & handled 15 🛛 \Box reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 Potentially Hazardous Food Tlme/Temperature stored & used □ X □ Proper cooking time & temperatures 3190 - -44 🛛 🗀 Gloves used properly Utensils and Equipment .2653, .2654, .2663 3130 - -Equipment, food & non-food contact surfaces 45 🔲 🛛 approved, cleanable, properly designed, constructed, & used 3 15 0 0 П ☐ ☐ ☐ ☐ Proper cooling time & temperatures Warewashing facilities: installed, maintained, & Proper hot holding temperatures 3150 - -46 🛛 🗆 3130 - -Proper cold holding temperatures |47| □ | 🖾 Non-food contact surfaces clean Proper date marking & disposition 3150 - -Physical Facilities .2654, .2655, .2656 Time as a public health control: procedures & 48 🛛 🔲 🔲 Hot & cold water available: adequate pressure 200 o o o 49 XI 🗆 Consumer Advisory 2653 Plumbing installed; proper backflow devices Consumer advisory provided for raw or 23| | | | | | | | 50 🖾 🗆 200 o o o Sewage & waste water properly disposed undercooked foods Highly Susceptible Populations .2653 Toilet facilities: properly constructed, supplied 51 🛛 🗀 & cleaned Pasteurized foods used; prohibited foods not |24| □ | □ | 🖾 Garbage & refuse properly disposed; facilities maintained 52 X 🗆 190 -Chemical .2653. .2657 25 Food additives: approved & properly used 53 🗆 🛭 1 03 0 Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; 26 🛛 🗀



27 🗆 🗆 🖾

Conformance with Approved Procedures



designated areas used

54 🔲

2653 2654 2658

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

	Commi	ent Adde	endum to) F000 E	<u>:5180115</u>	iiiiieiit iii	Spection	Report	
Establishment Name: FIREHOUSE SUBS					Establishment ID: 3034012526				
Location Address: 205 S. STRATFORD City: WINSTON SALEM County: 34 Forsyth Wastewater System: Municipal/Community Water Supply: Municipal/Community Permittee: PURE TRIDENT, INC.			State: NC Zip: 27103 On-Site System		Comment Water sar Email 1 Email 2	X Inspection □ Re-Inspection □ Date: 10/14/2020 Comment Addendum Attached? X Status Code: A Water sample taken? □ Yes X No Category #: IV Email 1: srila_surapaneni@yahoo.com Email 2:			
Telepho	ne: <u>(336)</u> 293-6230			Email 3:					
			Temp	erature C)bservati	ons			
	Effect	ive Janu	ary 1, 20	19 Cold H	lolding i	s now 41	degrees o	r less	
tem	Location	Temp	Item	Location		Temp It	em	Location	Temp
ettuce	make-unit	39	Roast Beef	walk-in cooler		38			
omatoes	make-unit	39	Hot Water	3-comparti	ment sink	153			
Steak	meat make-unit	36	Quat Sani	3-comparti	ment sink	200			
urkey	meat make-unit	35	_						
lam	meat make-unit	37	_						
Poact Boof	meat make-unit	36							

First Last Person in Charge (Print & Sign): Robin Haynes First Last

REHS ID: 2795 - Murphy, Victoria

38

38

Regulatory Authority (Print & Sign): Victoria Murphy

Verification Required Date:




Ham

Turkey

walk-in cooler

walk-in cooler

REHS Contact Phone Number: (336) 703-3814







Comment Addendum to Food Establishment Inspection Report

Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 2-102.11 Demonstration C: There was no certified food protection manager on duty during the inspection. Upon request the person in charge shall demonstrate to the regulatory authority knowledge of foodborne disease prevention, application of the hazard analysis and critical control point principles, and the requirements of this code. The person in charge shall demonstrate this knowledge by being a certified food protection manager who has shown proficiency of required information through passing a test that is part of an accredited program. The person in charge is not required to be a certified food protection manager when the food establishment is not operating and food is not being prepared, packaged, or served for immediate consumption.
- 37 3-305.11 Food Storage-Preventing Contamination from the Premises C: Food is being stored on in crates on the floor. Food shall be protected from contamination by storing the food, at least 6 inches above the floor.
- 42 4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing -REPEAT- C: Clean dishes are being stored on soiled shelving. Cleaned equipment shall be stored in a clean, dry location.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C: Shelves rusting in the walk-in cooler. Equipment shall be maintained in good repair.
- 4-602.13 Nonfood Contact Surfaces -REPEAT- C: Thorough cleaning is needed to/on the following: shelves on the serving line, upright freezer, shield of ice machine, shelves in the walk-in cooler, shelves in upright deli cooler, reach-in cooler, dish shelves, fans in walk-in cooler, walls in walk-in cooler, floors in walk-in cooler, and shelves in walk-in cooler. Nonfood-contact surfaces of equipment shall be cleaned at a frequency to preclude accumulation of soil residues.
- 63 6-501.12 Cleaning, Frequency and Restrictions REPEAT-C: Cleaning is needed throughout the preparation and warewashing area./Cleaning is needed on floors under equipment. Physical facilities shall be cleaned as often as necessary to keep them clean
- 6-303.11 Intensity-Lighting C: The lighting measured low in the following areas: (men's restroom) 18 ft candles and (women's restroom) 5 ft candle. The light intensity shall be at least 20 ft candles 30 inches above the ground in toilet rooms.