Food Establishment Inspection	Report	Score: 90.5							
Establishment Name: UMI JAPANESE STEAKHOUSE AND SUSHI Establishment ID: 3034012455									
Location Address: 1280 CREEKSHIRE WAY		XInspection Re-Inspection							
City:WINSTON SALEM	State: NC	Date: 10/15/2020 Status Code: A							
Zip: 27103 County: 34 Forsyth	01010.	Time In:2:27 PM Time Out: 5:30 PM							
Permittee: UMI JAPANESE STEAKHOUSE, INC.	Total Time: 3 hrs 3 min								
		Category #: IV							
Telephone: (336) 999-7227		FDA Establishment Type: Full-Service Restaurant							
Wastewater System: X Municipal/Community		No. of Risk Factor/Intervention Violations: 4							
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 0									
Foodborne Illness Risk Factors and Public Health Int		Good Retail Practices							
Risk factors: Contributing factors that increase the chance of developing foods Public Health Interventions: Control measures to prevent foodborne illness o		Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.							
IN OUT NIA NO Compliance Status	OUT CDI R VR	IN OUT NA NO Compliance Status OUT CDI R VR							
Supervision .2652		Safe Food and Water							
1 D B PIC Present; Demonstration-Certification by accredited program and perform duties									
Employee Health .2652		29 🛛 🗌 Water and ice from approved source 🔤 🗍 🗍							
2 🛛 🗆 Management, employees knowledge; responsibilities & reporting		30 C K Variance obtained for specialized processing							
3 X Proper use of reporting, restriction & exclusion Good Hygienic Practices .2652, .2653	31.90000	Food Temperature Control .2653, 2654							
4 X Proper eating, tasting, drinking, or tobacco use		31 🖾 🗆 Proper cooling methods used; adequate equipment for temperature control							
		32 C Plant food properly cooked for hot holding							
5 Image: Solution of the second		33 🗆 🛛 🗀 Approved thawing methods used							
6 A Hands clean & properly washed		34 🖾 🗆 Thermometers provided & accurate 🛛 🖽 🖂 🗆							
7 D M D D No bare hand contact with RTE foods or pre-		Ecod Identification 2653							
8 Image: Second state Image:		35 X Food property labeled: original container							
Approved Source .2653, .2655		Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657							
9 X - Food obtained from approved source									
10 Food received at proper temperature		37 🛛 🗆 Contamination prevented during food 210 🗆 🗆							
11 🛛 🗌 Food in good condition, safe & unadulterated		38 🖾 🗆 Personal cleanliness 🗰 🖽 🖽 🗖							
12 M D D Required records available: shellstock tags,		39 🖾 🗆 Wiping cloths: properly used & stored 🛙 🖽 🖸 🗆							
Protection from Contamination 2653, 2654		40 🛛 🗆 🔲 Washing fruits & vegetables							
13 🛛 🗖 🗖 Food separated & protected	3130000	Proper Use of Utensils .2653, .2654							
14 🖾 🗖 Food-contact surfaces: cleaned & sanitized	3030000	41 X In-use utensils: properly stored							
Proper disposition of returned, previously served.		42 Utensils, equipment & linens: properly stored, dried & handled							
Potentially Hazardous Food Time/Temperature .2653		43 Single-use & single-service articles: properly Stored & used							
16 🛛 🗆 🗆 Proper cooking time & temperatures	31300000	44 🛛 🗌 Gloves used properly							
17 🗆 🗖 🖾 Proper reheating procedures for hot holding	33300000	Utensils and Equipment .2653, .2654, .2663							
18 🛛 🗌 🔲 Proper cooling time & temperatures	3130000	45 X C Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used							
19 X C Proper hot holding temperatures	3300000	46 🔽 🗖 Warewashing facilities: installed, maintained, &							
20 X Proper cold holding temperatures									
21 🛛 🗋 🔲 Proper date marking & disposition									
22 M C C Time as a public health control: procedures &		48 X H Hot & cold water available; adequate pressure							
Consumer Advisory .2653		49 🛛 🗌 Plumbing installed; proper backflow devices							
23 2 Consumer advisory provided for raw or undercooked foods		50 🛛 🗌 Sewage & waste water properly disposed 🖾 🗍 🗋							
Highly Susceptible Populations .2653		51 M D Toilet facilities: properly constructed, supplied							
24 D B Pasteurized foods used; prohibited foods not offered	3140	Garbage & refuse properly disposed: facilities							
Chemical .2653, .2657									
25 C X Food additives: approved & properly used									
26 X D Toxic substances properly identified stored, & used		54 🛛 🗆 Meets ventilation & lighting requirements; 🛛 🖽 🗖 🗆 🗖							
Conformance with Approved Procedures .2653, .2654, .2658		Total Deductions: 9.5							
27 🖾 🗆 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	Division of Put								
North Carolina Department of Health & Human Services Page 1 of	DHHS is an equal opp Food Establishm	blic Health							

Comment Addendum to Food Establishment Increation Depart

	Comm	ent Adde	ndum to	F000 E8	stablishme	ent in	spection	Report	
Establishment Name: UMI JAPANESE STEAKHOUSE AND SUSHI			Establishment ID: 3034012455						
City: <u>WINS</u> County: <u>34</u> Wastewater Water Supp Permittee	Address: <u>1280 CR</u> STON SALEM 4 Forsyth System: I Municipal IV: I Municipal IV: I Municipal e: (336) 999-7227	/Community 🗌	_ Zip: 27103 On-Site System On-Site System	ate: <u>NC</u>	Inspection ☐ Re-Inspection Date: 10/15/202 Comment Addendum Attached?		Α		
relephon	e: (330) 999-1221				Email 3:				
			Tempe	erature Ol	oservations				
	Effec	tive Janua	ary 1, 2019	Old Ho	olding is no	w 41	degrees of	r less	
Item	Location	Temp	Item	Location	Т	emp It	em l	Location	Temp
Fried Tofu	cooked to	157	Salad	upright coole	er 4	1			
Salmon	final cook	179	Escolar	sushi station	n 3	9			
Fried Rice	cooked to	152	Yellow Tail	sushi station	n 3'	7			
Soup	hot holding	165	Salmon	sushi station	ı 3	7			
Soft Shell Crab	make-unit	47	Imitation Crab	sushi station	n 3	9			

46 166 Seafood Cake make-unit Hot Water dish machine 45 123 Hot Water Lettuce walk-in cooler 3-compartment sink 52 200 walk-in cooler 3-compartment sink Noodles Quat Sani

	First		Last		
Person in Charge (Print & Sign): Xiaobin		Chen		ar	
	First		Last		- 11
Regulatory Authority (Print & Sign): Victoria	a	Murphy		_h_	11h
REHS ID:2795 -	Murphy, Victoria			Verification Require	ed Date:
REHS Contact Phone Number: (336) 7	03-3814				
North Carolina Department of Health & Hu		Division of Pub s an equal opp	lic Health Environn ortunity employer.	nental Health Section	 Food Protection Program
ANN'S			ent Inspection Report, 3/	2013	



Establishment Name: UMI JAPANESE STEAKHOUSE AND SUSHI LOUNGE Establishment ID: 3034012455

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 1 2-102.11 Demonstration C: There was no food certified protection manager on duty during the start of the inspection. Upon request the person in charge shall demonstrate to the regulatory authority knowledge of foodborne disease prevention, application of the hazard analysis and critical control point principles, and the requirements of this code. The person in charge shall demonstrate knowledge by being a certified food protection manager who has shown proficiency of required information through passing a test that is part of an accredited program. The person in charge is not required to be a certified food protection manager when the food establishment is not operating and food is not being prepared, packaged, or served for immediate consumption.
- 6 2-301.14 When to Wash P: An employee was observed touching the trash can and proceeded to handling food items without washing hands. Food employees shall clean their hands and exposed portions of their arms immediately before engaging in food preparation including working with exposed food, clean equipment and utensils and unwrapped single-service and single-use articles and after engaging in activities that contaminate hands. CDI: Employee discarded food and washed hands.
- 7 3-301.11 Preventing Contamination from Hands P: An employee was observed touching ready-to-eat food after contact the trash can without washing hands. Food employees may not contact exposed ready-to-eat food with their bare hands and shall use suitable utensils such as deli tissue, spatulas, tongs, single-use gloves, or dispensing equipment. CDI: Employee discarded items.
- 20 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P: The following items measured at temperatures above 41 F: (walk-in cooler) lettuce (45 F), noodles (43 F-52 F), (make-unit) soft shell crab (47 F) and seafood cake (46 F). Potentially hazardous food shall be maintained at a temperature of 41 F or below. CDI: PIC discarded items after education was given.
- 33 3-501.13 Thawing C: A pan of vacuum sealed salmon were observed thawing in a bowl of standing water. Potentially hazardous food shall be thawed under refrigeration that maintains the food temperature at 41 F or less, completely submerged under running water at a temperature of 70 F or below.
- 42 4-901.11 Equipment and Utensils, Air-Drying Required REPEAT-C: Stacks of dishes are being stacked wet in the dish area. After cleaning and sanitizing, equipment shall be air-dried.
- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C: Styrofoam cups were observed sitting in standing water beside the drink machine. Single-service and single use articles shall be stored in a clean, dry location/single-service and single-use articles shall be kept in the original protective package or stored by using other means that afford protection from contamination until used.
- 47 4-602.13 Nonfood Contact Surfaces -REPEAT- C: Cleaning is needed to/on the following: over head shelving on the serving line, ceiling, light shield, and wall of beer cooler, and on the outside of equipment. Nonfood-contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.
- 53 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C: Recaulk back hand sink to the wall./Recaulk around toilet in employee restroom. Physical facilities shall be maintained in good repair. //6-501.12 Cleaning, Frequency and Restrictions -REPEAT- C: Cleaning is needed on walls throughout the facility and floors under equipment. Physical facilities shall be cleaned as often as necessary to keep them clean.