Food Establishment Inspection Report Score: 97 Establishment Name: INDUSTRIES FOR THE BLIND CAFET Establishment ID: 3034011583 Location Address: 7730 N POINT BLVD Date: 02/17/2021 City: WINSTON SALEM Status Code: S State: NC Zip: 27106 County: 34 Forsyth Time In:9:15 AM Time Out: 11:20 AM Permittee: SERVICES FOR THE BLIND Total Time: 2 hrs 5 min Telephone: (336) 759-0551 Category #: IV FDA Establishment Type: Full-Service Restaurant Wastewater System: Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 3 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 0 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. CDI R VR CDI R VR IN OUT N/A N/O Compliance Status I IN OUTIN/AIN/O Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 28 🗆 🗆 🗆 Pasteurized eggs used where required Employee Health 200 29 🛛 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 15 0 Variance obtained for specialized processing 30 methods Proper use of reporting, restriction & exclusion Food Temperature Control .2653, .2654 Proper cooling methods used; adequate equipment for temperature control Good Hygienic Practices .2652, .2653 31 🛛 🗀 Proper eating, tasting, drinking, or tobacco 2 1 0 32 🖾 🗆 🗆 🗆 Plant food properly cooked for hot holding 190 -5 1 0.5 0 No discharge from eyes, nose or mouth 33 🖾 🗆 🗆 🗆 Approved thawing methods used |D||2||0||-||-Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🖾 🗆 Thermometers provided & accurate 6 M ΙП Hands clean & properly washed 4 2 0 No bare hand contact with RTE foods or pre Food Identification 1.9 () X ΙП approved alternate procedure properly followe 35 🖾 🗀 Food properly labeled: original container 8 \square 10 Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2657 .2653. .2655 Approved Source Insects & rodents not present; no 36 🛛 🗀 unauthorized animals \boxtimes Food obtained from approved source 2 1 0 Contamination prevented during food preparation, storage & display امام اماما 37 🖾 🗀 10 1 0 Food received at proper temperature 38 🛛 🗀 1 0.5 0 Personal cleanliness 11 Food in good condition, safe & unadulterated 2 1 0 39 🛛 🗀 Wiping cloths: properly used & stored Required records available: shellstock tags 2 1 0 40 🖾 🖂 Washing fruits & vegetables Protection from Contamination .2653, Proper Use of Utensils 3 1.5 0 41 🖾 🗀 In-use utensils: properly stored 14 3 15 🔀 🗆 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored 42 🖾 🗀 Proper disposition of returned, previously dried & handled 15 🛛 🗆 Served, reconditioned, & unsafe food
Potentially Hazardous Food Time/Temperature .2653 Single-use & single-service articles: properly 43 🖾 🗆 44 🛛 🗀 3 15 0 Gloves used properly Utensils and Equipment .2653, .2654, .2663 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🗆 🗆 Proper cooling time & temperatures 3 1.5 0 Warewashing facilities: installed, maintained, & used; test strips 19 ☐ Proper hot holding temperatures 3 13 X X \Box 46 🖾 🗆 □ Proper cold holding temperatures 1.5 () 47 🛛 🗀 Non-food contact surfaces clean 21 3 1.5 0 Physical Facilities .2654, .2655, .2656 \boxtimes Proper date marking & disposition Time as a public health control:procedures Hot & cold water available; adequate pressure 48 🖾 🗀 🖂 210 & records 49 🛛 🗆 200 o o l Consumer Advisory Plumbing installed; proper backflow devices Consumer advisory provided for raw or 23 🗆 🗆 🖾 1030 50 🗆 🖾 Sewage & waste water properly disposed undercooked foods Highly Susceptible Populations Toilet facilities: properly constructed, supplied 🗖 🖂 🖂 🖂 Pasteurized foods used; prohibited foods not 3 13 0 51 🖾 🗀 🗀 24 🗆 🗆 🖾



Chemical

Conformance

П

27



2653, .2657

Food additives: approved & properly used Toxic substances properly identified stored.

with Approved Procedures .2653, .2654, .265

process, reduced oxygen packing criteria or HACCP plan

Compliance with variance, specialized

52 🕅 🗆

53 🔲 🛛

54 🖾 🗆

Total Deductions:

Physical facilities installed, maintained & clean

Meets ventilation & lighting requirements; designated areas used

1 0.5 0

210000

Comment Addendum to Food Establishment Inspection Report							
Establishment Name: INDUSTRIES FOR THE BLIND CAFET	Establishment ID: 3034011583						
Location Address: 7730 N POINT BLVD City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27106 Wastewater System: ☑ Municipal/Community ☐ On-Site System Water Supply: ☑ Municipal/Community ☐ On-Site System Permittee: SERVICES FOR THE BLIND Telephone: (336) 759-0551	X Inspection						
Temperature Observations							
Effective January 1, 2019 Cold Holding is now 41 degrees or less							

Effective January 1, 2019 Cold Holding is now 41 degrees or less								
Item	Location	Temp	Item	Location	Temp Item	Location	Temp	
ServeSafe	Sakoiya Funderburk 6/24/24	0	tuna salad	reach in make unit	41			
hot water	3 comp sink	130	cheese	reach in make unit	41			
chlorine sanitizer	ppm 3 comp sink	100	turkey	reach in make unit	40			
meatloaf	final cook temp	183	chicken wings	back upright cooler	36			
sausage	hot holding	118	ambient air	second reach in	36			
sausage	reheat	171						
fried chicken	hot holding	136						
grits	hot holding	157						
bologna	hot holding	167						
tater tots	hot holding	161						
eggs	hot holding	157						
cut mango	glass cooler	39						
salad	glass cooler	39						
shredded cheese	reach in cooler	40						
slaw	reach in cooler	40						
sausage	upright cooler	38						
ham	make unit	37						
tomatoes	make unit	38						
lettuce	make unit	40						
chicken salad	make unit	41					·	

First

First

Last

Person in Charge (Print & Sign): Sakoiya

Funderburk

Regulatory Authority (Print & Sign): Lauren


Last

Pleasants

REHS ID: 2809 - Pleasants, Lauren

Verification Required Date: 02/18/2021









Comment Addendum to Food Establishment Inspection Report

Establishment Name: INDUSTRIES FOR THE BLIND CAFET Establishment ID: 3034011583

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency C- Ice chutes of drink machines soiled with microbial growth on inside seams. Components of ice machines shall be cleaned at a frequency necessary to preclude the accumulation of soil or mold. 0 pts.
- 3-501.16 (A)(1) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P Sausage patties at steam table measured 118-143F. TCS foods shall be maintained hot at 135F or above. CDI- Sausage reheated in oven and measured 171F. 0 pts.
- 7-201.11 Separation-Storage P Several bottles of bleach stored on shelf over pots and pans. Poisonous or toxic materials shall be stored so they can not contaminate food, equipment, utensils, linens, and single-service and single-use articles by separating the poisonous or toxic materials by spacing or partitioning, or locating them in an area that is not above food, equipment, utensils, linens, and single-service and single-use articles. CDI-Bleach bottles moved to bottom shelf below pots and pans.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C REPEAT- Repair broken drawer of prep table next to warewashing sink and cook line. Remove minor rust spots from lid and ledge of make unit. Replace torn gasket on left door of make unit. Replace broken sneezeguard at steam table. Recaulk back seam of hood. Equipment shall be maintained in good repair.
- 5-402.13 Conveying Sewage P Wastewater backed up from floor drain underneath steam table when REHS was using kitchen handwashing sink. Sewage shall be conveyed to the point of disposal through an approved sanitary sewage system that is constructed, maintained, and operated according to law. CDI- Kitchen was closed for duration of inspection and until repairs are completed. VERIFICATION of repair required as soon as possible. Contact Lauren Pleasants at (336)703-3144 or pleasaml@forsyth.cc when repairs are completed.
- 6-501.12 Cleaning, Frequency and Restrictions C Wall cleaning needed at can wash. Physical facilities shall be cleaned at a frequency necessary to maintain them clean. 0 pts.