Food Establishment Inspection Report Score: <u>98.5</u>									
Establishment Name: STARBUCKS #11926 Establishment ID: 3034014104									
Location Address: 2898 REYNOLDA ROAD	⊠Inspection □ Re-Inspection								
City: WINSTON SALEM		Date: 04/10/2014 Status Code: A							
·		$\frac{Date. \underline{\emptyset 4}}{Time In: \underline{\emptyset 9}} : \underline{45} \bigcirc_{pm}^{\otimes am} Time Out: \underline{11} : \underline{40} \bigcirc_{pm}^{\otimes am}$							
Zip: 27106 County: 34 Forsyth		$\frac{1110}{100} = \frac{100}{100} =$							
Permittee: <u>STARBUCKS COFFEE CO.</u>					bgory #: II				
Telephone:					· ·				
Wastewater System: Municipal/Community	_]On-Site Sys	tem			Establishment Type: Fast Food Restaurant				
No. of Risk Factor/Intervention Violations:									
Water Supply:       Municipal/Community       On-Site Supply         No. of Repeat Risk Factor/Intervention Violations:         Foodborne Illness Risk Factors and Public Health Interventions         Risk factors:       Contributing factors that increase the chance of developing foodborne illness.         Public Health Interventions:       Cond Retail Practices:         Good Retail Practices:       Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.									
IN OUT N/A N/O Compliance Status	OUT CDI R VR			N/A					
Supervision         .2652           1         Image: Comparison of the second seco			<u> </u>		d Water .2653, .2655, .2658				
accredited program and perform duties		28 🗆		X	Pasteurized eggs used where required				
Employee Health     .2652       2 X	31.50	29 🛛			Water and ice from approved source 210				
Tesponsibilities & reporting		30 🗌		$\mathbf{X}$	Variance obtained for specialized processing				
3 X Proper use of reporting, restriction & exclusion	31.50		<u> </u>	pera	ature Control .2653, .2654				
Good Hygienic Practices     .2652, .2653       4 🛛 -     Proper eating, tasting, drinking, or tobacco use		31 🛛			Proper cooling methods used; adequate aupment for temperature control				
		32 🗆		×	Plant food properly cooked for hot holding				
5 🛛 🗌 No discharge from eyes, nose or mouth		33 🛛			Approved thawing methods used				
Preventing Contamination by Hands       .2652, .2653, .2655, .2656         6 🛛	42000	34 🛛			Thermometers provided & accurate				
No hare hand contract with DTE foods or pro		Food		tifica					
/ 🖾 🗀 🗀 approved alternate procedure properly followed	31.50	35 🛛			Food properly labeled: original container				
8 🛛 🗆 Handwashing sinks supplied & accessible	210000	Preve	entio	n of	Food Contamination .2652, .2653, .2654, .2656, .2657				
Approved Source .2653, .2655		36 🗆	X		Insects & rodents not present; no unauthorized				
9 🛛 🗌 Food obtained from approved source	210	37 🛛			Contamination prevented during food				
10   Image: Second state     Food received at proper temperature	210 🗆 🗆 🗆	38 🗙			Personal cleanliness				
11     Image: Second state in the second	210	39 🛛		_					
12 D Required records available: shellstock tags, parasite destruction	210		_	-					
Protection from Contamination .2653, .2654		40 🗆			Washing fruits & vegetables				
13 🛛 🗆 🗆 Food separated & protected	31.50	41 🔀	er us	se or	f Utensils .2653, .2654				
14     Image: Second and the second and	3150								
15 X D Proper disposition of returned, previously served, reconditioned, & unsafe food	210 🗆 🗆 🗆	42 🔀			Utensils, equipment & linens: properly stored,				
Potentially Hazardous Food Time/Temperature .2653		43 🗌	X		Single-use & single-service articles: properly				
16 🗆 🗖 🔀 🔲 Proper cooking time & temperatures	3150	44 🛛			Gloves used properly				
17 🗆 🖾 🖾 Proper reheating procedures for hot holding	31.50	Utens	sils a	ind E	Equipment .2653, .2654, .2663				
18 🔲 🗍 🔀 🔲 Proper cooling time & temperatures	31.50	45 🗆	$\mathbf{X}$		Equipment, food & non-food contact surfaces approved, cleanable, properly designed,				
19  Proper hot holding temperatures	31.50	46 🛛			Constructed, & used Warewashing facilities: installed, maintained, & 1050				
20 X _ Proper cold holding temperatures	31.50								
		47 🔀 Physi		Tacili	Non-food contact surfaces clean				
21       X       Image: Constraint of the second se	31.50	48 🔀			lities .2654, .2655, .2656 Hot & cold water available; adequate pressure 210000				
	210								
Consumer Advisory     .2653       23									
23         Image: Consumer advisory provided for raw of undercooked foods           Highly Susceptible Populations         .2653		50 🛛			Sewage & waste water properly disposed				
24 Pasteurized foods used; prohibited foods not	31.50	51 🛛			Toilet facilities: properly constructed, supplied         & cleaned				
24         Image: Chemical         offered           Chemical         .2653, .2657		52 🔀			Garbage & refuse properly disposed; facilities				
25 C K Food additives: approved & properly used		53 🔀			Physical facilities installed, maintained & clean				
26 🛛 🗌 🔲 Toxic substances properly identified stored, & used		54 🗆	X		Meets ventilation & lighting requirements;				
Conformance with Approved Procedures .2653, .2654, .2658			<b>"</b> "						
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210				Total Deductions: 1.5				
	ces	Iblic He	alth	• Er	Environmental Health Section • Food Protection Program				
DHHS is an equal opportunity employer.									



## **Comment Addendum to Food Establishment Inspection Report**

Establishr	Establishment Name: STARBUCKS #11926				Establishment ID: 3034014104						
City: <u>WI</u> County: Wastewate Water Sup	cation Address:       2898 REYNOLDA ROAD         y:       WINSTON SALEM       State: NC         unty:       34 Forsyth       Zip: 27106         stewater System:       Municipal/Community       On-Site System         ter Supply:       X Municipal/Community       On-Site System         rmittee:       STARBUCKS COFFEE CO.         ephone:       State: NC			Inspection Comment Add Email 1: Email 2: Email 3:		Date: 04/10/2014 Status Code: A Category #: II					
			Tempe	erature Ob	servation	S					
ltem air temp	Location sandwich cooler	Temp 34	ltem QA sanitizer	Location utensil sink		Temp 300	Item	Location	Temp		
milk	in-use	44	QA sanitizer	container at	espresso	200					

air temp	cooler at drive thru	38	Jessica Lake	servsafe expires	00		
air temp	display cooler	39					
milk	walk-in cooler	35					
milk	walk-in cooler	37					
hot water	utensil sink	152	_				-
			Observation	s and Correctiv	e Actions		

plate temp dish machine 165

final rinse

milk

cooler beneath espresso 40

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

6-501.111 Controlling Pests. There are a few flies in the kitchen and dining room. There are a few fruit flies beneath the counters. 36 Be sure to contact a pest control operator to help prevent flying insects.

- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing. There were a few stacks of single service cups with the rims of the cups exposed. The rims of the cups must be protected from contamination either by keeping them in a dispenser or by keeping the wrappers over the cups until they are individually dispensed.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment.0-pts. The bagel slicer is cracked on the base and shield. There is a small leak around the dish machine. The bagel slicer needs to be replaced and the dish machine has a work order turned in.

Person in Charge (Print & Sign):	Michele	First	Parrish	Last	Michel Barrish			
Regulatory Authority (Print & Sign)	Christy	First	Allred	Last	Offerp			
REHS ID	1958		_ Verification Required Date: / /					
REHS Contact Phone Number: (336) 703 - 3135								
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.								

Spell

Establishment Name: STARBUCKS #11926

Establishment ID: 3034014104

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

54 6-202.11 Light Bulbs, Protective Shielding. The light shield on the back wall of the walk-in cooler is cracked. Need to repair the light shield.





## **Comment Addendum to Food Establishment Inspection Report**

Establishment Name: STARBUCKS #11926

Establishment ID: 3034014104

**Observations and Corrective Actions** Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



**√** Spell

Establishment Name: STARBUCKS #11926

Establishment ID: <u>3034014104</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: STARBUCKS #11926

Establishment ID: 3034014104

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell