H	00	)d	E	St	ablishment Inspection	Re	<b>p</b>	00	rt							Score:	6	7.	5	_
Es	tal	olis	hn	nen	it Name: THE GRILL								E	Est	ablishment ID: 3034012023					
					ess: 627A NORTH MAIN STREET										Inspection ☐ Re-Inspection					
City: KERNERSVILLE State							ate: NC Date: <u>Ø 1</u> / <u>1 3</u> / <u>2 Ø 1 7</u> Status Code							Α						
Zip: 27284 County: 34 Forsyth								Time In: $01:40\%$ pm Time Out: $02:40\%$ pm												
										To	ota	ıl T	ime: 1 hr 0 minutes		М	"				
emittee.													ory #: II							
Telephone: (336) 992-5258											_	stablishment Type: Fast Food Restaura	nt		-					
W	ast	ew	/ate	er S	System: 🛛 Municipal/Community 🏾	Or	ı-S	Site	Sys	ste	m	LI N	)A	\ ⊑:	Risk Factor/Intervention Violation	<u>c: 0</u>				_
W	ate	r S	Sup	ply	r: ⊠Municipal/Community □On-	Site	Sι	qqı	ly						Repeat Risk Factor/Intervention \		<u> </u>			
										1					•	ioidioi	_			=
					ness Risk Factors and Public Health Into	-		_			_			_	Good Retail Practices					
					buting factors that increase the chance of developing foodb ventions: Control measures to prevent foodborne illness or		iess	S.			Goo	a Ke	taıı	Prac	ctices: Preventative measures to control the addition of and physical objects into foods.	patnogens,	cner	nica	IS,	
	IN	OUT	N/A	N/O	Compliance Status	OUT		CDI	R VR		IN	OUT	N/A	N/O	Compliance Status	ОИТ		CDI	R	VR
		rvis	ion		.2652					S	afe I	000	d an	nd W	/ater .2653, .2655, .2658					
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2	0			28			×		Pasteurized eggs used where required	1 0.5	0			
			e He	alth	.2652					29	×				Water and ice from approved source	2 1	0			
2	X				Management, employees knowledge; responsibilities & reporting	3 1.5	0			30			X		Variance obtained for specialized processing methods	1 0.5	0			
3	X				Proper use of reporting, restriction & exclusion	3 1.5	0			F	ood	Tem	npei	ratu	re Control .2653, .2654					
			gien	ic Pr	ractices .2652, .2653			<u> </u>		31	X				Proper cooling methods used; adequate equipment for temperature control	1 0.5	0			
4	X				Proper eating, tasting, drinking, or tobacco use	2 1	0	Щ		32				×	Plant food properly cooked for hot holding	1 0.5	0			
5	X				No discharge from eyes, nose or mouth	1 0.5	0			33	×				Approved thawing methods used	1 0.5	0	П	П	П
		entin	ig Co	ontai	mination by Hands .2652, .2653, .2655, .2656					Ι⊢	×				Thermometers provided & accurate	1 0.5	0			Ē
6	X				Hands clean & properly washed  No bare hand contact with RTE foods or pre-	4 2				١∟			ntifi	catio	· ·					
7	X	Ш	Ш	Ш	approved alternate procedure properly followed	3 1.5	0	ЦΙ	ᆜᆜ		X				Food properly labeled: original container	2 1	0			Б
8	×				Handwashing sinks supplied & accessible	2 1	0			P	reve	ntio	n o	f Fo	od Contamination .2652, .2653, .2654, .2656,	.2657				
		ove	d So	urce					-1-	36	X				Insects & rodents not present; no unauthorized animals	1 2 1	0			
9	X				Food obtained from approved source	2 1	0			37	×				Contamination prevented during food preparation, storage & display	2 1	0			
10				X	Food received at proper temperature		0	ЦЦ	4	38	×				Personal cleanliness	1 0.5	0			П
11	X				Food in good condition, safe & unadulterated	2 1	0			l	×				Wiping cloths: properly used & stored	1 0.5	О		П	Ē
12			X		Required records available: shellstock tags, parasite destruction	2 1	0			l	×			1	Washing fruits & vegetables	1 0.5	$\vdash$			F
$\overline{}$					contamination .2653, .2654				-1-	ι∟		r Us	se o	of Ut	ensils .2653, .2654		۳			H
	X			Ш	Food separated & protected	3 1.5	0	Щ	44		X				In-use utensils: properly stored	1 0.5	0			
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5	0			1	×				Utensils, equipment & linens: properly stored,	1 0.5	$\vdash$	$\rightarrow$		-
15	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	2 1	0			l <del></del>	×				dried & handled Single-use & single-service articles: properly	1 0.5				Ē
	oter	ntial	ly Ha		dous Food Time/Temperature .2653					╌	_	$\equiv$			stored & used					H
16				×	Proper cooking time & temperatures	3 1.5	0			-	×	:1		F.···	Gloves used properly	1 0.5	0		Ш	브
17	Ш	Ш	Ш	X	Proper reheating procedures for hot holding	3 1.5	0	Щ		4			ina	Equ	ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces					
18				X	Proper cooling time & temperatures	3 1.5	0			45	Ш	×			approved, cleanable, properly designed, constructed, & used	2 🗶	0	Ш	X	Ľ
19	X				Proper hot holding temperatures	3 1.5	0			46	X				Warewashing facilities: installed, maintained, a used; test strips	§ 1 0.5	0			
20	X				Proper cold holding temperatures	3 1.5	0			47	X				Non-food contact surfaces clean	1 0.5	0			
21	X				Proper date marking & disposition	3 1.5	0			Р	hysi	cal I	Fac	ilitie	es .2654, .2655, .2656					
22			X		Time as a public health control: procedures & records	2 1	0			48	X			]	Hot & cold water available; adequate pressure	2 1	0			
C	ons	ume	er Ac	lvisc						49	X				Plumbing installed; proper backflow devices	2 1	0			
23			X		Consumer advisory provided for raw or undercooked foods	1 0.5	0			50	X				Sewage & waste water properly disposed	2 1	0			
ŀ	lighl	y Sı		ptibl	e Populations .2653					51	×				Toilet facilities: properly constructed, supplied & cleaned	1 0.5	0			Б
24			×		Pasteurized foods used; prohibited foods not offered	3 1.5	0			l —	×	П	Ť		Garbage & refuse properly disposed; facilities	1 0.5				Ē
	nen	nica			.2653, .2657	1 6 5				┞					Physical facilities installed, maintained & clear					E
25		<u> </u>	×		Food additives: approved & properly used		0		_  _	53	-	X			Physical facilities installed, maintained & clear  Meets ventilation & lighting requirements;		$\vdash$	_	X	-
26	X	Ш	Ш		Toxic substances properly identified stored, & used	2 1	0	니[	니니	54		X			designated areas used	<b>X</b> 0.5	0	$\sqcup$	X	닏



Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 2.5

EStabiiSniii	ent Name: THE GRILL			Establishment II	): 3034012023		
Location A	Address: 627A NORTH N	MAIN STREET			Re-Inspection	Date: 01/13/20	)17
	NERSVILLE		State: NC_	Comment Addendum	Attached?	Status Code:	Α
County: 3	34 Forsyth	Zip	D:			Category #:	
	r System: 🛽 Municipal/Comm			Email 1: matthew_	mp@hotmail.com		
Water Supp	oly: 🛛 Municipal/Comm : MERCY & GRACE ONE		te System	Email 2:			
	e: (336) 992-5258			Email 3:			
•			Temperature (	 Observations			
tem Servsafe	Location Jose Salgado 09/20/21	Temp Item	<u> </u>		Item	Location	Temp
Hot water	3 compartment sink						
Chlorine	Bottle	200					
Tomatoes	Upright cooler	44					
Lettuce	Upright cooler	43					
Chili	Hot hold	163					
		Oho	oryations and (	Corrective Actions			
	Violations cited in this repor					of the food code.	
	maintained in good repa		e cabinet; recaulk v	entilation hood; chippe	ement needed on ed laminate on wh		
shall be		ir. ngs-Cleanabil troom. Physic	lity - C- REPEAT. S cal facilities shall be	eal/caulk base of toile easily cleanable.// 6-	ed laminate on what in men's restroo 501.12 Cleaning,	hite cabinet. Equ om. Replace wat Frequency and	uipment er
6-201.11 damage Restriction	maintained in good repa I Floors, Walls and Ceilin d ceiling tile in men's res	ir. ngs-Cleanabi troom. Physic d on FRP pa	lity - C- REPEAT. S cal facilities shall be nels behind fryer ar v lighting measured	eal/caulk base of toile easily cleanable.// 6- d grill equipment. Phy inside men's and won	ed laminate on what in men's restroof 501.12 Cleaning, sical facilities sha	hite cabinet. Equ om. Replace wat Frequency and all be kept clean	uipment er
6-201.11 damage Restriction	maintained in good repart I Floors, Walls and Ceiling d ceiling tile in men's resons - C- Cleaning neede	ngs-Cleanabi troom. Physic of on FRP par REPEAT. Low candles in res	lity - C- REPEAT. S cal facilities shall be nels behind fryer ar v lighting measured	eal/caulk base of toile easily cleanable.// 6- d grill equipment. Phy inside men's and won	ed laminate on what in men's restroof 501.12 Cleaning, sical facilities sha	hite cabinet. Equ om. Replace wat Frequency and all be kept clean	uipment er
6-201.11 damaged Restriction 6-303.11 Lighting	maintained in good reparts  I Floors, Walls and Ceiling tile in men's resons - C- Cleaning neede  I Intensity-Lighting - C- F shall be at least 20 foot	ir.  ngs-Cleanabiletroom. Physical on FRP particular pa	lity - C- REPEAT. S cal facilities shall be nels behind fryer ar v lighting measured strooms. Increase li	eal/caulk base of toile easily cleanable.// 6-d grill equipment. Phy inside men's and wonghting.	ed laminate on what in men's restroof 501.12 Cleaning, sical facilities sha	hite cabinet. Equ om. Replace wat Frequency and all be kept clean	uipment er

REHS Contact Phone Number: (336)703 - 3135



45



Establishment Name: THE GRILL Establishment ID: 3034012023

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: THE GRILL Establishment ID: 3034012023

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: THE GRILL Establishment ID: 3034012023

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: THE GRILL Establishment ID: 3034012023

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



