H	00	)d	Ŀ	.SI	tablisnment inspection	Ke	<u>e</u> r	00	rt				_	_		Score:	94	<u> </u>	_
Es	tal	olis	hn	ner	nt Name: STRATFORD STATION GRILL								E	Est	ablishment ID: 3034011144				
					ress: 828 SOUTH STRATFORD RD														
City: WINSTON SALEM State: NC							Date: Ø 6 / 2 Ø / 2 Ø 1 7 Status Code: A												
Zip: 27103 County: 34 Forsyth								Time In: <u>Ø 8</u> : <u>3 Ø <math>\stackrel{\otimes}{\circ}</math> pm</u> Time Out: <u>1 1</u> : <u>3 Ø <math>\stackrel{\otimes}{\circ}</math> pm</u>											
	o. erm				GN AND J CORTESIS INC										ime: 3 hrs 0 minutes		F		
												C	ate	ego	ory #: _IV				
					(336) 659-1983	¬_		···				FI	DΑ	E E	stablishment Type: Full-Service Restau	ırant	_		
					System: Municipal/Community				•	ster	m				Risk Factor/Intervention Violation				
W	ate	r S	up	ply	y: ⊠Municipal/Community □ On-	Site	Sı	Jpp	ly						Repeat Risk Factor/Intervention \		s:_	2	
	Foo	dha	orne	e III	ness Risk Factors and Public Health Int	erver	ntic	าทร							Good Retail Practices				
ı	Risk factors: Contributing factors that increase the chance of developing foodborne illness.									Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,									
Ľ					ventions: Control measures to prevent foodborne illness o				_	╢	T			T	and physical objects into foods.	1	1		T
(	Supe	OUT		N/O	Compliance Status	OUT		CDI	R VR	-		OUT		_	Compliance Status   /ater	OUT	C	DI R	VR
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2	0			28				Ť	Pasteurized eggs used where required	1 0.5	0		Б
E	mpl			alth	accredited program and perform duties .2652					┵	×		_	$\vdash$	Water and ice from approved source	21	0	1	振
2	×				Management, employees knowledge; responsibilities & reporting	3 1.5	0		JE	30	-		×	$\vdash$	Variance obtained for specialized processing		0 [	1 -	卡
3	×				Proper use of reporting, restriction & exclusion	3 1.5	0					Tem			methods .2653, .2654		<u> </u>	715	
-		Ну	gien	ic P	ractices .2652, .2653					31		X	ات م.	Lutu	Proper cooling methods used; adequate equipment for temperature control	1 0.5	×		ī
4	×				Proper eating, tasting, drinking, or tobacco use	2 1	0			II—	<u> </u>			$\vdash$	Plant food properly cooked for hot holding	1 0.5	+		振
5	×				No discharge from eyes, nose or mouth	1 0.5	0			33	-	×			Approved thawing methods used	1 🗷	= -		耑
-			g C	onta	mination by Hands .2652, .2653, .2655, .2656					╙				屵		1 0.5	0 [	7 -	H
$\vdash$	X				Hands clean & properly washed	4 2	0		1	1	ood		ntifi/	Catio	Thermometers provided & accurate on .2653	[1][0.5]	U L	니느	111
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5	0			-	×		Itilit	Latit	Food properly labeled: original container	2 1	0	٦IF	П
8											드	n of	f Fo	od Contamination .2652, .2653, .2654, .2656	, .2657		-1-	Ë	
-	Appr	ove	So	urce						36	×				Insects & rodents not present; no unauthorize animals		0		ī
9	×				Food obtained from approved source		0			37	×			T	Contamination prevented during food preparation, storage & display	21	0	1	市
⊢				X	Food received at proper temperature	2 1	$\exists$		4	1	×			H	Personal cleanliness	1 0.5	0	1	古
11	X				Food in good condition, safe & unadulterated	2 1	0			39	-	×		$\vdash$	Wiping cloths: properly used & stored	1 0.5	= -	1	振
12			X		Required records available: shellstock tags, parasite destruction	2 1	0			1	×		П	$\vdash$	Washing fruits & vegetables		0 [	7 -	干
					Contamination .2653, .2654				71-	Proper Use of Utensils .2653, .2654							71-		
$\vdash$	X		Ш	Ш	Food separated & protected	+	0				×				In-use utensils: properly stored	1 0.5	0		垣
14		X			Food-contact surfaces: cleaned & sanitized  Proper disposition of returned, previously served,	3 🗙	$\exists$		X L	42		×		T	Utensils, equipment & linens: properly stored, dried & handled	1 0.5	X		古
_	Nota:			0=:	reconditioned, & unsafe food	2 1	0			-	<u> </u>			$\vdash$	Single-use & single-service articles: properly stored & used	1 0.5	0 [	1-	振
	oter	itial	y Ha □	azar 	dous Food TIme/Temperature .2653  Proper cooking time & temperatures	3 1.5	П		7	₹—				$\vdash$	Gloves used properly	1 0.5	0 [		耑
		] [2	_	H			=		X C			ils a	and	Ean	lipment .2653, .2654, .2663	[1][0.3]	<u> </u>	-11-	뽀
17		X			Proper reheating procedures for hot holding		-			45		X			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	2 1	X		T
18			<u></u>	브	Proper cooling time & temperatures	3 🗙	_	XII.	<u> </u>	Ήμ				_	constructed, & used			1	#
H	×				Proper hot holding temperatures	3 1.5	=			46	×				Warewashing facilities: installed, maintained, used; test strips	& 1 0.5	0		
20		X			Proper cold holding temperatures	3 1.5	X	X	4	47	_	×			Non-food contact surfaces clean	1	0		
21	×				Proper date marking & disposition	3 1.5	0				hysi	cal I	Faci	ilitie	, ,			71.	
22			X		Time as a public health control: procedures & records	2 1	0			48	-		ᆜ	-	Hot & cold water available; adequate pressure			<u> </u>	#
	Cons	ume	r Ac	dvis	consumer advisory provided for raw or				71	<b>1</b> ⊢	×				Plumbing installed; proper backflow devices	2 1	0		1
_	liabl	V C.		ntib	undercooked foods le Populations .2653	1 0.5	0	니니	<u> </u>	i —	×				Sewage & waste water properly disposed	2 1	0		1
24	Ľ	اد و □	ISCE	μιιυ	Pasteurized foods used; prohibited foods not	3 1.5	0		7	51	×				Toilet facilities: properly constructed, supplied & cleaned	1 0.3	0		] 🗆
_	Chen	nical			offered .2653, .2657	النارات				52	×				Garbage & refuse properly disposed; facilities maintained	1 0.5	0		
25			Ż		Food additives: approved & properly used	1 0.5	0			53		×			Physical facilities installed, maintained & clear	n 🗆 🔀	0		
26	×				Toxic substances properly identified stored, & used	2 1	0			54	×			T	Meets ventilation & lighting requirements; designated areas used	1 0.5	0		古
_			_		I .		ш	_		<b></b>	1				1 ==3.74104 41.040 4004				



27 🗆 🗆 🗷

Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



210 - -

**Total Deductions:** 

Establishment Name: STRATFORD STATION GRILL	Establishment ID: 3034011144					
Location Address: 828 SOUTH STRATFORD RD						
City: WINSTON SALEM State: No.	C Comment Addendum Attached?  Status Code: A					
County: 34 Forsyth Zip: 27103	Category #:					
Wastewater System:   Municipal/Community □ On-Site System  Water Supply:   Municipal/Community □ On-Site System	Email 1: stratfordstationgrill@yahoo.com					
Permittee: GN AND J CORTESIS INC	Email 2:					
Telephone: (336) 659-1983	Email 3:					

Temperature Observations												
Item hot water	Location 3 compartment sink	Temp 150	Item cut melon	Location inside prep unit	Temp 41	Item gravy	Location steam table	Temp 182				
hot water	dish machine	165	potatoes	stovetop hot holding	161	sausage	steam table	166				
soup	steam unit	93	taco meat	glass door cooler	41	omelet	cook temp	187				
gytomatoro	prep unit	47	yogurt	glass door cooler	40	chlorine	spray bottle	100				
ham	prep unit	42	sausage	upright cooler	38	lemon	dessert cooler	43				
shrimp	walk in cooler	38	burger meat	upright cooler	39	milk	upright cooler	41				
chix salad	prep unit	41	potatoes	cook temp	177	stuffing	walk in cooler	82				
gyro meat	inside prep unit	41	green beans	steam unit	177	chix	walk in cooler	39				

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

5-205.11 Using a Handwashing Sink-Operation and Maintenance - PF 0 points. Front hand sink had ice in bottom at start of inspection. Hand sinks shall be kept clean and available for hand washing only. They may not be used as a dump sink, warewashing or storage. CDI. Spoke with PIC about keeping hand sinks clear for hand washing.



- 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils P Reeat violation(different circumstances). One stack of plates next to toaster on cook line had toast crumbs on all plates in stack. Food contact surfaces shall be clean to sight and touch. CDI. Plates sent to be washed during inspection. Recommend relocating stack of plates away from toaster.
- 3-403.11 Reheating for Hot Holding P Repeat violation. Soup on stesm unit 93 degrees. Soup had not been heated properly before being placed on steam unit. Use stovetop, microwave or grill to reheat food pans to 165 degrees before placing in hot holding. CDI. Soup returned to stove and heated to 175 degrees.

Person in Charge (Print & Sign):

George

First

Kortesis

Kortesis

First

Regulatory Authority (Print & Sign):

Amanda

Taylor

REHS ID: 2543 - Taylor, Amanda

Verification Required Date: / /

REHS Contact Phone Number: (336) 703 - 3136



Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



3-501.14 Cooling - P Breading/stuffing prepared yesterday in walk in cooler 82 degrees. Food was left in pan with lid tightly covering it. Always allow air to circulate around cooling foods to facilitate cooling. CDI. Food discarded.

- 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P 0 points. Tomatoes on prep unit 47 degrees. Tomatoes had been sliced an hour earlier and placed directly on prep unit. Allow foods to cool to 45 degrees or less before placing on prep unit. CDI. Small amount of tomatoes was permitted to be used for duration of breakfast, then discarded if not used.
- 31 3-501.15 Cooling Methods PF 0 points. Pan of stuffing in walk in cooler had lid tighly attached. Always cover loosely and allow air to circulate when cooling foods CDI. Stuffing discarded.
- 33 3-501.13 Thawing C Repeat violation. Frozen shrimp and salmon in vacuum packaged plastic allowed to thaw in walk in cooler without opening packages. Frozen seafood must have air circulation around the product during thawing. Open packages of seafood when thawing the product. CDI. Seafood discarded.
- 39 3-304.14 Wiping Cloths, Use Limitation C 0 points. Wet wiping cloth found on prep surface along cook line. Once wiping cloths become wet, they must be stored in sanitizer solution of appropriate strength.
- 4-901.11 Equipment and Utensils, Air-Drying Required C 0 points. Pans on clean dish rack in dish area stacked wet. Allow dishes to air dry thoroughly before stacking.
- 45 4-101.11 Characteristics-Materials for Construction and Repair P 0 points. Cardboard boxes used as liner on shelf underneath oil. Do not use cardboard as a shelf liner as it it absorbent. Equipment materials shall be non porou, smoothe and easily cleanable. CDI. Cardboard removed.



18



Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Repeat violation. Cleaning needed on insides, outsides, legs and casters of all cook line equipment. Non food contact surfaces of equipment shall be kept clean.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Repeat violation. Regrout floors where needed throughout kitchen as grout is low in places. Replace moldy sealant where 3 compartmnt sink meets wall. Seal holes in brick at can wash. Repair flooring in dish area so that floor panel is flush with rest of floor.
  - 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Clean floors throughout facility as needed, especially underneath equipment.





Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: STRATFORD STATION GRILL Establishment ID: 3034011144

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



