Food Establishment Inspection Report Score: 92 Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004 Location Address: 602 PINEY GROVE RD City: KERNERSVILLE Date: 03/06/2018 Status Code: A State: NC Time In: $\underline{\emptyset} \ 9 : \underline{\emptyset} \ \underline{\emptyset} \ \underline{\emptyset} \ \underline{\otimes} \ \underline{am}$ Time Out: \emptyset $\overline{\mathcal{Q}}$: $\underline{15}_{\otimes}^{\bigcirc}$ am County: 34 Forsyth Zip: 27284 Total Time: 5 hrs 15 minutes BRADFORD VILLAGE WEST, LLC Permittee: Category #: IV Telephone: (336) 993-8711 FDA Establishment Type: Nursing Home No. of Risk Factor/Intervention Violations: 4 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O CDI R VR Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 \square 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used: adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 1 0.5 0 \square 5 П 1 0.5 0 | | | | No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656 1 0.5 0 \square 34 🗷 🗆 Thermometers provided & accurate 420 _ _ _ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -21000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗆 🔀 preparation, storage & display 10 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 Food in good condition, safe & unadulterated 39 🗆 🗷 Wiping cloths: properly used & stored Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 15 0 - -41 🗖 🗆 1 0.5 0 In-use utensils: properly stored 14 🗆 X Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 🗆 🗆 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210 0 0 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🗆 🔀 1 0.5 🗶 🗌 🗌 Potentially Hazardous Food Tlme/Temperature stored & used 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used 45 🗆 🗷 18 🔀 3 1.5 0 Proper cooling time & temperatures Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🗆 X 3**×**0× Proper cold holding temperatures |47| □ | 🔀 Non-food contact surfaces clean 21 🗆 Proper date marking & disposition 3 1.5 🗶 🔀 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 0 49 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀



|24| □ | □ | 🔀

25 | | | | | |

|27| 🗆 | 🗆 | 🔀

Chemical

26 🗵 🗆

Pasteurized foods used; prohibited foods not

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

.2653, .2657



1 0.5 0

52 🛭 🗆

53 🗆 🗷

54

& cleaned

maintained

designated areas used

Garbage & refuse properly disposed; facilities

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;

Total Deductions:

П

1 0.5 0

210 - -

	Comme	ent Adde	ndum to	Food E	<u>stablish</u>	nment l	nspection	Report	
Establishme	ent Name: BRADFO	RD VILLAGE V	VEST		Establis	hment ID	:_3034160004		
Location Address: 602 PINEY GROVE RD City: KERNERSVILLE State: NC			ate: NC		✓ Inspection ☐ Re-Inspection Comment Addendum Attached? ☐		Status Code: A		
Water Supp	System: 🛮 Municipal/C	ommunity	n-Site System		Email 1: Email 2:			Category #:	10
Telephone	e:_(336) 993-8711				Email 3:				
			Temp	erature O	bservatio	ons			
	Effect	ive Janua	·				nge to 41 de	arees	
Item quat sanitizer	Location spray bottle	Temp 300		Location cook temp		Temp 183		Location	Temp
quat sanitizer	3 compartment sink	400							
hot water	3 compartment sink	130							
hot water	dish machine	161							
eggs	stove top	72							
corn	stove top	73							
lettuce	walk in cooler	43							
chix salad	walk in cooler	42							
·	assed an ANSI appro			·					nd sheet nans
heavily shall b	y encrusted with gre re clean to sight and at 336-703-3136 wh	ase and carb touch. Verific	on buildup. cation of clea	Inner surface	s of ice ma	chine had	mold/mildew pre	esent. Food co	ntact surfaces
violatio	16 (A)(2) and (B) Po on. Cooked eggs left d held at 45 degrees	on plate at g	ırill 73 degre	es. Pot of co	rn on stove	e (heat off)	73 degrees. Pot		
Lock Text									
Person in Cha	arge (Print & Sign):	First Becky		Brown	ast	B	M Bro	س	
Regulatory A	uthority (Print & Sign)	Firs Amanda :	st	<i>L</i> Taylor	ast	Q	Des		
	REHS ID	2543 - Ta	ylor, Aman	da		Verifica	ation Required Date	e: <u>Ø 3</u> / <u>1 5</u> /	2018

REHS Contact Phone Number: (336) 703 - 3136

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of Food Establishment Inspection Report, 3/2013



Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations	and C	orrootiv	A Ation

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking PF 0 points. Cooked corn in walk in cooler marked with prep date of 2/27. Potentially hazardous food held in the facility for 24 hours or more shall be properly marked to indicate the discard date and discarded on that date. Food may be held in the facility 7 days, with the prep date counting as day 1 at 41 degrees or less. Food may be held 4 days at 45 degrees or less. CDI. Corn discarded.
- 33 3-501.13 Thawing C Frozen broccoli set in pot on stove to thaw(stove not turned on). Do not thaw foods at room temperature. Food may be thawed under refrigeration, cool running water or as part of the cooking process.
- 37 3-305.11 Food Storage-Preventing Contamination from the Premises C 0 points. Box of flour tortillas stored on floor of dry storage room. Food shall be stored at least 6 inches above the floor.
- 39 3-304.14 Wiping Cloths, Use Limitation C Repeat violation. Wiping cloths stored in bucket that solution wasc visibly soiled and tested 0PPM sanitizer(checked both chlorine and quat). Once wiping cloths become wet, store them in sanitizer solution. Be sure to change sanitizer when the bucket becomes visibly soiled with contaminants.
- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C 0 points. Stack of single use plates stored on bottom shelf of prep table face up and unprotected with plastic wrap. Store single use items in a manner that will protect them from containation.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C 0 points. Replace missing knobs from front of stove and grill. Equipment shall be in good repair.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Additional cleaning needed to remove food debris and grease from stove top and insides of ovens. Cleaning of legs and bottom shelves needed to remove oxidation from prep tables and sinks as well as metal shelf in corner near dish machine. Cleaning of casters needed on pink food cart. Cleaning needed on outside surfaces of dish machine. Clean racks inside walk in cooler.





Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 5-205.15 (B) System maintained in good repair C 0 points. Repair minor drip in pipe under 3 compartmntr sink. System shall be maintained in good repair.
- 6-501.12 Cleaning, Frequency and Restrictions C Floor cleaning needed, especially under shleving, equipment and especially under 3 compartment sink, Dust ceiling vents in restrooms. Physical facilities shall be maintained clean.
 6-501.11

Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C Seal exposed faucet penetrations at 3 compartment sink. Seal FRP panel to wall in mens restroom. Be sure the seal is smooth and easily cleanable. Physical facilities shall be in good repair.

6-303.11 Intensity-Lighting - C Repeat violation. Lihting at stove 30 footcandles. Increase lighting to 50 footcandles at food prep surfaces. Per PIC, bulbs have been changed. Reccomend installation of additional light fixture.





Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



