Food Establishment Inspection Report Score: 96 Establishment Name: SUBWAY #44435 Establishment ID: 3034012009 Location Address: 3511 PARKWAY VILLAGE CIRCLE City: WINSTON SALEM Date: 03/07/2018 Status Code: A State: NC Time In: $01 : 05 \otimes am$ Time Out: <u>Ø 3</u>: <u>3 5 ⊗ am</u> County: 34 Forsyth Zip: 27127 Total Time: 2 hrs 30 minutes SUB VIER INC. Permittee: Category #: II Telephone: (336) 771-5927 FDA Establishment Type: No. of Risk Factor/Intervention Violations: 1 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O CDI R VR Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by \square 28 1 0.5 0 Pasteurized eggs used where required accredited program and perform duties **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 3 X П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used: adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 Plant food properly cooked for hot holding 1 0.5 0 \square 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🔀 🖂 🖂 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 1 0.5 0 - -Thermometers provided & accurate 420 _ _ _ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -21000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗆 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 0 41 🗖 🗆 1 0.5 0 🗆 🗆 In-use utensils: properly stored 14 🔀 3 1.5 0 🗆 🗆 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 0 0 reconditioned, & unsafe food [43]□|⊠ Single-use & single-service articles: properly Potentially Hazardous Food Tlme/Temperature stored & used 3 1.5 0 44 🛛 🗀 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🔲 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 15 0 - -Proper cold holding temperatures 47 🛛 🗆 Non-food contact surfaces clean 1 0.5 0 21 🔀 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 210 'm| X Plumbing installed: proper backflow devices **Consumer Advisory** .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1050 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 51 🔀 1 0.5 0 🗆 🗆 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 62/□ | 🗵 1 0.5 🗶 🗆 🗆 Chemical .2653, .2657 maintained Ø |25| 🗆 | 🗆 | 🔀 1 0.5 0 П Food additives: approved & properly used Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



Meets ventilation & lighting requirements;

Total Deductions:

designated areas used

210 -

	Comment	Adde	endum to	Food E	<u>stablishment</u>	Inspection	Report		
Establis	hment Name: SUBWAY #44	1435			Establishment I	D: 3034012009			
Location Address: 3511 PARKWAY VILLAGE CIRCLE City: WINSTON SALEM State: NC					☐ Inspection ☐ Re-Inspection ☐ Date: 03/07/2018 Comment Addendum Attached? ☐ Status Code: A Category #: ☐				
County: 34 Forsyth Zip: 27127									
Wastew Water S	/ater System: ☒ Municipal/Comm Supply: ☒ Municipal/Comm				Email 1: dar20502@yahoo.com				
	ttee: SUB VIER INC.	unity	On one dystem		Email 2:				
Teleph	none: (336) 771-5927				Email 3:				
			Temp	erature O	bservations				
	Effective	Janu	ary 1, 201	9 Cold H	olding will cha	nge to 41 de	grees		
ltem chicken	Location make table	Temp 38	The second second	Location walk in		_	Location	Temp	
beef	make table	43	hot water	3 comp sir	nk 144	<u> </u>			
turkey	make table	42							
meatballs	hot hold	151							
lettuce	make table	42							
spinach	make table	42							
chicken	make table	45							
egg	walk in	27							
43 4-4 of co	102.12 Certified Food Prote rtification. At least one employ of preparation and service strough passing a test that is passing a test tha	oyee when all be a count of al	no has superval certified foo n American N es in boxes of ngle use/serv	isory and m d protection ational Stan f single servi ice articles r	nanagement respons manager who has s dards Institute (ANS ice/use articles (suganay not be stored ur	sibility and the aut hown proficiency il)-accredited prog ars, straws, lids) s nder drain lines w	thority to directly of required in gram. Stored under here they are	et and control nformation leaking drainline e subject to	
Lock Text Person in	ı Charge (Print & Sign): Kyı	a	rst	Brown	.ast	Kyr	, pu	u	
Regulato	ry Authority (Print & Sign): ^{No}		rst	L Sykes	ast	150	6		
	REHS ID: 2	2664 - S	ykes, Nora		Verific	cation Required Dat	e:/	/	
RE	HS Contact Phone Number: (c Health ● Environmental	Health Section ● Foo	od Protection Pro	gram	

NOPH

Establishment Name: SUBWAY #44435	Establishment ID: _3034012009

Observations	and Corrective	Actions
Cuservalions	and Conecive	ACHORS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 49 5-205.15 (B) System maintained in good repair C -Sanitizing vat of 3 compartment sink has broken drain and drains into floor. Hot water faucet at can wash is not operational. Plumbing systems shall be maintained in good repair.
- 52 5-501.111 Area, Enclosures and Receptacles, Good Repair C-One dumpster is in poor repair and cracking in the front. Receptacles shall be maintained in good repair. Replace dumpster so it does not attract pests. Opts.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C- Caulk needed at base of toilet in men's room and recaulk 3 compartment is sink. Physical facilities shall be smooth and easily cleanable. 0pts.
- 6-303.11 Intensity-Lighting C -Lights (measured in foot candles fc) low in the following areas: walk in freezer (3fc), walk in cooler (5 fc) these should be 10 fc; hand sinks in both restrooms (9-12fc) and toilets in both restrooms (8-9fc), these should be 20fc. Increase lighting.





Establishment Name: SUBWAY #44435 Establishment ID: 3034012009

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SUBWAY #44435 Establishment ID: 3034012009

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SUBWAY #44435 Establis	shment ID: 3034012009
--	-----------------------

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



