Food Establishment Inspection Report

Establishment Name: CAMPUS GAS
Location Address: 1231 POLO RD

Establishment ID: 3034012581

Establishment ID: 1231 POLO RD

Establishment ID: 1231 POLO RD

City: WINSTON SALEM State: NC Date: 09/10/2019 Status Code: A Zip: 27106 County: 34 Forsyth Time In: 01: 35 pm Time Out: 27108 Out:

Permittee: CAMPUS GAS, LLC Total Time: 1 hr 15 minutes

Category #: III

Telephone: (919) 943-9692

Wastewater System: Municipal/Community On-Site System

FDA Establishment Type: Full-Service Restaurant

| Wastewater System: ⊠Municipal/Community □ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: 1 | | | | | | | | | | | | | | | | | | | |
|---|-------------------|-------|-------|------|---|----------|--------|---|---|---|----------|-------------------|--------|---|---|------|----------------|----------|---------------|
| Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury. | | | | | | | | Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. | | | | | | | | | | | |
| IN OUT N/A N/O Compliance Status OUT CDI R VE | | | | | | R VR | | IN OUT N/A N/O Compliance Status OUT C | | | | | | | | DI R | R VR | | |
| | | | | | | | | Si | Safe Food and Water .2653, .2655, .2658 | | | | | | | | | | |
| 1 | X | | | | PIC Present; Demonstration-Certification by accredited program and perform duties | 2 | | | 28 | | | X | | Pasteurized eggs used where required | 1 | 0.5 | ᅙ | | |
| E | mpl | oye | е Не | alth | | | | | 29 | X | | | | Water and ice from approved source | 2 | 1 | 0 [| | 攌 |
| 2 | X | | | | Management, employees knowledge; responsibilities & reporting | 3 1.5 | | | 30 | | | X | | Variance obtained for specialized processing methods | 1 | 0.5 | 0 [| | 盂 |
| 3 | X | | | | Proper use of reporting, restriction & exclusion | 3 1.5 (| | | F | Food Temperature Control .2653, .2654 | | | | | | | | | \perp |
| G | 000 | ΙНу | gieni | ic P | ractices .2652, .2653 | | | | 31 | × | П | | | Proper cooling methods used; adequate | 1 | 0.5 | oГ | 1 | П |
| 4 | X | | | | Proper eating, tasting, drinking, or tobacco use | 21 | | | 32 | \vdash | \equiv | | × | equipment for temperature control Plant food properly cooked for hot holding | 1 | 0.5 | 01 | 1 | $\frac{1}{1}$ |
| 5 | X | | | | No discharge from eyes, nose or mouth | 1 0.5 | | | 33 | \vdash | | $\overline{\Box}$ | | Approved thawing methods used | 1 | 0.5 | 0 | 1 | ਜ |
| P | reve | ntin | g Co | onta | mination by Hands .2652, .2653, .2655, .2656 | | | | J H | \vdash | | Ш | Ш | | F | | | | |
| 6 | X | | | | Hands clean & properly washed | 42 | | | 34 | \perp | Щ | | | Thermometers provided & accurate | 1 | 0.5 | | <u> </u> | 业 |
| 7 | X | | | | No bare hand contact with RTE foods or pre- approved alternate procedure properly followed | 3 1.5 | 0 🗆 | | | ood I | den | tific | atio | | 2 | | | | |
| 8 | X | П | | | Handwashing sinks supplied & accessible | 21 | 0 1 | 7/- | 11 🖳 | Food properly labeled: original container | | | | | | 1 | | <u> </u> | <u> </u> |
| ш | | over | d So | ırcı | • 11 | | الالا | | | | =T | 1 of | Foc | d Contamination .2652, .2653, .2654, .2656, .265 Insects & rodents not present; no unauthorized | | | | | |
| 9 | X | | 300 | uic | Food obtained from approved source | 21 | | | 36 | × | Ц | | | animals | 2 | 1 | | 4 | ᆚᅵ |
| 10 | | | | X | | | | | 37 | × | | | | Contamination prevented during food preparation, storage & display | 2 | 1 | 0 [| | |
| \vdash | \mathbf{x} | | | | Food in good condition, safe & unadulterated | | | | 38 | × | | | | Personal cleanliness | 1 | 0.5 | 0 [| | |
| 12 | $\overline{\Box}$ | _ | × | П | Required records available: shellstock tags, | | | = = | 39 | × | | | | Wiping cloths: properly used & stored | 1 | 0.5 | 0 [| | |
| \perp | rote | ctio | | m (| parasite destruction Contamination .2653, .2654 | الاالكال | الالا | | 40 | × | | | | Washing fruits & vegetables | 1 | 0.5 | 0 [| | |
| П | X | П | | П | Food separated & protected | 3 1.5 | ololi | $\neg \Gamma$ | Pi | ropei | r Us | e of | Ute | ensils .2653, .2654 | | | | | |
| 14 | | × | | _ | Food-contact surfaces: cleaned & sanitized | 3 🗶 | 77 | X C | 41 | × | | | | In-use utensils: properly stored | 1 | 0.5 | ▯▢ | | |
| H | × | | | | Proper disposition of returned, previously served, | | | | 42 | × | | | | Utensils, equipment & linens: properly stored, dried & handled | 1 | 0.5 | 0 [| | |
| \perp | | ntial | ly Ha | ızar | reconditioned, & unsafe food dous Food Time/Temperature .2653 | | الحالم | | 43 | × | | | | Single-use & single-service articles: properly stored & used | 1 | 0.5 | 0 [| | |
| 16 | | | | X | Proper cooking time & temperatures | 3 1.5 | | | 44 | × | | | | Gloves used properly | 1 | 0.5 | 0 [| | 回 |
| 17 | | | | X | Proper reheating procedures for hot holding | 3 1.5 | 0 🗆 1 | | U | tensi | ls a | nd [| Equi | pment .2653, .2654, .2663 | | | | | |
| 18 | | | | X | Proper cooling time & temperatures | 3 1.5 | 0 🗆 1 | | 45 | × | | | | Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used | 2 | 1 | 0 [| | |
| 19 | X | | | | Proper hot holding temperatures | 3 1.5 | 0 🗆 [| | 46 | × | | | | Warewashing facilities: installed, maintained, & used; test strips | 1 | 0.5 | 0 [| | 丁 |
| 20 | X | | | | Proper cold holding temperatures | 3 1.5 | 0 🗆 [| | 47 | × | | | | Non-food contact surfaces clean | 1 | 0.5 | Ō C | | 垣 |
| 21 | X | | | | Proper date marking & disposition | 3 1.5 | 0 0 | | Pl | hysic | al F | acil | lities | .2654, .2655, .2656 | | | | | |
| 22 | | | × | | Time as a public health control: procedures & records | 21 | 0 0 1 | | 48 | × | | | | Hot & cold water available; adequate pressure | 2 | 1 | 0 [| | |
| С | ons | ume | er Ac | lvis | | | | | 49 | X | | | | Plumbing installed; proper backflow devices | 2 | 1 | 0 [| | |
| 23 | | | × | | Consumer advisory provided for raw or undercooked foods | 1 0.5 | 0 🗆 [| | 50 | × | | | | Sewage & waste water properly disposed | 2 | 1 | 0 [| | 攌 |
| Н | igh | y Sı | isce | ptib | le Populations .2653 | | | | 51 | | X | П | | Toilet facilities: properly constructed, supplied | 1 | 0.5 | X | 1 | 뒴 |
| 24 | | | X | | Pasteurized foods used; prohibited foods not offered | 3 1.5 | | | - | | \dashv | | | & cleaned Garbage & refuse properly disposed; facilities | Е | - | + | | \pm |
| C | hen | nical | | | .2653, .2657 | | | | 52 | \vdash | × | | | maintained | 1 | - | X [| | 44 |
| 25 | | | X | | Food additives: approved & properly used | 1 0.5 | | | 53 | | X | | | Physical facilities installed, maintained & clean | 1 | 0.5 | & [| | |
| 26 | X | | | | Toxic substances properly identified stored, & used | 21 | | | 54 | × | | | | Meets ventilation & lighting requirements; designated areas used | 1 | 0.5 | 0 [| | 卫 |
| Conformance with Approved Procedures .2653, .2654, .2658 Total Deductions: 1.5 | | | | | | | | | | | | | | | | | | | |
| 27 | | | X | | Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan | 21 | | | | | | | | Total Deductions. | | _ | | | |





| | Commen | . Aaae | <u>naum to</u> | <u> </u> | <u> Stabiisr</u> | ıment | <u>inspectio</u> | <u>n Report</u> | | | |
|-------------------------------------|---|------------------------|-----------------------------------|--------------------------|---|---------------|------------------|-------------------|-----------------|--|--|
| stablishme | nt Name: CAMPUS GA | \S | | | Establishment ID: 3034012581 | | | | | | |
| Location A | ddress: 1231 POLO RD | | | | ☑Inspection ☐Re-Inspection Date: 09/10/2019 | | | | | | |
| City: WINS | | | Sta | ite: NC | Comment Addendum Attached? Status Code: A | | | | | | |
| County: 34 | | | Zip: 27106 | | Water sam | ple taken? | Yes X | | | | |
| | System: 🛭 Municipal/Comn | | | | Fmail 1· | ben@cam | pusgas.com | | | | |
| Water Supply | y: ⊠ Municipal/Comn CAMPUS GAS, LLC | nunity 🗌 C | On-Site System | | Email 2: | | | | | | |
| | | | | | | | | | | | |
| reiepnone | : (919) 943-9692 | | | | Email 3: | | | | | | |
| | | | • | | Observation | | _ | | | | |
| | | | • | | e is now 4 | _ | rees or les | | T | | |
| ltem ServSafe | Location M. Harris 4.9.24 | Temp 00 | Item egg salad | Location make uni | t | Temp 41 | item | Location | Temp | | |
| hot water | 3 comp sink | 126 | burger | reach in o | cooler | 41 | | | | | |
| quat sani | ppm 3 comp sink | 200 | pimiento | reach in o | cooler | 41 | | | | | |
| quat sani | ppm bucket | 400 | chili | hot holdir | ng | 152 | | | | | |
| hot water | glass dish machine | 165 | hot dogs | hot holdir | ng | 142 | | | | | |
| tomato | make unit | 39 | tater tots | oven | | 135 | | | | | |
| pimiento | make unit | 41 | burger | walk in co | ooler | 39 | | | | | |
| slaw | make unit | 38 | veg burger | walk in co | ooler | 38 | | | | | |
| residue of soil of 51 6-501.1 | be cleaned. // 4-602.1 e needs cleaning. Equipor mold. 18 Cleaning of Plumbin om needs cleaning. Mai | oment suc g Fixture | ch as ice mac s - C - Urinal i | hines shal n men's re | l be cleaned | at a frequ | iency necessa | ry to preclude th | ne accumulatior | | |
| | 111 Area, Enclosures a management company | | | | | | | | | | |
| | | | | | | | | | | | |
| | (D. L. a. C.) Ma | <i>Fii</i> ırshall | rst | Harris | Last | | | A = - | ~ | | |
| Person in Cha | rge (Print & Sign): Ma | | | | | \mathcal{M} | m | M | | | |
| Regulatory Au | thority (Print & Sign): ^{La} | <i>Fii</i> uren | rst | Pleasants | Last | -Co | ~~ (f | Kunt | 1961 | | |
| | REHS ID: 2 | 2809 - PI | easants, Lau | iren | | Verifica | ation Required [| Date: / | / | | |

REHS Contact Phone Number: (336) 703 - 3144

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: CAMPUS GAS Establishment ID: 3034012581

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C - Fill holes in wall in women's restroom where diaper changing station was removed, or replace fixture. Maintain physical facilities in good repair. 0 pts.





Establishment Name: CAMPUS GAS Establishment ID: 3034012581

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: CAMPUS GAS Establishment ID: 3034012581

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





| Establishment Name: CAMPUS GAS | Establishment ID: 3034012581 |
|--------------------------------------|---------------------------------|
| ESTADIISTITIETI IVAITIE. OAWI OO OAO | ESTADIISIIIIIEIILID. 3004012301 |

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



