Food Establishment Inspection Report Score: 99 Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826 Location Address: 418 NORTH LIBERTY STREET Date: 11 / 04 / 2019 Status Code: A City: WINSTON SALEM State: NC Time In:  $01:15_{\otimes}^{\circ}$  am pm Time Out: Ø ⊋ : 3 Ø ⊗ pm County: 34 Forsyth Zip: 27101 Total Time: 1 hr 15 minutes KINGZ DOWNTOWN MARKET LLC Permittee: Category #: III Telephone: (336) 722-4170 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗆 🗷 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🔲 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 - $\boxtimes$ 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 - - -Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🖾 🗀 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗷 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🔀 10.50



26 🗵 🗆

|27| 🗆 | 🗆 | 🔀

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



1 0.5 0

54

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

1 0.5 0

210 - -

				TUUU E	Stabilshinent inspection Report		
Establishment Name: KINGZ DOWNTOWN MARKET					Establishment ID: 3034020826		
Location Address: 418 NORTH LIBERTY STREET					☑Inspection ☐Re-Inspection Date: 11/04/2019		
City: WINSTON SALEM State: NC				te: NC	Comment Addendum Attached? Status Code: A		
			Zip: 27101		Water sample taken? Yes No Category #: III		
Wastewater System:   Municipal/Community □ On-Site System				_	Email 1: kingzdowntownmarket@hotmail.com		
Water Supply:   ✓ Municipal/Community   ✓ On-Site System  Permittee: KINGZ DOWNTOWN MARKET LLC							
		N MARKET LL	С		Email 2:		
Telephone	(336) 722-4170				Email 3:		
			Tempe	rature Ol	bservations		
		<b>Cold Hol</b>	ding Temp	erature	is now 41 Degrees or less		
Item Cassandria	Location 6/27/23	Temp 0	Item tomatoes	Location make unit	Temp Item Location Temp 40		
Hot water	three comp sink	118	bologna	make unit	39		
sanitizer (cl)	spray bottles (ppm)	100	chicken breast	upright	40		
chicken	hot cabinet high	201	pork raw	upright	39		
chicken	hot cabinet low	158					
chili	hot well	142					
hot dogs	hot well	178					
burgers	make unit	38					
trapped		as possible a	and regularly to	o prevent it	rurther pest attraction. Clean noted areas to remove dead and		
	rge (Print & Sign): thority (Print & Sign)		st	King La Chrobak	ast ast		
	REHS ID	· 2450 - Cł	robak. Josen	oh .	Vorification Poquired Date:		

REHS Contact Phone Number: (336)703-3164

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of Prode Establishment Inspection Report, 3/2013



Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KINGZ DOWNTOWN MARKET Establishment ID: 3034020826

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



