Food Establishment Inspection Report Score: 100 Establishment Name: BROOKDALE Establishment ID: 3034160010 Location Address: 275 S PEACEHAVEN RD City: WINSTON SALEM Date: 11 / 07 / 2019 Status Code: A State: NC Time In: $11 : 30 \overset{\otimes}{\circ} ^{am}$ Time Out: Ø 1 : Ø Ø ⊗ pm County: 34 Forsyth Zip: 27104 Total Time: 1 hr 30 minutes **BROOKDALE SENIOR LIVING** Permittee: Category #: IV Telephone: (336) 659-7797 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 🔀 🖂 🖂 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 🔀 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3150 - approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 ☐ ☐ ☐ Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 🔽 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 - \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| 🔀 | 🗆 | 🗆 Garbage & refuse properly disposed; facilities maintained 52 🔀 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



|27| 🗆 | 🗆 | 🔀

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 □ | 🖾 | □



54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

21 🗶 🗙

210 - -

	Commen	t Adde	endum to	Food Es	<u>stablishment</u>	Inspection	Report	
Establishment Name: BROOKDALE					Establishment ID: 3034160010			
Location Address: 275 S PEACEHAVEN RD City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27104					Inspection □ Re-Inspection Date: 11/07/2019 Comment Addendum Attached? □ Status Code: A Water sample taken? □ Yes ⋈ No Category #: IV			
Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System Permittee: BROOKDALE SENIOR LIVING Telephone: (336) 659-7797					Email 1: Email 2: Email 3:			
Тегерпопе			Temn	erature Ol	oservations			
	C	old Hol	•		is now 41 Deg	rees or less		
ltem cauliflower	Location final cook	Temp 160	_	Location	Temp		Location	Temp
baked beans	hot hold	155	_			_		
sausage	hot hold	148				_		
ambient air	upright cooler	33						
hot plate temp	dish machine	163	_					
quat (ppm)	3-compartment sink	150						
chicken	final cook	192	_					
ServSafe	Richard Charest 1-16-2							
V	iolations cited in this repo				orrective Actions es below, or as stated i		1 of the food code.	
	1 Intensity-Lighting - (ndles at plumbing fixtu				ee restroom toilet (1	3 foot candles). I	Lighting shall be a	t least 20
	ge (Print & Sign): No chority (Print & Sign): ^{Ar}	eil <i>Fil</i> ndrew	rst rst	Charest	ast V	www a	to Ou KEUS	
REHS ID: 2544 - Lee, Andrew						ation Required Dat	te://	
REHS Co	ontact Phone Number:	(336)	703-31	28				

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: BROOKDALE Establishment ID: 3034160010

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BROOKDALE Establishment ID: 3034160010

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BROOKDALE Establishment ID: 3034160010

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BROOKDALE Establishment ID: 3034160010

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



