Food Establishment Inspection Report Score: 95 Establishment Name: WILSHIRE RESTAURANT Establishment ID: 3034010508 Location Address: 1570 BRIDGTON STREET City: WINSTON-SALEM Date: 09 / 15 / 20 20 Status Code: A State: NC Time In: $0 9 : 3 0 \otimes \text{am}$ Time Out: 11: 10 o am County: 34 Forsyth Zip: 27127 Total Time: 1 hr 40 minutes WILSHIRE GOLF CLUB, INC Permittee: Category #: II Telephone: (336) 788-7016 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 3 No. of Repeat Risk Factor/Intervention Violations: 2 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 \square 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 Approved Source .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 9 | 🗆 | 🔀 Food obtained from approved source Contamination prevented during food 37 🗆 🗷 preparation, storage & display 210 10 🗆 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 210 - parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 41 🔯 🗆 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🗆 🔀 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 2100 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 🗶 🗆 🗆 51 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗆 🗷 Chemical .2653, .2657 25 | | | | | | 53 🗷 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

-stak	nlishmant				<u> </u>		ment ID: 303401050)I L	
Establishment Name: WILSHIRE RESTAURANT									00/45/2020	
Location Address: 1570 BRIDGTON STREET City: WINSTON-SALEM State: NC					☐ Inspection ☐ Re-Inspection Date: 09/15/2020					
		St Zip:_ ²⁷¹²⁷	ate:		Comment Addendum Attached? Status Code: A Water sample taken? Yes No Category #: II					
Wastewater System: Municipal/Community □ On-Site System Water Supply: □ Municipal/Community □ On-Site System Permittee: WILSHIRE GOLF CLUB, INC Telephone: (336) 788-7016				tv1011@yahoo.com	Vale,	g0ι y π				
			Email 2:							
				Email 3:						
	ерпопе			Temn	erature	Observatio	ne			$\overline{}$
				•						
Item slaw		ocation nake unti		mp Item	Locatio		1 Degrees or le	Location	i	Temp
ambi	ent oi	ne door refrigerator	32	.						
toma	to m	nake unit	40							
bolog	jna m	nake unit	40							
chlori	ine bo	ottle-ppm	100)						
						Corrective A				
1							as stated in sections 8-4 is not Certified Food			
		test that is part of					certified food protect on.	J	,	,
9	until resea human co	arch is done with nsumption in a fo	departm ood esta	ent of Ag and Da blishment. // Foo	avidson co d shall be	ounty. Food pre obtained from	s. This is not determ epared in a private ho sources that comply ermined to be an app	ome may not with LAW.	t be used or CDI-Establi	r offered for
13	raw burge contamina	ers in ziploc store	d above ng raw a	ready to eat bold nimal food durin	ogna and i g storage,	raw shell eggs preparation, h	gregation - P- REPE <i>l</i> in make unit. Food s olding, and display fr	shall be prote	ected from	cross
Lock Text										
Perso	on in Charge	(Print & Sign):	Tod	First	Veach	Last	Tod	Vea	ch	
Regul	latory Autho	ority (Print & Sign)	Nora :	First	Sykes	Last	Mgz			
		REHS ID	: 2664	- Sykes, Nora			Verification Require	d Date:	/ /	
	RFHS Cont	act Phone Number			6.1		: ::sation require		·•	
	KENS COIL	act i none munibel	· (<u>33</u>	<u>u, r w s = 5 1</u>	<u>0 T</u>	= .			_	

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: WILSHIRE RESTAURANT Establishment ID: 3034010508

Observations	and Ca	rrootivo	A ations
COSEIVAIION	5 AHCH C.C) I ECHVE	ACHOUS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



37 3-307.11 Miscellaneous Sources of Contamination - C- Personal food items in refrigerator for establishment foods. Eggs for establishment in personal refrigerator. Store items appropriately, as discussed.

- 43 4-904.11 Kitchenware and Tableware-Preventing Contamination C-REPEAT-Five stacks of cups with lip contact portion exposed. SINGLE-SERVICE and SINGLE-USE ARTICLES shall be handled, displayed, and dispensed so that contamination of FOOD- and lip-contact surfaces is prevented. Maintain lip contact portions covered.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- Torn gasket in one door refrigerator, torn gasket in make unit. Replace. Caulk around splash guards at hand sink.
- 51 6-501.18 Cleaning of Plumbing Fixtures C- Clean toilets in men's room.

- 5-501.11 Outdoor Storage Surface C- REPEAT-Garbage dumpster on gravel/grassy area. An outdoor storage surface for refuse, recyclables, and returnables shall be constructed of nonabsorbent material such as concrete or asphalt and shall be smooth, durable, and sloped to drain.
- 6-303.11 Intensity-Lighting C- REPEAT-Lights low in ladies restroom at toilets (2-10 foot candles) and in mens restroom at toilets and urinals (2-17 foot candles) Increase to 20 foot candles at fixtures. Increase lighting in stalls and back corner urinal in men's room.





Establishment Name: WILSHIRE RESTAURANT Establishment ID: 3034010508

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: WILSHIRE RESTAURANT Establishment ID: 3034010508

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: WILSHIRE RESTAURANT Establishment ID: 3034010508

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



