Food Establishment Inspection Report Score: 100 Establishment Name: VIENNA VILLAGE Establishment ID: 3034160034 6601 YADKINVILLE RD Location Address: City: PFAFFTOWN Date: 04/07/2021 Status Code: A State: NC Time In:  $11 : 20 \overset{\otimes}{\circ} ^{am}$ Time Out: Ø 1 : 35⊗ pm Zip: 27040 34 Forsyth County: . Total Time: 2 hrs 15 minutes VIENNA VILLAGE INC. Permittee: Category #: IV Telephone: (336) 945-5410 FDA Establishment Type: Nursing Home Wastewater System: ☐ Municipal/Community ☒ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 🔀 🖂 🖂 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🗆 🛭 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 21000 12 🔲 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 X 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 🔀 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| 🔀 | 🗆 | 🗆 Garbage & refuse properly disposed; facilities maintained 52 🗷 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

	Comment	Adde	endum to	Food E	<u>stablish</u>	ment	<b>Inspection</b>	n Report	
Establishme		Establishment ID: 3034160034							
Location Address: 6601 YADKINVILLE RD  City: PFAFFTOWN State: NC  County: 34 Forsyth Zip: 27040  Wastewater System:  Municipal/Community On-Site System Water Supply:  Municipal/Community On-Site System  Permittee: VIENNA VILLAGE INC.  Telephone: (336) 945-5410  Temperature  Cold Holding Temperature  Item Location Temp Item Location					Minspection ☐ Re-Inspection Date: 04/07/2021  Comment Addendum Attached? ☐ Status Code: A  Water sample taken? ☐ Yes ☒ No Category #: IV  Email 1: CHRIS@VIENNAVILLAGE.COM  Email 2: Email 3:  Observations  e is now 41 Degrees or less				
ServSafe	Chris Parker 3-21-25	0	quat (ppm)	3-compart	ment sink	200		Location	Temp
sausage	upright cooler	40							
salad	upright cooler	38							
ham	upright cooler	37							
pimiento	upright cooler	38							
hot plate temp	dish machine	167							
hot water	3-compartment sink	144					_		
ambient air	reach-in cooler	37							
	I1 Good Repair and Pr ined in good repair. 0 p		ustment-Equip	ment - C - <sup>-</sup>	Torn gasket	present (	on upright freez	zer door. Equipn	nent shall be
Regulatory Au		ris Fi drew 2544 - Lo	irst irst ee, Andrew	Parker <i>L</i> Lee	ast ast		ation Required D	ate://	M EUS
REHS C	ontact Phone Number: (	<u>336</u> )	<u> </u>	<u> 18</u>					

(CPH)

Establishment Name: VIENNA VILLAGE Establishment ID: 3034160034

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: VIENNA VILLAGE Establishment ID: 3034160034

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: VIENNA VILLAGE Establishment ID: 3034160034

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: VIENNA VILLAGE Establishment ID: 3034160034

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



